

(18420) 14/02/19 07:04:24 - INFO: <--(3217) :dchannel --message="offhook" --channel_id=53 --client_id="89676" --dchannel="jobcontrol_isdn:53"
(18420) 14/02/19 07:04:24 - INFO: JobQueue<AppSpec>::AddChannel(): adding channel 00999284 to list at 009991B0.
(18420) 14/02/19 07:04:26 - INFO: <--(3217) :alive
(18420) 14/02/19 07:04:31 - INFO: <--(3217) :channel_state --channel_name='1.a/B1/S0/HFC-4S' --status=" --> 0756253104" --called_party_number="0756253104" --calling_party_number1="" --calling_party_number2="" --redirected_party_number="" --destination="fms" --used
(18420) 14/02/19 07:04:31 - INFO: <--(3217) :bchannel --message="start" --client_id="89676" --bchannel="1.a/B1/S0/HFC-4S"
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : csid="+43 7563 8041"
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[0]='fax.prc'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[1]='--type=send'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[2]='--interface=1.a/B1/S0/HFC-4S'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[3]='--stat-fd=1'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[4]='--calling-party-number='
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[5]='--called-party-number=0756253104'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[6]='--type=send'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[7]='--tx-file=[10.1.1.50:51988]/OMCUMS-EXPORT-50946B2A/work/omcums0/send/00015e51.bff
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[8]='--bps=14400'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[9]='--ecm=1'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[10]='--resolution=200'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[11]='--compression=MMR'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[12]='--header=1'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[13]='--logo=1'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[14]='--info-text=MARK Metallwarenfabrik GmbH'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[15]='--csid="+43 7563 8041"
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[16]='--to-whom=0756253104'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[17]='--from-whom=werkzeugbaup3'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[18]='--pages=1'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[19]='--debug-snfs=2'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[20]='--debug-fc=3'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[21]='--debug-t30=2'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[22]='--debug-t4=2'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[23]='--debug-lapi=2'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[24]='--debug-modem=2'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[25]='--stat-fd=1'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[0]='fax.prc'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[1]='--type=send'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[2]='--interface=1.a/B1/S0/HFC-4S'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[3]='--stat-fd=1'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[4]='--calling-party-number='
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[5]='--called-party-number=0756253104'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[6]='--type=send'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[7]='--tx-file=[10.1.1.50:51988]/OMCUMS-EXPORT-50946B2A/work/omcums0/send/00015e51.bff
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[8]='--bps=14400'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[9]='--ecm=1'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[10]='--resolution=200'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[11]='--compression=MMR'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[12]='--header=1'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[13]='--logo=1'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[14]='--info-text=MARK Metallwarenfabrik GmbH'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[15]='--csid="+43 7563 8041"
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[16]='--to-whom=0756253104'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[17]='--from-whom=werkzeugbaup3'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[18]='--pages=1'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[19]='--debug-snfs=2'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[20]='--debug-fc=3'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[21]='--debug-t30=2'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[22]='--debug-t4=2'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[23]='--debug-lapi=2'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[24]='--debug-modem=2'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FAX : argv[25]='--stat-fd=1'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) :event PRC_STARTED
(18420) 14/02/19 07:04:31 - WARNING: DChannel::OnMsgLine(): ignoring unknown command 'event PRC_STARTED'.
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FC : --> B-1 07:04:31,349 state=FC_RESET , event=FC_INIT
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FC : B1 T30 built.
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FC : B1 Sending SETUP_TX to T30
(18420) 14/02/19 07:04:31 - INFO: <--(3217) FC : <-- B1 07:04:31,349 state=FC_W4_T30_SETUP_ACK
(18420) 14/02/19 07:04:31 - INFO: <--(3217) T30 : B1 Wed Feb 19 07:04:31 2014
(18420) 14/02/19 07:04:31 - INFO: <--(3217) SETUP TX 14400 ECM Fax fine MR/MMR NoPoll
(18420) 14/02/19 07:04:31 - INFO: <--(3217) T30 : SETUP more info
(18420) 14/02/19 07:04:31 - INFO: <--(3217) T30 : Lapidx = 0
(18420) 14/02/19 07:04:31 - INFO: <--(3217) T30 : HighLayerIdx = 1
(18420) 14/02/19 07:04:31 - INFO: <--(3217) T30 : min_speed = 0
(18420) 14/02/19 07:04:31 - INFO: <--(3217) T30 : listen_time_dtmf = 0
(18420) 14/02/19 07:04:31 - INFO: <--(3217) T30 : short_dis = 0
(18420) 14/02/19 07:04:31 - INFO: <--(3217) T30 : dis_size = 7
(18420) 14/02/19 07:04:31 - INFO: <--(3217) T30 : own_subs_id = +43 7563 8041
(18420) 14/02/19 07:04:31 - INFO: <--(3217) T30 : own_sernum = 0
(18420) 14/02/19 07:04:31 - INFO: <--(3217) T30 : B1 07:04:31,352 start Timer Timer 1
(18420) 14/02/19 07:04:31 - INFO: <--(3217) LAPi: B1 07:04:31,352 open ISDN Lineinterface 1.a/B1/S0/HFC-4S on /dev/iild (dbg=0x0002)
(18420) 14/02/19 07:04:31 - INFO: <--(3217) LAPi: B1 07:04:31,353 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:04:31 - INFO: <--(3217) LAPi: B1 07:04:31,353 setting rx modem mode 'rxg711 -a -r | rxmdm -v 0 -R'
(18420) 14/02/19 07:04:31 - INFO: <--(3217) LAPi: B1 07:04:31,353 setting rx modem mode "
(18420) 14/02/19 07:04:31 - INFO: <--(3217) LAPi: B1 07:04:31,353 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:04:31 - INFO: <--(3217) LAPi: B1 07:04:31,353 turned off tx irq
(18420) 14/02/19 07:04:31 - INFO: <--(3217) T30 : B1 07:04:31,355 LapiSetMode id=1 mode=2 alaw=1 dir=1 bufsize=0 hdlc=0 t1=500 t2=0 f=1100
(18420) 14/02/19 07:04:31 - INFO: <--(3217) T30 : B1 07:04:31,355 Restart Timer Timer 1
(18420) 14/02/19 07:04:31 - INFO: <--(3217) LAPi: B1 07:04:31,356 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:04:31 - INFO: <--(3217) LAPi: B1 07:04:31,356 sending tone 1100 Hz / 0 Hz -15 dB 500 ms
(18420) 14/02/19 07:04:31 - INFO: <--(3217) LAPi: B1 07:04:31,356 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:04:31 - INFO: <--(3217) LAPi: B1 07:04:31,357 setting (sync) tx modem mode 'txtone | txg711 -a -r' (session 2)
(18420) 14/02/19 07:04:31 - INFO: <--(3217) LAPi: B1 07:04:31,357 write: req=2, size=8, buf: 4c 04 00 00 f4 01 f1 81
(18420) 14/02/19 07:04:31 - INFO: <--(3217) LAPi: B1 07:04:31,360 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 07:04:31 - INFO: <--(3217) LAPi: B1 07:04:31,360 write: req=5, size=0, buf:
(18420) 14/02/19 07:04:31 - INFO: <--(3217) LAPi: B1 07:04:31,360 turned off tx irq
(18420) 14/02/19 07:04:31 - INFO: <--(3217) LAPi: B1 07:04:31,360 setting (sync) tx modem mode 'txidle -a' (session 3)

(18420) 14/02/19 07:04:31 - INFO: <--(3217) LAPi: B1 07:04:31,865 txend for session 2
(18420) 14/02/19 07:04:31 - INFO: <--(3217) LAPi: B1 07:04:31,866 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:04:31 - INFO: <--(3217) T30 : B1 07:04:31,867 LapiSetMode id=2 mode=4 alaw=1 dir=0 bufsize=264 hdlc=1 t1=3000 t2=0 f=2100
(18420) 14/02/19 07:04:31 - INFO: <--(3217) LAPi: B1 07:04:31,868 setting rx modem mode 'rxg711 -a -r | rxmdm -v 0'
(18420) 14/02/19 07:04:32 - INFO: <--(3217) :alive
(18420) 14/02/19 07:04:32 - INFO: <--(3217) LAPi: B1 07:04:32,889 (04.32,88906) ILID_IND_DETECT ILAPI_DETECT_CED size=21
(18420) 14/02/19 07:04:32 - INFO: <--(3217) LAPi: B1 07:04:32,890 setting rx modem mode "
(18420) 14/02/19 07:04:32 - INFO: <--(3217) T30 : B1 07:04:32,890 CED detected
(18420) 14/02/19 07:04:32 - INFO: <--(3217) T30 : B1 07:04:32,890 LapiSetMode id=3 mode=6 alaw=1 dir=0 bufsize=264 hdlc=1 t1=0 t2=0 f=0
(18420) 14/02/19 07:04:32 - INFO: <--(3217) T30 : B1 07:04:32,891 start Timer Timer 6
(18420) 14/02/19 07:04:32 - INFO: <--(3217) LAPi: B1 07:04:32,891 setting rx modem mode 'rxg711 -a -r | rxmdm -v 21 -b 300 | rxhdlc -r'
(18420) 14/02/19 07:04:32 - INFO: <--(3217) LAPi: B1 07:04:32,905 (04.32,90506) ILID_IND_DETECT ILAPI_DETECT_CED size=21
(18420) 14/02/19 07:04:32 - INFO: <--(3217) LAPi: B1 07:04:33,081 (04.33,08100) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 07:04:32 - INFO: <--(3217) LAPi: B1 07:04:33,097 (04.33,09704) ILID_IND_DETECT ILAPI_DETECT_SILENCE size=21
(18420) 14/02/19 07:04:32 - INFO: <--(3217) LAPi: B1 07:04:33,129 (04.33,12901) ILID_IND_DETECT ILAPI_DETECT_CED size=21
(18420) 14/02/19 07:04:35 - INFO: <--(3217) LAPi: B1 07:04:35,913 (04.35,91306) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 07:04:35 - INFO: <--(3217) LAPi: B1 07:04:35,945 (04.35,94498) ILID_IND_DETECT ILAPI_DETECT_SILENCE size=21
(18420) 14/02/19 07:04:35 - INFO: <--(3217) LAPi: B1 07:04:36,009 (04.36,00902) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 07:04:35 - INFO: <--(3217) LAPi: B1 07:04:36,137 (04.36,13702) ILID_IND_DETECT ILAPI_DETECT_V21 size=21
(18420) 14/02/19 07:04:35 - INFO: <--(3217) LAPi: B1 07:04:36,217 (04.36,21120) ILID_IND_FLAG size=16
(18420) 14/02/19 07:04:35 - INFO: <--(3217) T30 : B1 V21 Flags detected
(18420) 14/02/19 07:04:35 - INFO: <--(3217) T30 : B1 07:04:36,218 Restart Timer Timer 6
(18420) 14/02/19 07:04:37 - INFO: <--(3217) LAPi: B1 07:04:37,545 (04.37,53908) ILID_IND_DATA ff 03 20 00 00 56 55 55 ...
(18420) 14/02/19 07:04:37 - INFO: <--(3217) T30 : B1 07:04:37,546 Restart Timer Timer 6
(18420) 14/02/19 07:04:37 - INFO: <--(3217) T30 : B1 07:04:37,547 stop Timer Timer 1
(18420) 14/02/19 07:04:37 - INFO: <--(3217) T30 : B1 07:04:37,547 start Timer Timer 9
(18420) 14/02/19 07:04:37 - INFO: <--(3217) T30 : B1 07:04:37,547 RCV NSF (00 00 6a aa 00 31 09 01 6c d0)
(18420) 14/02/19 07:04:37 - INFO: <--(3217) T30: Remote: No Ferrari
(18420) 14/02/19 07:04:38 - INFO: <--(3217) LAPi: B1 07:04:38,249 (04.38,24296) ILID_IND_DATA ff 03 40 34 30 31 33 35 ...
(18420) 14/02/19 07:04:38 - INFO: <--(3217) T30 : B1 07:04:38,250 Restart Timer Timer 6
(18420) 14/02/19 07:04:38 - INFO: <--(3217) T30 : B1 07:04:38,250 RCV CSI remote_subs_id = " +43756253104"
(18420) 14/02/19 07:04:38 - INFO: <--(3217) LAPi: B1 07:04:38,569 (04.38,56308) ILID_IND_DATA ff 13 80 00 ee a8 c4 80 ...
(18420) 14/02/19 07:04:38 - INFO: <--(3217) T30 : B1 07:04:38,570 RCV DIS V17 ECM Fax fine MMR (00 77 15 23 01 88)
(18420) 14/02/19 07:04:38 - INFO: <--(3217) T30 : DIS line_width=2 min_time_4_line=2 time_4_line_raw=2
(18420) 14/02/19 07:04:38 - INFO: <--(3217) T30 : B1 07:04:38,570 stop Timer Timer 6
(18420) 14/02/19 07:04:38 - INFO: <--(3217) :alive
(18420) 14/02/19 07:04:38 - INFO: <--(3217) LAPi: B1 07:04:38,633 (04.38,62617) ILID_IND_CARRIER_LOST size=16
(18420) 14/02/19 07:04:38 - INFO: <--(3217) LAPi: B1 07:04:38,633 setting rx modem mode "
(18420) 14/02/19 07:04:38 - INFO: <--(3217) T4 : built
(18420) 14/02/19 07:04:38 - INFO: <--(3217) T30 : B1 Build T4. T4Idx=5
(18420) 14/02/19 07:04:38 - INFO: <--(3217) T30 : B1 Build TxDataTask. TxDataIdx=6
(18420) 14/02/19 07:04:38 - INFO: <--(3217) T30 : B1 07:04:38,635 Send T4 Setup
(18420) 14/02/19 07:04:38 - INFO: <--(3217) T30 : B1 07:04:38,635 LapiSetMode id=4 mode=6 alaw=1 dir=1 bufsize=0 hdlc=1 t1=1000 t2=100 f=0
(18420) 14/02/19 07:04:38 - INFO: <--(3217) T30 : B1 SEND TSI (31 34 30 38 20 33 36 35 37 20 33 34 2b 20 20 20)
(18420) 14/02/19 07:04:38 - INFO: <--(3217) T30 : B1 SEND DCS V17 14400 ECM Fax fine MMR (00 47 15 22)
(18420) 14/02/19 07:04:38 - INFO: <--(3217) T30 : DCS line_width=2 min_time_4_line=2
(18420) 14/02/19 07:04:38 - INFO: <--(3217) LAPi: B1 07:04:38,637 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:04:38 - INFO: <--(3217) LAPi: B1 07:04:38,637 setting (sync) tx modem mode 'txhdlc -n -r | txmdm -v 21 -b 300 -s | txg711 -a -r' (session 2)
(18420) 14/02/19 07:04:38 - INFO: <--(3217) LAPi: B1 07:04:38,637 Sending 38 flags
(18420) 14/02/19 07:04:38 - INFO: <--(3217) LAPi: B1 07:04:38,637 write: req=1, size=1, buf: 26
(18420) 14/02/19 07:04:38 - INFO: <--(3217) T4 : 07:04:38,639 ready for encoding
(18420) 14/02/19 07:04:38 - INFO: <--(3217) buffer size: 256
(18420) 14/02/19 07:04:38 - INFO: <--(3217) line width: 1728
(18420) 14/02/19 07:04:38 - INFO: <--(3217) min. line size: 18
(18420) 14/02/19 07:04:38 - INFO: <--(3217) ecm overhead: 4
(18420) 14/02/19 07:04:38 - INFO: <--(3217) add. info overhead: 0
(18420) 14/02/19 07:04:38 - INFO: <--(3217) event: 0x51
(18420) 14/02/19 07:04:38 - INFO: <--(3217) rtc event: 0x52
(18420) 14/02/19 07:04:38 - INFO: <--(3217) eom event: 0x53
(18420) 14/02/19 07:04:38 - INFO: <--(3217) K: 1
(18420) 14/02/19 07:04:38 - INFO: <--(3217) FC : --> B1 07:04:38,639 state=FC_W4_T30_SETUP_ACK, event=T30_SETUP_ACK_TX
(18420) 14/02/19 07:04:38 - INFO: <--(3217) FC : Wed Feb 19 07:04:38 2014
(18420) 14/02/19 07:04:38 - INFO: <--(3217) Status Update
(18420) 14/02/19 07:04:38 - INFO: <--(3217) direction : send
(18420) 14/02/19 07:04:38 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 07:04:38 - INFO: <--(3217) bps_used : 14400
(18420) 14/02/19 07:04:38 - INFO: <--(3217) own_csid : +43 7563 8041
(18420) 14/02/19 07:04:38 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 07:04:38 - INFO: <--(3217) ecm_used : 1
(18420) 14/02/19 07:04:38 - INFO: <--(3217) dpi_used : 200 dpi
(18420) 14/02/19 07:04:38 - INFO: <--(3217) t4mode_used : MMR
(18420) 14/02/19 07:04:39 - INFO: <--(3217) tx image_type : BFF
(18420) 14/02/19 07:04:39 - INFO: <--(3217) rx image_type : unknown
(18420) 14/02/19 07:04:39 - INFO: <--(3217) total_pages : 1
(18420) 14/02/19 07:04:39 - INFO: <--(3217) tx_pages : 0
(18420) 14/02/19 07:04:39 - INFO: <--(3217) rx_pages : 0
(18420) 14/02/19 07:04:39 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 07:04:39 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 07:04:39 - INFO: <--(3217) to_whom_tx : 0756253104
(18420) 14/02/19 07:04:39 - INFO: <--(3217) from_whom_tx : werkzeugbaup3
(18420) 14/02/19 07:04:39 - INFO: <--(3217) remote_csid : +43756253104
(18420) 14/02/19 07:04:39 - INFO: <--(3217) remote_sernum : 0
(18420) 14/02/19 07:04:39 - INFO: <--(3217) error : 22
(18420) 14/02/19 07:04:39 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:04:38" --error="none" --type="send" --bps="14400" --ecm=1
--res="200" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:04:39 - INFO: <--(3217) DChannel:OnMsgLine(): job 89676: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:04:38" --error="none" --
type="send" --bps="14400" --ecm=1 --res="200" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:04:39 - INFO: <--(3217) FC : B1 Header: ' 2014-02-19-07:04 ID: +43 7563 8041 MARK Metallwarenfabrik GmbH ^~~~~~ py1/1
' mode: 0
(18420) 14/02/19 07:04:39 - INFO: <--(3217) Text: 2014-02-19-07:04 ID: +43 7563 8041 MARK Metallwarenfabrik GmbH py1/1
(18420) 14/02/19 07:04:39 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:04:39 - INFO: <--(3217) FC : <-- B1 07:04:38,647 state=FC_TX
(18420) 14/02/19 07:04:39 - INFO: <--(3217) LAPi: B1 07:04:38,648 write: req=2, size=23, buf: ff 03 43 31 34 30 38 20 ...
(18420) 14/02/19 07:04:39 - INFO: <--(3217) LAPi: B1 07:04:38,649 dropped tx modem mode 'txidle -a' (session 0)

(18420) 14/02/19 07:04:40 - INFO: <--(3217) LAPi: B1 07:04:41,102 setting (sync) tx modem mode 'txmdm -v 17 -b 14400 -l | txg711 -a -r' (session 2)
(18420) 14/02/19 07:04:40 - INFO: <--(3217) LAPi: B1 07:04:41,103 write: req=2, size=1024, buf: 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 07:04:40 - INFO: <--(3217) LAPi: B1 07:04:41,104 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 07:04:40 - INFO: <--(3217) LAPi: B1 07:04:41,105 write: req=2, size=1024, buf: 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 07:04:40 - INFO: <--(3217) LAPi: B1 07:04:41,105 write: req=2, size=652, buf: 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 07:04:40 - INFO: <--(3217) LAPi: B1 07:04:41,105 write: req=5, size=0, buf:
(18420) 14/02/19 07:04:40 - INFO: <--(3217) LAPi: B1 07:04:41,105 turned off tx irq
(18420) 14/02/19 07:04:40 - INFO: <--(3217) LAPi: B1 07:04:41,105 setting (sync) tx modem mode 'txidle -a' (session 3)
(18420) 14/02/19 07:04:40 - INFO: <--(3217) FC : --> B1 07:04:41,106 state=FC_W4_T30_KILL_REQ, event=T30_STATUS
(18420) 14/02/19 07:04:40 - INFO: <--(3217) FC : Wed Feb 19 07:04:41 2014
(18420) 14/02/19 07:04:40 - INFO: <--(3217) Status Update
(18420) 14/02/19 07:04:40 - INFO: <--(3217) direction : send
(18420) 14/02/19 07:04:40 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 07:04:40 - INFO: <--(3217) bps_used : 14400
(18420) 14/02/19 07:04:40 - INFO: <--(3217) own_csid : +43 7563 8041
(18420) 14/02/19 07:04:40 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 07:04:40 - INFO: <--(3217) ecm_used : 1
(18420) 14/02/19 07:04:40 - INFO: <--(3217) dpi_used : 200 dpi
(18420) 14/02/19 07:04:40 - INFO: <--(3217) t4mode_used : MMR
(18420) 14/02/19 07:04:40 - INFO: <--(3217) tx image_type : BFF
(18420) 14/02/19 07:04:40 - INFO: <--(3217) rx image_type : unknown
(18420) 14/02/19 07:04:40 - INFO: <--(3217) total_pages : 1
(18420) 14/02/19 07:04:40 - INFO: <--(3217) tx_pages : 0
(18420) 14/02/19 07:04:40 - INFO: <--(3217) rx_pages : 0
(18420) 14/02/19 07:04:40 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 07:04:40 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 07:04:40 - INFO: <--(3217) to_whom_tx : 0756253104
(18420) 14/02/19 07:04:40 - INFO: <--(3217) from_whom_tx : werkzeugbaup3
(18420) 14/02/19 07:04:40 - INFO: <--(3217) remote_csid : +43756253104
(18420) 14/02/19 07:04:40 - INFO: <--(3217) remote_sernum : 0
(18420) 14/02/19 07:04:40 - INFO: <--(3217) error : 22
(18420) 14/02/19 07:04:40 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:04.41" --error="none" --type="send" --bps="14400" --ecm=1
--res="200" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:04:40 - INFO: DChannel::OnMsgLine(): job 89676: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:04.41" --error="none" --
type="send" --bps="14400" --ecm=1 --res="200" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:04:40 - INFO: <--(3217) FC : <-- B1 07:04:41,107 state=FC_W4_T30_KILL_REQ
(18420) 14/02/19 07:04:44 - INFO: <--(3217) LAPi: B1 07:04:44,297 txend for session 2
(18420) 14/02/19 07:04:44 - INFO: <--(3217) LAPi: B1 07:04:44,298 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:04:44 - INFO: <--(3217) T30 : B1 07:04:44,299 LapiSetMode id=6 mode=6 alaw=1 dir=0 bufsize=264 hdlc=1 t1=0 t2=0 f=0
(18420) 14/02/19 07:04:44 - INFO: <--(3217) T30 : B1 07:04:44,300 start Timer Timer 6
(18420) 14/02/19 07:04:44 - INFO: <--(3217) LAPi: B1 07:04:44,302 setting rx modem mode 'rxg711 -a -r | rxmdm -v 21 -b 300 | rxhdic -r'
(18420) 14/02/19 07:04:44 - INFO: <--(3217) LAPi: B1 07:04:44,745 (04.44,74502) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 07:04:44 - INFO: <--(3217) LAPi: B1 07:04:44,841 (04.44,84110) ILID_IND_DETECT ILAPI_DETECT_V21 size=21
(18420) 14/02/19 07:04:44 - INFO: <--(3217) :alive
(18420) 14/02/19 07:04:44 - INFO: <--(3217) LAPi: B1 07:04:44,921 (04.44,91765) ILID_IND_FLAG size=16
(18420) 14/02/19 07:04:44 - INFO: <--(3217) T30 : B1 V21 Flags detected
(18420) 14/02/19 07:04:44 - INFO: <--(3217) T30 : B1 07:04:44,922 Restart Timer Timer 6
(18420) 14/02/19 07:04:45 - INFO: <--(3217) LAPi: B1 07:04:45,993 (04.45,98965) ILID_IND_DATA ff 13 84 ea 7d
(18420) 14/02/19 07:04:45 - INFO: <--(3217) T30 : B1 07:04:45,994 stop Timer Timer 6
(18420) 14/02/19 07:04:45 - INFO: <--(3217) T30 : B1 07:04:45,994 stop Timer Timer 9
(18420) 14/02/19 07:04:45 - INFO: <--(3217) T30 : B1 07:04:45,994 RCV CFR
(18420) 14/02/19 07:04:45 - INFO: <--(3217) LAPi: B1 07:04:46,057 (04.46,04479) ILID_IND_CARRIER_LOST size=16
(18420) 14/02/19 07:04:45 - INFO: <--(3217) LAPi: B1 07:04:46,057 setting rx modem mode "
(18420) 14/02/19 07:04:45 - INFO: <--(3217) T30 : B1 SendHighLayerStatus
(18420) 14/02/19 07:04:45 - INFO: <--(3217) T30 : B1 07:04:46,058 Begin SendHighSpeedData ECM
(18420) 14/02/19 07:04:45 - INFO: <--(3217) T30 : B1 07:04:46,058 LapiSetMode id=7 mode=24 alaw=1 dir=1 bufsize=0 hdlc=1 t1=200 t2=100 f=0
(18420) 14/02/19 07:04:45 - INFO: <--(3217) LAPi: B1 07:04:46,059 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:04:45 - INFO: <--(3217) LAPi: B1 07:04:46,060 setting (sync) tx modem mode 'txhdic -n -r -R | txmdm -v 17 -b 14400 -s | txg711 -a -r' (session 2)
(18420) 14/02/19 07:04:45 - INFO: <--(3217) LAPi: B1 07:04:46,060 Sending 255 flags
(18420) 14/02/19 07:04:45 - INFO: <--(3217) LAPi: B1 07:04:46,060 Sending 105 flags
(18420) 14/02/19 07:04:45 - INFO: <--(3217) LAPi: B1 07:04:46,061 write: req=1, size=1, buf: ff
(18420) 14/02/19 07:04:45 - INFO: <--(3217) LAPi: B1 07:04:46,061 write: req=1, size=1, buf: 69
(18420) 14/02/19 07:04:45 - INFO: <--(3217) FC : --> B1 07:04:46,062 state=FC_W4_T30_KILL_REQ, event=T30_STATUS
(18420) 14/02/19 07:04:45 - INFO: <--(3217) FC : Wed Feb 19 07:04:46 2014
(18420) 14/02/19 07:04:45 - INFO: <--(3217) Status Update
(18420) 14/02/19 07:04:45 - INFO: <--(3217) direction : send
(18420) 14/02/19 07:04:45 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 07:04:45 - INFO: <--(3217) bps_used : 14400
(18420) 14/02/19 07:04:45 - INFO: <--(3217) own_csid : +43 7563 8041
(18420) 14/02/19 07:04:45 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 07:04:45 - INFO: <--(3217) ecm_used : 1
(18420) 14/02/19 07:04:45 - INFO: <--(3217) dpi_used : 200 dpi
(18420) 14/02/19 07:04:45 - INFO: <--(3217) t4mode_used : MMR
(18420) 14/02/19 07:04:45 - INFO: <--(3217) tx image_type : BFF
(18420) 14/02/19 07:04:45 - INFO: <--(3217) rx image_type : unknown
(18420) 14/02/19 07:04:45 - INFO: <--(3217) total_pages : 1
(18420) 14/02/19 07:04:45 - INFO: <--(3217) tx_pages : 0
(18420) 14/02/19 07:04:45 - INFO: <--(3217) rx_pages : 0
(18420) 14/02/19 07:04:45 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 07:04:45 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 07:04:45 - INFO: <--(3217) to_whom_tx : 0756253104
(18420) 14/02/19 07:04:45 - INFO: <--(3217) from_whom_tx : werkzeugbaup3
(18420) 14/02/19 07:04:45 - INFO: <--(3217) remote_csid : +43756253104
(18420) 14/02/19 07:04:45 - INFO: <--(3217) remote_sernum : 0
(18420) 14/02/19 07:04:45 - INFO: <--(3217) error : 22
(18420) 14/02/19 07:04:45 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:04.46" --error="none" --type="send" --bps="14400" --ecm=1
--res="200" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:04:45 - INFO: DChannel::OnMsgLine(): job 89676: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:04.46" --error="none" --
type="send" --bps="14400" --ecm=1 --res="200" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:04:45 - INFO: <--(3217) FC : <-- B1 07:04:46,063 state=FC_W4_T30_KILL_REQ
(18420) 14/02/19 07:04:45 - INFO: <--(3217) T30 : B1 07:04:46,075 start Timer Timer 2 TXECM
(18420) 14/02/19 07:04:45 - INFO: <--(3217) T30 : B1 07:04:46,075 LapiSendData, BlockNo=0, Backlog Count=97
(18420) 14/02/19 07:04:45 - INFO: <--(3217) LAPi: B1 07:04:46,077 write: req=2, size=260, buf: ff c0 60 00 ce dc 21 e0 ...
(18420) 14/02/19 07:04:45 - INFO: <--(3217) LAPi: B1 07:04:46,078 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 07:04:45 - INFO: <--(3217) T30 : B1 07:04:46,090 Restart Timer Timer 2 TXECM

(18420) 14/02/19 07:05:01 - INFO: <--(3217) T30 : B1 07:05:01,809 Backlog Tx HDLC Return No: 78
(18420) 14/02/19 07:05:01 - INFO: <--(3217) T30 : B1 07:05:01,810 Backlog Tx HDLC Return No: 79
(18420) 14/02/19 07:05:01 - INFO: <--(3217) T30 : B1 07:05:01,811 Backlog Tx HDLC Return No: 80
(18420) 14/02/19 07:05:01 - INFO: <--(3217) T30 : B1 07:05:01,811 Backlog Tx HDLC Return No: 81
(18420) 14/02/19 07:05:01 - INFO: <--(3217) T30 : B1 07:05:01,812 Backlog Tx HDLC Return No: 82
(18420) 14/02/19 07:05:01 - INFO: <--(3217) T30 : B1 07:05:01,813 Backlog Tx HDLC Return No: 83
(18420) 14/02/19 07:05:01 - INFO: <--(3217) T30 : B1 07:05:01,813 Backlog Tx HDLC Return No: 84
(18420) 14/02/19 07:05:01 - INFO: <--(3217) T30 : B1 07:05:01,814 Backlog Tx HDLC Return No: 85
(18420) 14/02/19 07:05:01 - INFO: <--(3217) T30 : B1 07:05:01,815 Backlog Tx HDLC Return No: 86
(18420) 14/02/19 07:05:01 - INFO: <--(3217) T30 : B1 07:05:01,816 Backlog Tx HDLC Return No: 87
(18420) 14/02/19 07:05:01 - INFO: <--(3217) T30 : B1 07:05:01,816 Backlog Tx HDLC Return No: 88
(18420) 14/02/19 07:05:01 - INFO: <--(3217) T30 : B1 07:05:01,817 Backlog Tx HDLC Return No: 89
(18420) 14/02/19 07:05:01 - INFO: <--(3217) T30 : B1 07:05:01,818 Backlog Tx HDLC Return No: 90
(18420) 14/02/19 07:05:01 - INFO: <--(3217) T30 : B1 07:05:01,819 Backlog Tx HDLC Return No: 91
(18420) 14/02/19 07:05:01 - INFO: <--(3217) T30 : B1 07:05:01,819 Backlog Tx HDLC Return No: 92
(18420) 14/02/19 07:05:01 - INFO: <--(3217) T30 : B1 07:05:01,820 Backlog Tx HDLC Return No: 93
(18420) 14/02/19 07:05:01 - INFO: <--(3217) T30 : B1 07:05:01,821 Backlog Tx HDLC Return No: 94
(18420) 14/02/19 07:05:01 - INFO: <--(3217) T30 : B1 07:05:01,821 Backlog Tx HDLC Return No: 95
(18420) 14/02/19 07:05:01 - INFO: <--(3217) T30 : B1 07:05:01,822 Backlog Tx HDLC Return No: 96
(18420) 14/02/19 07:05:01 - INFO: <--(3217) T30 : B1 07:05:01,823 Backlog Tx HDLC Return No: 97
(18420) 14/02/19 07:05:01 - INFO: <--(3217) T30 : B1 07:05:01,825 ALL DATA OF FAX SENT (98 blocks)
(18420) 14/02/19 07:05:01 - INFO: <--(3217) T30 : B1 07:05:01,825 LapiSetMode id=8 mode=6 alaw=1 dir=1 bufsize=0 hdlc=1 t1=1000 t2=100 f=0
(18420) 14/02/19 07:05:01 - INFO: <--(3217) T30 : B1 07:05:01,825 Send PPS: 2f 00 00 61
(18420) 14/02/19 07:05:01 - INFO: <--(3217) T30 : B1 07:05:01,825 start Timer Timer 4
(18420) 14/02/19 07:05:01 - INFO: <--(3217) LAPi: B1 07:05:01,826 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:05:01 - INFO: <--(3217) LAPi: B1 07:05:01,826 setting (sync) tx modem mode 'txhdlc -n -r | txmdm -v 21 -b 300 -s | txg711 -a -r' (session 2)
(18420) 14/02/19 07:05:01 - INFO: <--(3217) LAPi: B1 07:05:01,826 Sending 38 flags
(18420) 14/02/19 07:05:01 - INFO: <--(3217) LAPi: B1 07:05:01,827 write: req=1, size=1, buf: 26
(18420) 14/02/19 07:05:01 - INFO: <--(3217) LAPi: B1 07:05:01,828 write: req=2, size=7, buf: ff 13 bf 2f 00 00 61
(18420) 14/02/19 07:05:01 - INFO: <--(3217) LAPi: B1 07:05:01,829 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 07:05:01 - INFO: <--(3217) LAPi: B1 07:05:01,829 write: req=1, size=1, buf: 02
(18420) 14/02/19 07:05:01 - INFO: <--(3217) LAPi: B1 07:05:01,829 write: req=5, size=0, buf:
(18420) 14/02/19 07:05:01 - INFO: <--(3217) LAPi: B1 07:05:01,829 turned off tx irq
(18420) 14/02/19 07:05:01 - INFO: <--(3217) LAPi: B1 07:05:01,829 setting (sync) tx modem mode 'txidle -a' (session 3)
(18420) 14/02/19 07:05:02 - INFO: <--(3217) :alive
(18420) 14/02/19 07:05:03 - INFO: <--(3217) LAPi: B1 07:05:03,553 txend for session 2
(18420) 14/02/19 07:05:03 - INFO: <--(3217) LAPi: B1 07:05:03,554 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:05:03 - INFO: <--(3217) T30 : B1 07:05:03,556 Restart Timer Timer 4
(18420) 14/02/19 07:05:03 - INFO: <--(3217) T30 : B1 07:05:03,556 LapiSetMode id=9 mode=6 alaw=1 dir=0 bufsize=264 hdlc=1 t1=0 t2=0 f=0
(18420) 14/02/19 07:05:03 - INFO: <--(3217) LAPi: B1 07:05:03,556 setting rx modem mode 'rxg711 -a -r | rxmdm -v 21 -b 300 | rxhdlc -r'
(18420) 14/02/19 07:05:03 - INFO: <--(3217) LAPi: B1 07:05:03,871 (05.03,87106) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 07:05:03 - INFO: <--(3217) LAPi: B1 07:05:03,999 (05.03,99907) ILID_IND_DETECT ILAPI_DETECT_V21 size=21
(18420) 14/02/19 07:05:03 - INFO: <--(3217) LAPi: B1 07:05:04,079 (05.04,07496) ILID_IND_FLAG size=16
(18420) 14/02/19 07:05:03 - INFO: <--(3217) T30 : B1 V21 Flags detected
(18420) 14/02/19 07:05:03 - INFO: <--(3217) T30 : B1 07:05:04,080 Restart Timer Timer 4
(18420) 14/02/19 07:05:04 - INFO: <--(3217) LAPi: B1 07:05:05,087 (05.05,08653) ILID_IND_DATA ff 13 8c a2 f1
(18420) 14/02/19 07:05:04 - INFO: <--(3217) T30 : B1 07:05:05,088 stop Timer Timer 5
(18420) 14/02/19 07:05:04 - INFO: <--(3217) T30 : B1 07:05:05,088 stop Timer Timer 4
(18420) 14/02/19 07:05:04 - INFO: <--(3217) T30 : B1 07:05:05,088 RCV MCF
(18420) 14/02/19 07:05:04 - INFO: <--(3217) LAPi: B1 07:05:05,183 (05.05,17079) ILID_IND_CARRIER_LOST size=16
(18420) 14/02/19 07:05:04 - INFO: <--(3217) LAPi: B1 07:05:05,183 setting rx modem mode ""
(18420) 14/02/19 07:05:04 - INFO: <--(3217) T30 : B1 SendHighLayerStatus
(18420) 14/02/19 07:05:05 - INFO: <--(3217) T30 : B1 07:05:05,210 Tx ECM finished; Pages: 1
(18420) 14/02/19 07:05:05 - INFO: <--(3217) T30 : B1 07:05:05,210 CleanUpT30
(18420) 14/02/19 07:05:05 - INFO: <--(3217) T30 : B1 07:05:05,211 LapiSetMode id=10 mode=6 alaw=1 dir=1 bufsize=0 hdlc=1 t1=1000 t2=100 f=0
(18420) 14/02/19 07:05:05 - INFO: <--(3217) T30 : B1 07:05:05,211 SendT30Command
(18420) 14/02/19 07:05:05 - INFO: <--(3217) T30 : B1 07:05:05,211 start Timer Lapi Timer
(18420) 14/02/19 07:05:05 - INFO: <--(3217) FC : --> B1 07:05:05,212 state=FC_W4_T30_KILL_REQ, event=T30_STATUS
(18420) 14/02/19 07:05:05 - INFO: <--(3217) FC : Wed Feb 19 07:05:05 2014
(18420) 14/02/19 07:05:05 - INFO: <--(3217) Status Update
(18420) 14/02/19 07:05:05 - INFO: <--(3217) direction : send
(18420) 14/02/19 07:05:05 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 07:05:05 - INFO: <--(3217) bps_used : 14400
(18420) 14/02/19 07:05:05 - INFO: <--(3217) own_csid : +43 7563 8041
(18420) 14/02/19 07:05:05 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 07:05:05 - INFO: <--(3217) ecm_used : 1
(18420) 14/02/19 07:05:05 - INFO: <--(3217) dpi_used : 200 dpi
(18420) 14/02/19 07:05:05 - INFO: <--(3217) t4mode_used : MMR
(18420) 14/02/19 07:05:05 - INFO: <--(3217) tx_image_type : BFF
(18420) 14/02/19 07:05:05 - INFO: <--(3217) rx_image_type : unknown
(18420) 14/02/19 07:05:05 - INFO: <--(3217) total_pages : 1
(18420) 14/02/19 07:05:05 - INFO: <--(3217) tx_pages : 0
(18420) 14/02/19 07:05:05 - INFO: <--(3217) rx_pages : 0
(18420) 14/02/19 07:05:05 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 07:05:05 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 07:05:05 - INFO: <--(3217) to_whom_tx : 0756253104
(18420) 14/02/19 07:05:05 - INFO: <--(3217) from_whom_tx : werkzeugbaup3
(18420) 14/02/19 07:05:05 - INFO: <--(3217) remote_csid : +43756253104
(18420) 14/02/19 07:05:05 - INFO: <--(3217) remote_sernum : 0
(18420) 14/02/19 07:05:05 - INFO: <--(3217) error : 22
(18420) 14/02/19 07:05:05 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:05:05" --error="none" --type="send" --bps="14400" --ecm=1
--res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:05:05 - INFO: DChannel:OnMsgLine(): job 89676: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:05:05" --error="none" --
type="send" --bps="14400" --ecm=1 --res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:05:05 - INFO: <--(3217) FC : <-- B1 07:05:05,213 state=FC_W4_T30_KILL_REQ
(18420) 14/02/19 07:05:05 - INFO: <--(3217) LAPi: B1 07:05:05,214 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:05:05 - INFO: <--(3217) LAPi: B1 07:05:05,214 setting (sync) tx modem mode 'txhdlc -n -r | txmdm -v 21 -b 300 -s | txg711 -a -r' (session 2)
(18420) 14/02/19 07:05:05 - INFO: <--(3217) LAPi: B1 07:05:05,215 Sending 38 flags
(18420) 14/02/19 07:05:05 - INFO: <--(3217) LAPi: B1 07:05:05,215 write: req=1, size=1, buf: 26
(18420) 14/02/19 07:05:05 - INFO: <--(3217) LAPi: B1 07:05:05,217 write: req=2, size=3, buf: ff 13 fb
(18420) 14/02/19 07:05:05 - INFO: <--(3217) LAPi: B1 07:05:05,217 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 07:05:05 - INFO: <--(3217) LAPi: B1 07:05:05,217 write: req=1, size=1, buf: 02
(18420) 14/02/19 07:05:05 - INFO: <--(3217) LAPi: B1 07:05:05,217 write: req=5, size=0, buf:
(18420) 14/02/19 07:05:05 - INFO: <--(3217) LAPi: B1 07:05:05,218 turned off tx irq
(18420) 14/02/19 07:05:05 - INFO: <--(3217) LAPi: B1 07:05:05,218 setting (sync) tx modem mode 'txidle -a' (session 3)

(18420) 14/02/19 07:05:06 - INFO: <--(3217) LAPI: B1 07:05:06,833 txend for session 2
(18420) 14/02/19 07:05:06 - INFO: <--(3217) LAPI: B1 07:05:06,834 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:05:06 - INFO: <--(3217) T30 : B1 07:05:06,836 stop Timer Lapi Timer
(18420) 14/02/19 07:05:06 - INFO: <--(3217) T30 : B1 07:05:06,836 Kill Lapi
(18420) 14/02/19 07:05:06 - INFO: <--(3217) LAPI: B1 07:05:06,837 killed
(18420) 14/02/19 07:05:06 - INFO: <--(3217) T30 : B1 SendHighLayerKillReq page_count=1
(18420) 14/02/19 07:05:06 - INFO: <--(3217) FC : --> B1 07:05:06,839 state=FC_W4_T30_KILL_REQ, event=T30_KILL_REQ
(18420) 14/02/19 07:05:06 - INFO: <--(3217) FC : Wed Feb 19 07:05:06 2014
(18420) 14/02/19 07:05:06 - INFO: <--(3217) Status Update
(18420) 14/02/19 07:05:06 - INFO: <--(3217) direction : send
(18420) 14/02/19 07:05:06 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 07:05:06 - INFO: <--(3217) bps_used : 14400
(18420) 14/02/19 07:05:06 - INFO: <--(3217) own_csid : +43 7563 8041
(18420) 14/02/19 07:05:06 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 07:05:06 - INFO: <--(3217) ecm_used : 1
(18420) 14/02/19 07:05:06 - INFO: <--(3217) dpi_used : 200 dpi
(18420) 14/02/19 07:05:06 - INFO: <--(3217) t4mode_used : MMR
(18420) 14/02/19 07:05:06 - INFO: <--(3217) tx_image_type : BFF
(18420) 14/02/19 07:05:06 - INFO: <--(3217) rx_image_type : unknown
(18420) 14/02/19 07:05:06 - INFO: <--(3217) total_pages : 1
(18420) 14/02/19 07:05:06 - INFO: <--(3217) tx_pages : 1
(18420) 14/02/19 07:05:06 - INFO: <--(3217) rx_pages : 0
(18420) 14/02/19 07:05:06 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 07:05:06 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 07:05:06 - INFO: <--(3217) to_whom_tx : 0756253104
(18420) 14/02/19 07:05:06 - INFO: <--(3217) from_whom_tx : werkzeugbaup3
(18420) 14/02/19 07:05:06 - INFO: <--(3217) remote_csid : +43756253104
(18420) 14/02/19 07:05:06 - INFO: <--(3217) remote_sernum : 0
(18420) 14/02/19 07:05:06 - INFO: <--(3217) error : 1
(18420) 14/02/19 07:05:06 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:05:06" --error="none" --type="send" --bps="14400" --ecm=1
--res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:05:06 - INFO: DChannel::OnMsgLine(): job 89676: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:05:06" --error="none" --
type="send" --bps="14400" --ecm=1 --res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:05:06 - INFO: <--(3217) T30 : B1 07:05:06,840 Kill Function called
(18420) 14/02/19 07:05:06 - INFO: <--(3217) T30 : B1 Send T4 Kill
(18420) 14/02/19 07:05:06 - INFO: <--(3217) T30 : B1 Kill T30TxDataTask
(18420) 14/02/19 07:05:06 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:05:06" --error="none" --type="send" --bps="14400" --ecm=1
--res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:05:06 - INFO: DChannel::OnMsgLine(): job 89676: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:05:06" --error="none" --
type="send" --bps="14400" --ecm=1 --res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:05:06 - INFO: <--(3217) FC : in FCExit
(18420) 14/02/19 07:05:06 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:05:06" --error="end_of_fax" --type="send" --bps="14400" --
ecm=1 --res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:05:06 - INFO: DChannel::OnMsgLine(): job 89676: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:05:06" --error="end_of_fax" --
type="send" --bps="14400" --ecm=1 --res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:05:06 - INFO: <--(3217) :bchannel --message="finished" --client_id="89676" --bchannel="1.a/B1/S0/HFC-4S"
(18420) 14/02/19 07:05:06 - INFO: <--(3217) :channel_state --channel_name="1.a/B1/S0/HFC-4S" --status="" --> 0756253104 --called_party_number="0756253104" --
calling_party_number="" --redirection_party_number="" --redirection_party_number="" --destination="fms" --ready
(18420) 14/02/19 07:05:07 - INFO: <--(3217) :dchannel --message="onhook" --channel_id=53 --client_id="89676" --dchannel="jobcontrol_isdn:53" --charges=0 --
cause=10
(18420) 14/02/19 07:05:07 - INFO: Submitting message of type 'Send' to '0756253104' with status 0 and error code 0.
(12148) 14/02/19 07:28:35 - INFO: OnJobSubmitReq(): processing job submit request for job 89692 and subcomponent 'OMG201806 - D00'.
(12148) 14/02/19 07:28:35 - INFO: JobQueue-AppSpec::ActivateJobEntry(): processing job 89692 at 009991B0.
(12148) 14/02/19 07:28:35 - INFO: JobQueue-AppSpec::SendJob(): job 009F2590 submitted to channel 00999284 at 009991B0.
(18420) 14/02/19 07:28:35 - INFO: DChannel::StartSend(): processing outgoing job 89692 on OMG201806 - D00.
(18420) 14/02/19 07:28:35 - INFO: [phnumcor] MakePhoneNumExt(): raw address '0756253104' after automatic correction: '0756253104'.
(18420) 14/02/19 07:28:35 - INFO: --> :send --bchan_exec=fax.prc --called_party_number="0756253104" --calling_party_number="" --client_id=89692 --
bchan_param="" --type=send --tx-file=[10.1.1.50:51988]/OMCUMS-EXPORT-50946B2A/work/omcums0/send/00015e61.bff --bps=14400 --ecm=1 --resolution=200 --
compression=MMR --header=1 --logo=1 --info-text=MARK Metallwarenfabrik GmbH --csid="+43 7563 8041" --to-whom="0756253104" --from-whom="Schlosser" --
pages=1 --debug-snfs=2 --debug-fc=3 --debug-t30=2 --debug-t4=2 --debug-lapi=2 --debug-modem=2 --stat-fd=1"
(18420) 14/02/19 07:28:35 - INFO: <--(3217) :dchannel --message="offhook" --channel_id=54 --client_id="89692" --dchannel="jobcontrol_isdn:54"
(18420) 14/02/19 07:28:36 - INFO: JobQueue-AppSpec::AddChannel(): adding channel 00999284 to list at 009991B0.
(18420) 14/02/19 07:28:40 - INFO: <--(3217) :alive
(18420) 14/02/19 07:28:42 - INFO: <--(3217) :channel_state --channel_name="1.a/B1/S0/HFC-4S" --status="" --> 0756253104 --called_party_number="0756253104" --
calling_party_number="" --redirection_party_number="" --redirection_party_number="" --destination="fms" --used
(18420) 14/02/19 07:28:42 - INFO: <--(3217) :bchannel --message="start" --client_id="89692" --bchannel="1.a/B1/S0/HFC-4S"
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : csid="+43 7563 8041"
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[0]='fax.prc'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[1]='--type=send'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[2]='--interface=1.a/B1/S0/HFC-4S'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[3]='--stat-fd=1'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[4]='--calling-party-number='
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[5]='--called-party-number=0756253104'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[6]='--type=send'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[7]='--tx-file=[10.1.1.50:51988]/OMCUMS-EXPORT-50946B2A/work/omcums0/send/00015e61.bff'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[8]='--bps=14400'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[9]='--ecm=1'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[10]='--resolution=200'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[11]='--compression=MMR'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[12]='--header=1'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[13]='--logo=1'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[14]='--info-text=MARK Metallwarenfabrik GmbH'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[15]='--csid="+43 7563 8041"
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[16]='--to-whom=0756253104'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[17]='--from-whom=Schlosser'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[18]='--pages=1'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[19]='--debug-snfs=2'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[20]='--debug-fc=3'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[21]='--debug-t30=2'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[22]='--debug-t4=2'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[23]='--debug-lapi=2'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[24]='--debug-modem=2'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[25]='--stat-fd=1'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[0]='fax.prc'

(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[1]='--type=send'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[2]='--interface=1.a/B1/S0/HFC-4S'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[3]='--stat-fd=1'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[4]='--calling-party-number='
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[5]='--called-party-number=0756253104'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[6]='--type=send'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[7]='--tx-file=[10.1.1.50:51988]/OMCUMS-EXPORT-50946B2A/work/omcums0/send/00015e61.bff
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[8]='--bps=14400'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[9]='--ecm=1'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[10]='--resolution=200'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[11]='--compression=MMR'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[12]='--header=1'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[13]='--logo=1'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[14]='--info-text=MARK Metallwarenfabrik GmbH'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[15]='--csid=+43 7563 8041'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[16]='--to-whom=0756253104'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[17]='--from-whom=Schlosser'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[18]='--pages=1'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[19]='--debug-sfnfs=2'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[20]='--debug-fc=3'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[21]='--debug-t30=2'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[22]='--debug-t4=2'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[23]='--debug-lapi=2'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[24]='--debug-modem=2'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FAX : argv[25]='--stat-fd=1'
(18420) 14/02/19 07:28:42 - INFO: :event PRC_STARTED
(18420) 14/02/19 07:28:42 - WARNING: DChannel::OnMsgLine(): ignoring unknown command ':event PRC_STARTED'.
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FC : --> B-1 07:28:42,771 state=FC_RESET, event=FC_INIT
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FC : B1 T30 built.
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FC : B1 Sending SETUP_TX to T30
(18420) 14/02/19 07:28:42 - INFO: <--(3217) FC : <-- B1 07:28:42,772 state=FC_W4_T30_SETUP_ACK
(18420) 14/02/19 07:28:42 - INFO: <--(3217) T30 : B1 Wed Feb 19 07:28:42 2014
(18420) 14/02/19 07:28:42 - INFO: <--(3217) SETUP TX 14400 ECM Fax fine MR/MMR NoPoll
(18420) 14/02/19 07:28:42 - INFO: <--(3217) T30 : SETUP more info
(18420) 14/02/19 07:28:42 - INFO: <--(3217) T30 : Lapildx = 0
(18420) 14/02/19 07:28:42 - INFO: <--(3217) T30 : HighLayerIdx = 1
(18420) 14/02/19 07:28:42 - INFO: <--(3217) T30 : min_speed = 0
(18420) 14/02/19 07:28:42 - INFO: <--(3217) T30 : listen_time_dtmf = 0
(18420) 14/02/19 07:28:42 - INFO: <--(3217) T30 : short_dis = 0
(18420) 14/02/19 07:28:42 - INFO: <--(3217) T30 : dis_size = 7
(18420) 14/02/19 07:28:42 - INFO: <--(3217) T30 : own_subs_id = +43 7563 8041
(18420) 14/02/19 07:28:42 - INFO: <--(3217) T30 : own_sernum = 0
(18420) 14/02/19 07:28:42 - INFO: <--(3217) T30 : B1 07:28:42,774 start Timer Timer 1
(18420) 14/02/19 07:28:42 - INFO: <--(3217) LAPI: B1 07:28:42,775 open ISDN Lineinterface 1.a/B1/S0/HFC-4S on /dev/ilid (dbg=0x0002)
(18420) 14/02/19 07:28:42 - INFO: <--(3217) LAPI: B1 07:28:42,776 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:28:42 - INFO: <--(3217) LAPI: B1 07:28:42,776 setting rx modem mode 'rxg711 -a -r | rxmdm -v 0 -R'
(18420) 14/02/19 07:28:42 - INFO: <--(3217) LAPI: B1 07:28:42,776 setting rx modem mode "
(18420) 14/02/19 07:28:42 - INFO: <--(3217) LAPI: B1 07:28:42,776 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:28:42 - INFO: <--(3217) LAPI: B1 07:28:42,776 turned off tx irq
(18420) 14/02/19 07:28:42 - INFO: <--(3217) T30 : B1 07:28:42,778 LapiSetMode id=1 mode=2 alaw=1 dir=1 bufsize=0 hdlc=0 t1=500 t2=0 f=1100
(18420) 14/02/19 07:28:42 - INFO: <--(3217) T30 : B1 07:28:42,778 Restart Timer Timer 1
(18420) 14/02/19 07:28:42 - INFO: <--(3217) LAPI: B1 07:28:42,779 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:28:42 - INFO: <--(3217) LAPI: B1 07:28:42,779 sending tone 1100 Hz / 0 Hz -15 dB 500 ms
(18420) 14/02/19 07:28:42 - INFO: <--(3217) LAPI: B1 07:28:42,779 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:28:42 - INFO: <--(3217) LAPI: B1 07:28:42,779 setting (sync) tx modem mode 'txtone | txg711 -a -r' (session 2)
(18420) 14/02/19 07:28:42 - INFO: <--(3217) LAPI: B1 07:28:42,780 write: req=2, size=8, buf: 4c 04 00 00 f4 01 f1 81
(18420) 14/02/19 07:28:42 - INFO: <--(3217) LAPI: B1 07:28:42,782 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 07:28:42 - INFO: <--(3217) LAPI: B1 07:28:42,783 write: req=5, size=0, buf:
(18420) 14/02/19 07:28:42 - INFO: <--(3217) LAPI: B1 07:28:42,783 turned off tx irq
(18420) 14/02/19 07:28:42 - INFO: <--(3217) LAPI: B1 07:28:42,783 setting (sync) tx modem mode 'txidle -a' (session 3)
(18420) 14/02/19 07:28:43 - INFO: <--(3217) LAPI: B1 07:28:43,288 txend for session 2
(18420) 14/02/19 07:28:43 - INFO: <--(3217) LAPI: B1 07:28:43,289 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:28:43 - INFO: <--(3217) T30 : B1 07:28:43,290 LapiSetMode id=2 mode=4 alaw=1 dir=0 bufsize=264 hdlc=1 t1=3000 t2=0 f=2100
(18420) 14/02/19 07:28:43 - INFO: <--(3217) LAPI: B1 07:28:43,291 setting rx modem mode 'rxg711 -a -r | rxmdm -v 0'
(18420) 14/02/19 07:28:44 - INFO: <--(3217) LAPI: B1 07:28:44,328 (28.44,32721) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 07:28:44 - INFO: <--(3217) LAPI: B1 07:28:44,328 (28.44,32729) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 07:28:44 - INFO: <--(3217) LAPI: B1 07:28:44,328 (28.44,32736) ILID_IND_DETECT ILAPI_DETECT_CED size=21
(18420) 14/02/19 07:28:44 - INFO: <--(3217) LAPI: B1 07:28:44,328 setting rx modem mode "
(18420) 14/02/19 07:28:44 - INFO: <--(3217) T30 : B1 07:28:44,329 CED detected
(18420) 14/02/19 07:28:44 - INFO: <--(3217) T30 : B1 07:28:44,329 LapiSetMode id=3 mode=6 alaw=1 dir=0 bufsize=264 hdlc=1 t1=0 t2=0 f=0
(18420) 14/02/19 07:28:44 - INFO: <--(3217) T30 : B1 07:28:44,329 start Timer Timer 6
(18420) 14/02/19 07:28:44 - INFO: <--(3217) LAPI: B1 07:28:44,330 setting rx modem mode 'rxg711 -a -r | rxmdm -v 21 -b 300 | rxhdlc -r'
(18420) 14/02/19 07:28:44 - INFO: <--(3217) LAPI: B1 07:28:44,344 (28.44,34329) ILID_IND_DETECT ILAPI_DETECT_CED size=21
(18420) 14/02/19 07:28:44 - INFO: <--(3217) LAPI: B1 07:28:44,536 (28.44,53522) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 07:28:44 - INFO: <--(3217) LAPI: B1 07:28:44,552 (28.44,55130) ILID_IND_DETECT ILAPI_DETECT_SILENCE size=21
(18420) 14/02/19 07:28:44 - INFO: <--(3217) LAPI: B1 07:28:44,584 (28.44,58322) ILID_IND_DETECT ILAPI_DETECT_CED size=21
(18420) 14/02/19 07:28:46 - INFO: <--(3217) :alive
(18420) 14/02/19 07:28:47 - INFO: <--(3217) LAPI: B1 07:28:47,352 (28.47,35128) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 07:28:47 - INFO: <--(3217) LAPI: B1 07:28:47,384 (28.47,38318) ILID_IND_DETECT ILAPI_DETECT_SILENCE size=21
(18420) 14/02/19 07:28:47 - INFO: <--(3217) LAPI: B1 07:28:47,448 (28.47,44722) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 07:28:47 - INFO: <--(3217) LAPI: B1 07:28:47,576 (28.47,57521) ILID_IND_DETECT ILAPI_DETECT_V21 size=21
(18420) 14/02/19 07:28:47 - INFO: <--(3217) LAPI: B1 07:28:47,655 (28.47,65134) ILID_IND_FLAG size=16
(18420) 14/02/19 07:28:47 - INFO: <--(3217) T30 : B1 V21 Flags detected
(18420) 14/02/19 07:28:47 - INFO: <--(3217) T30 : B1 07:28:47,657 Restart Timer Timer 6
(18420) 14/02/19 07:28:48 - INFO: <--(3217) LAPI: B1 07:28:48,983 (28.48,97922) ILID_IND_DATA ff 03 20 00 00 56 55 55 ...
(18420) 14/02/19 07:28:48 - INFO: <--(3217) T30 : B1 07:28:48,985 Restart Timer Timer 6
(18420) 14/02/19 07:28:48 - INFO: <--(3217) T30 : B1 07:28:48,985 stop Timer Timer 1
(18420) 14/02/19 07:28:48 - INFO: <--(3217) T30 : B1 07:28:48,985 start Timer Timer 9
(18420) 14/02/19 07:28:48 - INFO: <--(3217) T30 : B1 07:28:48,985 RCV NSF (00 00 6a aa aa 00 31 09 01 6c d0)
(18420) 14/02/19 07:28:48 - INFO: <--(3217) T30: Remote: No Ferrari
(18420) 14/02/19 07:28:49 - INFO: <--(3217) LAPI: B1 07:28:49,687 (28.49,68309) ILID_IND_DATA ff 03 40 34 30 31 33 35 ...
(18420) 14/02/19 07:28:49 - INFO: <--(3217) T30 : B1 07:28:49,689 Restart Timer Timer 6
(18420) 14/02/19 07:28:49 - INFO: <--(3217) T30 : B1 07:28:49,689 RCV CSI remote_subs_id = " +43756253104"
(18420) 14/02/19 07:28:49 - INFO: <--(3217) LAPI: B1 07:28:50,007 (28.50,00322) ILID_IND_DATA ff 13 80 00 ee a8 c4 80 ...
(18420) 14/02/19 07:28:49 - INFO: <--(3217) T30 : B1 07:28:50,008 RCV DIS V17 ECM Fax fine MMR (00 77 15 23 01 88)

(18420) 14/02/19 07:28:49 - INFO: <--(3217) T30 : DIS line_width=2 min_time_4_line=2 time_4_line_raw=2
(18420) 14/02/19 07:28:49 - INFO: <--(3217) T30 : B1 07:28:50,008 stop Timer Timer 6
(18420) 14/02/19 07:28:50 - INFO: <--(3217) LAPi: B1 07:28:50,071 (28.50,06618) ILID_IND_CARRIER_LOST size=16
(18420) 14/02/19 07:28:50 - INFO: <--(3217) LAPi: B1 07:28:50,072 setting rx modem mode "
(18420) 14/02/19 07:28:50 - INFO: <--(3217) T4 : built
(18420) 14/02/19 07:28:50 - INFO: <--(3217) T30 : B1 Build T4. T4Idx=5
(18420) 14/02/19 07:28:50 - INFO: <--(3217) T30 : B1 Build TxDataTask. TxDataIdx=6
(18420) 14/02/19 07:28:50 - INFO: <--(3217) T30 : B1 07:28:50,073 Send T4 Setup
(18420) 14/02/19 07:28:50 - INFO: <--(3217) T30 : B1 07:28:50,074 LapiSetMode id=4 mode=6 alaw=1 dir=1 bufsize=0 hdlc=1 t1=1000 t2=100 f=0
(18420) 14/02/19 07:28:50 - INFO: <--(3217) T30 : B1 SEND TSI (31 34 30 38 20 33 36 35 37 20 33 34 2b 20 20 20
(18420) 14/02/19 07:28:50 - INFO: <--(3217) 20 20 20)
(18420) 14/02/19 07:28:50 - INFO: <--(3217) T30 : B1 SEND DCS V17 14400 ECM Fax fine MMR (00 47 15 22)
(18420) 14/02/19 07:28:50 - INFO: <--(3217) T30 : DCS line_width=2 min_time_4_line=2
(18420) 14/02/19 07:28:50 - INFO: <--(3217) LAPi: B1 07:28:50,075 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:28:50 - INFO: <--(3217) LAPi: B1 07:28:50,075 setting (sync) tx modem mode 'txhdlc -n -r | txmdm -v 21 -b 300 -s | txg711 -a -r' (session 2)
(18420) 14/02/19 07:28:50 - INFO: <--(3217) LAPi: B1 07:28:50,075 Sending 38 flags
(18420) 14/02/19 07:28:50 - INFO: <--(3217) LAPi: B1 07:28:50,076 write: req=1, size=1, buf: 26
(18420) 14/02/19 07:28:50 - INFO: <--(3217) T4 : 07:28:50,077 ready for encoding
(18420) 14/02/19 07:28:50 - INFO: <--(3217) buffer size: 256
(18420) 14/02/19 07:28:50 - INFO: <--(3217) line width: 1728
(18420) 14/02/19 07:28:50 - INFO: <--(3217) min. line size: 18
(18420) 14/02/19 07:28:50 - INFO: <--(3217) ecm overhead: 4
(18420) 14/02/19 07:28:50 - INFO: <--(3217) add. info overhead: 0
(18420) 14/02/19 07:28:50 - INFO: <--(3217) event: 0x51
(18420) 14/02/19 07:28:50 - INFO: <--(3217) rtc event: 0x52
(18420) 14/02/19 07:28:50 - INFO: <--(3217) eom event: 0x53
(18420) 14/02/19 07:28:50 - INFO: <--(3217) K: 1
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : --> B1 07:28:50,077 state=FC_W4_T30_SETUP_ACK, event=T30_SETUP_ACK_TX
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : Wed Feb 19 07:28:50 2014
(18420) 14/02/19 07:28:50 - INFO: <--(3217) Status Update
(18420) 14/02/19 07:28:50 - INFO: <--(3217) direction : send
(18420) 14/02/19 07:28:50 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 07:28:50 - INFO: <--(3217) bps_used : 14400
(18420) 14/02/19 07:28:50 - INFO: <--(3217) own_csid : +43 7563 8041
(18420) 14/02/19 07:28:50 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 07:28:50 - INFO: <--(3217) ecm_used : 1
(18420) 14/02/19 07:28:50 - INFO: <--(3217) dpi_used : 200 dpi
(18420) 14/02/19 07:28:50 - INFO: <--(3217) t4mode_used : MMR
(18420) 14/02/19 07:28:50 - INFO: <--(3217) tx_image_type : BFF
(18420) 14/02/19 07:28:50 - INFO: <--(3217) rx_image_type : unknown
(18420) 14/02/19 07:28:50 - INFO: <--(3217) total_pages : 1
(18420) 14/02/19 07:28:50 - INFO: <--(3217) tx_pages : 0
(18420) 14/02/19 07:28:50 - INFO: <--(3217) rx_pages : 0
(18420) 14/02/19 07:28:50 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 07:28:50 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 07:28:50 - INFO: <--(3217) to_whom_tx : 0756253104
(18420) 14/02/19 07:28:50 - INFO: <--(3217) from_whom_tx : Schlosser
(18420) 14/02/19 07:28:50 - INFO: <--(3217) remote_csid : +43756253104
(18420) 14/02/19 07:28:50 - INFO: <--(3217) remote_sernum : 0
(18420) 14/02/19 07:28:50 - INFO: <--(3217) error : 22
(18420) 14/02/19 07:28:50 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:28:50" --error="none" --type="send" --bps="14400" --ecm=1
--res="200" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:28:50 - INFO: DChannel:OnMsgLine(): job 89692: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:28:50" --error="none" --
type="send" --bps="14400" --ecm=1 --res="200" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : B1 Header: ' 2014-02-19-07:28 ID: +43 7563 8041 MARK Metallwarenfabrik GmbH ^~~~~~ pÿ1/1
' mode: 0
(18420) 14/02/19 07:28:50 - INFO: <--(3217) Text: 2014-02-19-07:28 ID: +43 7563 8041 MARK Metallwarenfabrik GmbH pÿ1/1
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : <-- B1 07:28:50,088 state=FC_TX
(18420) 14/02/19 07:28:50 - INFO: <--(3217) LAPi: B1 07:28:50,089 write: req=2, size=23, buf: ff 03 43 31 34 30 38 20 ...
(18420) 14/02/19 07:28:50 - INFO: <--(3217) LAPi: B1 07:28:50,090 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 07:28:50 - INFO: <--(3217) LAPi: B1 07:28:50,092 write: req=2, size=7, buf: ff 13 83 00 e2 a8 44
(18420) 14/02/19 07:28:50 - INFO: <--(3217) LAPi: B1 07:28:50,092 write: req=1, size=1, buf: 02
(18420) 14/02/19 07:28:50 - INFO: <--(3217) LAPi: B1 07:28:50,092 write: req=5, size=0, buf:
(18420) 14/02/19 07:28:50 - INFO: <--(3217) LAPi: B1 07:28:50,092 turned off tx irq
(18420) 14/02/19 07:28:50 - INFO: <--(3217) LAPi: B1 07:28:50,092 setting (sync) tx modem mode 'txidle -a' (session 3)
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : --> B1 07:28:50,094 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : <-- B1 07:28:50,096 state=FC_TX
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : --> B1 07:28:50,098 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : <-- B1 07:28:50,100 state=FC_TX
(18420) 14/02/19 07:28:50 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeiIdx=4
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : --> B1 07:28:50,103 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : <-- B1 07:28:50,105 state=FC_TX
(18420) 14/02/19 07:28:50 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeiIdx=4
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : --> B1 07:28:50,108 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : <-- B1 07:28:50,110 state=FC_TX
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : --> B1 07:28:50,113 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : <-- B1 07:28:50,115 state=FC_TX
(18420) 14/02/19 07:28:50 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeiIdx=4
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : --> B1 07:28:50,117 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : <-- B1 07:28:50,119 state=FC_TX
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : --> B1 07:28:50,122 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : <-- B1 07:28:50,123 state=FC_TX
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : --> B1 07:28:50,124 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : <-- B1 07:28:50,125 state=FC_TX
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : --> B1 07:28:50,127 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : B1 More Data

(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : --> B1 07:28:50,388 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : <-- B1 07:28:50,391 state=FC_TX
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : --> B1 07:28:50,392 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : <-- B1 07:28:50,394 state=FC_TX
(18420) 14/02/19 07:28:50 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:28:50 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:28:50 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:28:50 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : --> B1 07:28:50,403 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : <-- B1 07:28:50,407 state=FC_TX
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : --> B1 07:28:50,408 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : <-- B1 07:28:50,410 state=FC_TX
(18420) 14/02/19 07:28:50 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:28:50 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:28:50 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:28:50 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:28:50 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : --> B1 07:28:50,419 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : <-- B1 07:28:50,420 state=FC_TX
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : --> B1 07:28:50,422 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : <-- B1 07:28:50,424 state=FC_TX
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : --> B1 07:28:50,425 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : <-- B1 07:28:50,427 state=FC_TX
(18420) 14/02/19 07:28:50 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:28:50 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:28:50 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:28:50 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : --> B1 07:28:50,435 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : <-- B1 07:28:50,437 state=FC_TX
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : --> B1 07:28:50,438 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : <-- B1 07:28:50,440 state=FC_TX
(18420) 14/02/19 07:28:50 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:28:50 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:28:50 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:28:50 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:28:50 - INFO: <--(3217) FC : --> B1 07:28:50,448 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:28:51 - INFO: <--(3217) FC : B1 Stream End
(18420) 14/02/19 07:28:51 - INFO: <--(3217) FC : B1 Header: ' 2014-02-19-07:28 ID: +43 7563 8041 MARK Metallwarenfabrik GmbH ^~~~~~ pÿ1/1
' mode: 3
(18420) 14/02/19 07:28:51 - INFO: <--(3217) FC : <-- B1 07:28:50,449 state=FC_W4_T30_KILL_REQ
(18420) 14/02/19 07:28:51 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:28:51 - INFO: <--(3217) T4 : Sending RTC
(18420) 14/02/19 07:28:51 - INFO: <--(3217) T4 : EOL 0 before bufpos=34/64, bitpos=0
(18420) 14/02/19 07:28:51 - INFO: <--(3217) T4 : EOL 1 before bufpos=35/64, bitpos=20
(18420) 14/02/19 07:28:51 - INFO: <--(3217) T4 : EOL 2 before bufpos=35/64, bitpos=8
(18420) 14/02/19 07:28:51 - INFO: <--(3217) T4 : EOL 3 before bufpos=36/64, bitpos=28
(18420) 14/02/19 07:28:51 - INFO: <--(3217) T4 : EOL 4 before bufpos=36/64, bitpos=16
(18420) 14/02/19 07:28:51 - INFO: <--(3217) T4 : EOL 5 before bufpos=36/64, bitpos=4
(18420) 14/02/19 07:28:51 - INFO: <--(3217) T4 : EOL 6 before bufpos=37/64, bitpos=24
(18420) 14/02/19 07:28:51 - INFO: <--(3217) T4 : EOL 7 before bufpos=37/64, bitpos=12
(18420) 14/02/19 07:28:51 - INFO: <--(3217) T4 : EOL 8 before bufpos=37/64, bitpos=0
(18420) 14/02/19 07:28:51 - INFO: <--(3217) T4 : EOL 9 before bufpos=38/64, bitpos=20
(18420) 14/02/19 07:28:51 - INFO: <--(3217) T4 : lines: 2374
(18420) 14/02/19 07:28:51 - INFO: <--(3217) T4 : t4e.c:FlushT4Msg:446 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:28:52 - INFO: <--(3217) LAPi: B1 07:28:52,536 txend for session 2
(18420) 14/02/19 07:28:52 - INFO: <--(3217) LAPi: B1 07:28:52,537 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:28:52 - INFO: <--(3217) T30 : B1 SendHighLayerStatus
(18420) 14/02/19 07:28:52 - INFO: <--(3217) T30 : B1 07:28:52,541 LapiSetMode id=5 mode=24 alaw=1 dir=1 bufsize=0 hdlc=0 t1=1500 t2=300 f=0
(18420) 14/02/19 07:28:52 - INFO: <--(3217) T30 : B1 07:28:52,541 SendTraining (TCF)
(18420) 14/02/19 07:28:52 - INFO: <--(3217) LAPi: B1 07:28:52,541 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:28:52 - INFO: <--(3217) LAPi: B1 07:28:52,542 setting (sync) tx modem mode 'txmdm -v 17 -b 14400 -l | txg711 -a -r' (session 2)
(18420) 14/02/19 07:28:52 - INFO: <--(3217) LAPi: B1 07:28:52,543 write: req=2, size=1024, buf: 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 07:28:52 - INFO: <--(3217) LAPi: B1 07:28:52,544 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 07:28:52 - INFO: <--(3217) LAPi: B1 07:28:52,544 write: req=2, size=1024, buf: 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 07:28:52 - INFO: <--(3217) LAPi: B1 07:28:52,545 write: req=2, size=652, buf: 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 07:28:52 - INFO: <--(3217) LAPi: B1 07:28:52,545 write: req=5, size=0, buf:
(18420) 14/02/19 07:28:52 - INFO: <--(3217) LAPi: B1 07:28:52,545 turned off tx irq
(18420) 14/02/19 07:28:52 - INFO: <--(3217) LAPi: B1 07:28:52,545 setting (sync) tx modem mode 'txidle -a' (session 3)
(18420) 14/02/19 07:28:52 - INFO: <--(3217) FC : --> B1 07:28:52,546 state=FC_W4_T30_KILL_REQ, event=T30_STATUS
(18420) 14/02/19 07:28:52 - INFO: <--(3217) FC : Wed Feb 19 07:28:52 2014
(18420) 14/02/19 07:28:52 - INFO: <--(3217) Status Update
(18420) 14/02/19 07:28:52 - INFO: <--(3217) direction : send
(18420) 14/02/19 07:28:52 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 07:28:52 - INFO: <--(3217) bps_used : 14400
(18420) 14/02/19 07:28:52 - INFO: <--(3217) own_csid : +43 7563 8041
(18420) 14/02/19 07:28:52 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 07:28:52 - INFO: <--(3217) ecm_used : 1
(18420) 14/02/19 07:28:52 - INFO: <--(3217) dpi_used : 200 dpi
(18420) 14/02/19 07:28:52 - INFO: <--(3217) t4mode_used : MMR
(18420) 14/02/19 07:28:52 - INFO: <--(3217) tx_image_type : BFF
(18420) 14/02/19 07:28:52 - INFO: <--(3217) rx_image_type : unknown
(18420) 14/02/19 07:28:52 - INFO: <--(3217) total_pages : 1
(18420) 14/02/19 07:28:52 - INFO: <--(3217) tx_pages : 0
(18420) 14/02/19 07:28:52 - INFO: <--(3217) rx_pages : 0
(18420) 14/02/19 07:28:52 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 07:28:52 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 07:28:52 - INFO: <--(3217) to_whom_tx : 0756253104

(18420) 14/02/19 07:28:52 - INFO: <--(3217) from_whom_tx : Schlosser
(18420) 14/02/19 07:28:52 - INFO: <--(3217) remote_csid : +43756253104
(18420) 14/02/19 07:28:52 - INFO: <--(3217) remote_sernum : 0
(18420) 14/02/19 07:28:52 - INFO: <--(3217) error : 22
(18420) 14/02/19 07:28:52 - INFO: <--(3217):fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:28:52" --error="none" --type="send" --bps="14400" --ecm=1
--res="200" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:28:52 - INFO: DChannel::OnMsgLine(): job 89692: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:28:52" --error="none" --
type="send" --bps="14400" --ecm=1 --res="200" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:28:52 - INFO: <--(3217) FC : <-- B1 07:28:52,547 state=FC_W4_T30_KILL_REQ
(18420) 14/02/19 07:28:52 - INFO: <--(3217):alive
(18420) 14/02/19 07:28:55 - INFO: <--(3217) LAPi: B1 07:28:55,736 txend for session 2
(18420) 14/02/19 07:28:55 - INFO: <--(3217) LAPi: B1 07:28:55,737 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:28:55 - INFO: <--(3217) T30 : B1 07:28:55,737 LapiSetMode id=6 mode=6 alaw=1 dir=0 bufsize=264 hdlc=1 t1=0 t2=0 f=0
(18420) 14/02/19 07:28:55 - INFO: <--(3217) T30 : B1 07:28:55,738 start Timer Timer 6
(18420) 14/02/19 07:28:55 - INFO: <--(3217) LAPi: B1 07:28:55,739 setting rx modem mode 'rxg711 -a -r | rxmdm -v 21 -b 300 | rxhdlc -r'
(18420) 14/02/19 07:28:55 - INFO: <--(3217) LAPi: B1 07:28:56,184 (28.56,18328) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 07:28:56 - INFO: <--(3217) LAPi: B1 07:28:56,312 (28.56,31130) ILID_IND_DETECT ILAPI_DETECT_V21 size=21
(18420) 14/02/19 07:28:56 - INFO: <--(3217) LAPi: B1 07:28:56,392 (28.56,38734) ILID_IND_FLAG size=16
(18420) 14/02/19 07:28:56 - INFO: <--(3217) T30 : B1 V21 Flags detected
(18420) 14/02/19 07:28:56 - INFO: <--(3217) T30 : B1 07:28:56,393 Restart Timer Timer 6
(18420) 14/02/19 07:28:57 - INFO: <--(3217) LAPi: B1 07:28:57,400 (28.57,39843) ILID_IND_DATA ff 13 84 ea 7d
(18420) 14/02/19 07:28:57 - INFO: <--(3217) T30 : B1 07:28:57,401 stop Timer Timer 6
(18420) 14/02/19 07:28:57 - INFO: <--(3217) T30 : B1 07:28:57,401 stop Timer Timer 9
(18420) 14/02/19 07:28:57 - INFO: <--(3217) T30 : B1 07:28:57,401 RCV CFR
(18420) 14/02/19 07:28:57 - INFO: <--(3217) LAPi: B1 07:28:57,496 (28.57,48355) ILID_IND_CARRIER_LOST size=16
(18420) 14/02/19 07:28:57 - INFO: <--(3217) LAPi: B1 07:28:57,496 setting rx modem mode "
(18420) 14/02/19 07:28:57 - INFO: <--(3217) T30 : B1 SendHighLayerStatus
(18420) 14/02/19 07:28:57 - INFO: <--(3217) T30 : B1 07:28:57,497 Begin SendHighSpeedData ECM
(18420) 14/02/19 07:28:57 - INFO: <--(3217) T30 : B1 07:28:57,497 LapiSetMode id=7 mode=24 alaw=1 dir=1 bufsize=0 hdlc=1 t1=200 t2=100 f=0
(18420) 14/02/19 07:28:57 - INFO: <--(3217) LAPi: B1 07:28:57,498 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:28:57 - INFO: <--(3217) LAPi: B1 07:28:57,500 setting (sync) tx modem mode 'txhdlc -n -r -R | txmdm -v 17 -b 14400 -s | txg711 -a -r' (session 2)
(18420) 14/02/19 07:28:57 - INFO: <--(3217) LAPi: B1 07:28:57,501 Sending 255 flags
(18420) 14/02/19 07:28:57 - INFO: <--(3217) LAPi: B1 07:28:57,501 Sending 105 flags
(18420) 14/02/19 07:28:57 - INFO: <--(3217) LAPi: B1 07:28:57,501 write: req=1, size=1, buf: ff
(18420) 14/02/19 07:28:57 - INFO: <--(3217) LAPi: B1 07:28:57,502 write: req=1, size=1, buf: 69
(18420) 14/02/19 07:28:57 - INFO: <--(3217) FC : --> B1 07:28:57,503 state=FC_W4_T30_KILL_REQ, event=T30_STATUS
(18420) 14/02/19 07:28:57 - INFO: <--(3217) FC : Wed Feb 19 07:28:57 2014
(18420) 14/02/19 07:28:57 - INFO: <--(3217) Status Update
(18420) 14/02/19 07:28:57 - INFO: <--(3217) direction : send
(18420) 14/02/19 07:28:57 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 07:28:57 - INFO: <--(3217) bps_used : 14400
(18420) 14/02/19 07:28:57 - INFO: <--(3217) own_csid : +43 7563 8041
(18420) 14/02/19 07:28:57 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 07:28:57 - INFO: <--(3217) ecm_used : 1
(18420) 14/02/19 07:28:57 - INFO: <--(3217) dpi_used : 200 dpi
(18420) 14/02/19 07:28:57 - INFO: <--(3217) t4mode_used : MMR
(18420) 14/02/19 07:28:57 - INFO: <--(3217) tx_image_type : BFF
(18420) 14/02/19 07:28:57 - INFO: <--(3217) rx_image_type : unknown
(18420) 14/02/19 07:28:57 - INFO: <--(3217) total_pages : 1
(18420) 14/02/19 07:28:57 - INFO: <--(3217) tx_pages : 0
(18420) 14/02/19 07:28:57 - INFO: <--(3217) rx_pages : 0
(18420) 14/02/19 07:28:57 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 07:28:57 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 07:28:57 - INFO: <--(3217) to_whom_tx : 0756253104
(18420) 14/02/19 07:28:57 - INFO: <--(3217) from_whom_tx : Schlosser
(18420) 14/02/19 07:28:57 - INFO: <--(3217) remote_csid : +43756253104
(18420) 14/02/19 07:28:57 - INFO: <--(3217) remote_sernum : 0
(18420) 14/02/19 07:28:57 - INFO: <--(3217) error : 22
(18420) 14/02/19 07:28:57 - INFO: <--(3217):fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:28:57" --error="none" --type="send" --bps="14400" --ecm=1
--res="200" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:28:57 - INFO: DChannel::OnMsgLine(): job 89692: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:28:57" --error="none" --
type="send" --bps="14400" --ecm=1 --res="200" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:28:57 - INFO: <--(3217) FC : <-- B1 07:28:57,504 state=FC_W4_T30_KILL_REQ
(18420) 14/02/19 07:28:57 - INFO: <--(3217) T30 : B1 07:28:57,512 start Timer Timer 2 TXECM
(18420) 14/02/19 07:28:57 - INFO: <--(3217) T30 : B1 07:28:57,513 LapiSendData, BlockNo=0 , Backlog Count=104
(18420) 14/02/19 07:28:57 - INFO: <--(3217) LAPi: B1 07:28:57,515 write: req=2, size=260, buf: ff c0 60 00 ce dc 21 e0 ...
(18420) 14/02/19 07:28:57 - INFO: <--(3217) LAPi: B1 07:28:57,516 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 07:28:57 - INFO: <--(3217) T30 : B1 07:28:57,529 Restart Timer Timer 2 TXECM
(18420) 14/02/19 07:28:57 - INFO: <--(3217) T30 : B1 07:28:57,529 LapiSendData, BlockNo=1 , Backlog Count=103
(18420) 14/02/19 07:28:57 - INFO: <--(3217) LAPi: B1 07:28:57,530 write: req=2, size=260, buf: ff c0 60 80 03 84 77 84 ...
(18420) 14/02/19 07:28:57 - INFO: <--(3217) T30 : B1 07:28:57,545 Restart Timer Timer 2 TXECM
(18420) 14/02/19 07:28:57 - INFO: <--(3217) T30 : B1 07:28:57,545 LapiSendData, BlockNo=2 , Backlog Count=102
(18420) 14/02/19 07:28:57 - INFO: <--(3217) LAPi: B1 07:28:57,546 write: req=2, size=260, buf: ff c0 60 40 ff f3 bb 2c ...
(18420) 14/02/19 07:28:57 - INFO: <--(3217) T30 : B1 07:28:57,561 Restart Timer Timer 2 TXECM
(18420) 14/02/19 07:28:57 - INFO: <--(3217) T30 : B1 07:28:57,562 LapiSendData, BlockNo=3 , Backlog Count=101
(18420) 14/02/19 07:28:57 - INFO: <--(3217) LAPi: B1 07:28:57,563 write: req=2, size=260, buf: ff c0 60 c0 bf ff ff ...
(18420) 14/02/19 07:28:57 - INFO: <--(3217) T30 : B1 07:28:57,578 Restart Timer Timer 2 TXECM
(18420) 14/02/19 07:28:57 - INFO: <--(3217) T30 : B1 07:28:57,578 LapiSendData, BlockNo=4 , Backlog Count=100
(18420) 14/02/19 07:28:57 - INFO: <--(3217) LAPi: B1 07:28:57,579 write: req=2, size=260, buf: ff c0 60 20 2d 93 25 b2 ...
(18420) 14/02/19 07:28:57 - INFO: <--(3217) T30 : B1 07:28:57,593 Restart Timer Timer 2 TXECM
(18420) 14/02/19 07:28:57 - INFO: <--(3217) T30 : B1 07:28:57,593 LapiSendData, BlockNo=5 , Backlog Count=99
(18420) 14/02/19 07:28:57 - INFO: <--(3217) LAPi: B1 07:28:57,595 write: req=2, size=260, buf: ff c0 60 a0 22 2d ed b7 ...
(18420) 14/02/19 07:28:57 - INFO: <--(3217) T30 : B1 07:28:57,610 Restart Timer Timer 2 TXECM
(18420) 14/02/19 07:28:57 - INFO: <--(3217) T30 : B1 07:28:57,611 LapiSendData, BlockNo=6 , Backlog Count=98
(18420) 14/02/19 07:28:57 - INFO: <--(3217) LAPi: B1 07:28:57,612 write: req=2, size=260, buf: ff c0 60 0f f5 7f ff ...
(18420) 14/02/19 07:28:57 - INFO: <--(3217) T30 : B1 07:28:57,625 Restart Timer Timer 2 TXECM
(18420) 14/02/19 07:28:57 - INFO: <--(3217) T30 : B1 07:28:57,625 LapiSendData, BlockNo=7 , Backlog Count=97
(18420) 14/02/19 07:28:57 - INFO: <--(3217) LAPi: B1 07:28:57,627 write: req=2, size=260, buf: ff c0 60 e0 d3 4e ef ...
(18420) 14/02/19 07:28:57 - INFO: <--(3217) T30 : B1 07:28:57,641 Restart Timer Timer 2 TXECM
(18420) 14/02/19 07:28:57 - INFO: <--(3217) T30 : B1 07:28:57,642 LapiSendData, BlockNo=8 , Backlog Count=96
(18420) 14/02/19 07:28:57 - INFO: <--(3217) LAPi: B1 07:28:57,643 write: req=2, size=260, buf: ff c0 60 10 18 81 02 1c ...
(18420) 14/02/19 07:28:57 - INFO: <--(3217) T30 : B1 07:28:57,657 Restart Timer Timer 2 TXECM
(18420) 14/02/19 07:28:57 - INFO: <--(3217) T30 : B1 07:28:57,658 LapiSendData, BlockNo=9 , Backlog Count=95
(18420) 14/02/19 07:28:57 - INFO: <--(3217) LAPi: B1 07:28:57,659 write: req=2, size=260, buf: ff c0 60 90 2d 8b e9 8b ...
(18420) 14/02/19 07:28:57 - INFO: <--(3217) T30 : B1 07:28:57,673 Restart Timer Timer 2 TXECM

(18420) 14/02/19 07:29:14 - INFO: <--(3217) T30 : B1 07:29:14,417 Backlog Tx HDLC Return No: 83
(18420) 14/02/19 07:29:14 - INFO: <--(3217) T30 : B1 07:29:14,417 Backlog Tx HDLC Return No: 84
(18420) 14/02/19 07:29:14 - INFO: <--(3217) T30 : B1 07:29:14,418 Backlog Tx HDLC Return No: 85
(18420) 14/02/19 07:29:14 - INFO: <--(3217) T30 : B1 07:29:14,419 Backlog Tx HDLC Return No: 86
(18420) 14/02/19 07:29:14 - INFO: <--(3217) T30 : B1 07:29:14,419 Backlog Tx HDLC Return No: 87
(18420) 14/02/19 07:29:14 - INFO: <--(3217) T30 : B1 07:29:14,420 Backlog Tx HDLC Return No: 88
(18420) 14/02/19 07:29:14 - INFO: <--(3217) T30 : B1 07:29:14,421 Backlog Tx HDLC Return No: 89
(18420) 14/02/19 07:29:14 - INFO: <--(3217) T30 : B1 07:29:14,421 Backlog Tx HDLC Return No: 90
(18420) 14/02/19 07:29:14 - INFO: <--(3217) T30 : B1 07:29:14,422 Backlog Tx HDLC Return No: 91
(18420) 14/02/19 07:29:14 - INFO: <--(3217) T30 : B1 07:29:14,423 Backlog Tx HDLC Return No: 92
(18420) 14/02/19 07:29:14 - INFO: <--(3217) T30 : B1 07:29:14,424 Backlog Tx HDLC Return No: 93
(18420) 14/02/19 07:29:14 - INFO: <--(3217) T30 : B1 07:29:14,424 Backlog Tx HDLC Return No: 94
(18420) 14/02/19 07:29:14 - INFO: <--(3217) T30 : B1 07:29:14,425 Backlog Tx HDLC Return No: 95
(18420) 14/02/19 07:29:14 - INFO: <--(3217) T30 : B1 07:29:14,426 Backlog Tx HDLC Return No: 96
(18420) 14/02/19 07:29:14 - INFO: <--(3217) T30 : B1 07:29:14,426 Backlog Tx HDLC Return No: 97
(18420) 14/02/19 07:29:14 - INFO: <--(3217) T30 : B1 07:29:14,427 Backlog Tx HDLC Return No: 98
(18420) 14/02/19 07:29:14 - INFO: <--(3217) T30 : B1 07:29:14,428 Backlog Tx HDLC Return No: 99
(18420) 14/02/19 07:29:14 - INFO: <--(3217) T30 : B1 07:29:14,429 Backlog Tx HDLC Return No: 100
(18420) 14/02/19 07:29:14 - INFO: <--(3217) T30 : B1 07:29:14,429 Backlog Tx HDLC Return No: 101
(18420) 14/02/19 07:29:14 - INFO: <--(3217) T30 : B1 07:29:14,430 Backlog Tx HDLC Return No: 102
(18420) 14/02/19 07:29:14 - INFO: <--(3217) T30 : B1 07:29:14,431 Backlog Tx HDLC Return No: 103
(18420) 14/02/19 07:29:14 - INFO: <--(3217) T30 : B1 07:29:14,432 Backlog Tx HDLC Return No: 104
(18420) 14/02/19 07:29:14 - INFO: <--(3217) T30 : B1 07:29:14,433 ALL DATA OF FAX SENT (105 blocks)
(18420) 14/02/19 07:29:14 - INFO: <--(3217) T30 : B1 07:29:14,433 LapiSetMode id=8 mode=6 alaw=1 dir=1 bufsize=0 hdlc=1 t1=1000 t2=100 f=0
(18420) 14/02/19 07:29:14 - INFO: <--(3217) T30 : B1 07:29:14,434 Send PPS: 2f 00 00 68
(18420) 14/02/19 07:29:14 - INFO: <--(3217) T30 : B1 07:29:14,434 start Timer Timer 4
(18420) 14/02/19 07:29:14 - INFO: <--(3217) LAPi: B1 07:29:14,435 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:29:14 - INFO: <--(3217) LAPi: B1 07:29:14,435 setting (sync) tx modem mode 'txhdlc -n -r | txmdm -v 21 -b 300 -s | txg711 -a -r' (session 2)
(18420) 14/02/19 07:29:14 - INFO: <--(3217) LAPi: B1 07:29:14,435 Sending 38 flags
(18420) 14/02/19 07:29:14 - INFO: <--(3217) LAPi: B1 07:29:14,436 write: req=1, size=1, buf: 26
(18420) 14/02/19 07:29:14 - INFO: <--(3217) LAPi: B1 07:29:14,437 write: req=2, size=7, buf: ff 13 bf 2f 00 00 68
(18420) 14/02/19 07:29:14 - INFO: <--(3217) LAPi: B1 07:29:14,438 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 07:29:14 - INFO: <--(3217) LAPi: B1 07:29:14,439 write: req=1, size=1, buf: 02
(18420) 14/02/19 07:29:14 - INFO: <--(3217) LAPi: B1 07:29:14,439 write: req=5, size=0, buf:
(18420) 14/02/19 07:29:14 - INFO: <--(3217) LAPi: B1 07:29:14,439 turned off tx irq
(18420) 14/02/19 07:29:14 - INFO: <--(3217) LAPi: B1 07:29:14,439 setting (sync) tx modem mode 'txidle -a' (session 3)
(18420) 14/02/19 07:29:15 - INFO: <--(3217) LAPi: B1 07:29:16,160 txend for session 2
(18420) 14/02/19 07:29:15 - INFO: <--(3217) LAPi: B1 07:29:16,161 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:29:15 - INFO: <--(3217) T30 : B1 07:29:16,163 Restart Timer Timer 4
(18420) 14/02/19 07:29:15 - INFO: <--(3217) T30 : B1 07:29:16,163 LapiSetMode id=9 mode=6 alaw=1 dir=0 bufsize=264 hdlc=1 t1=0 t2=0 f=0
(18420) 14/02/19 07:29:15 - INFO: <--(3217) LAPi: B1 07:29:16,163 setting rx modem mode 'rxg711 -a -r | rxmdm -v 21 -b 300 | rxhdlc -r'
(18420) 14/02/19 07:29:16 - INFO: <--(3217) LAPi: B1 07:29:16,480 (29.16,47921) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 07:29:16 - INFO: <--(3217) LAPi: B1 07:29:16,608 (29.16,60721) ILID_IND_DETECT ILAPI_DETECT_V21 size=21
(18420) 14/02/19 07:29:16 - INFO: <--(3217) LAPi: B1 07:29:16,687 (29.16,68322) ILID_IND_FLAG size=16
(18420) 14/02/19 07:29:16 - INFO: <--(3217) T30 : B1 V21 Flags detected
(18420) 14/02/19 07:29:16 - INFO: <--(3217) T30 : B1 07:29:16,689 Restart Timer Timer 4
(18420) 14/02/19 07:29:16 - INFO: <--(3217) :alive
(18420) 14/02/19 07:29:17 - INFO: <--(3217) LAPi: B1 07:29:17,695 (29.17,69468) ILID_IND_DATA ff 13 8c a2 f1
(18420) 14/02/19 07:29:17 - INFO: <--(3217) T30 : B1 07:29:17,696 stop Timer Timer 5
(18420) 14/02/19 07:29:17 - INFO: <--(3217) T30 : B1 07:29:17,696 stop Timer Timer 4
(18420) 14/02/19 07:29:17 - INFO: <--(3217) T30 : B1 07:29:17,696 RCV MCF
(18420) 14/02/19 07:29:17 - INFO: <--(3217) LAPi: B1 07:29:17,791 (29.17,77693) ILID_IND_CARRIER_LOST size=16
(18420) 14/02/19 07:29:17 - INFO: <--(3217) LAPi: B1 07:29:17,792 setting rx modem mode "
(18420) 14/02/19 07:29:17 - INFO: <--(3217) T30 : B1 SendHighLayerStatus
(18420) 14/02/19 07:29:17 - INFO: <--(3217) T30 : B1 07:29:17,820 Tx ECM finished; Pages: 1
(18420) 14/02/19 07:29:17 - INFO: <--(3217) T30 : B1 07:29:17,820 CleanUpT30
(18420) 14/02/19 07:29:17 - INFO: <--(3217) T30 : B1 07:29:17,820 LapiSetMode id=10 mode=6 alaw=1 dir=1 bufsize=0 hdlc=1 t1=1000 t2=100 f=0
(18420) 14/02/19 07:29:17 - INFO: <--(3217) T30 : B1 07:29:17,821 SendT30Command
(18420) 14/02/19 07:29:17 - INFO: <--(3217) T30 : B1 07:29:17,821 start Timer Lapi Timer
(18420) 14/02/19 07:29:17 - INFO: <--(3217) FC : --> B1 07:29:17,822 state=FC_W4_T30_KILL_REQ, event=T30_STATUS
(18420) 14/02/19 07:29:17 - INFO: <--(3217) FC : Wed Feb 19 07:29:17 2014
(18420) 14/02/19 07:29:17 - INFO: <--(3217) Status Update
(18420) 14/02/19 07:29:17 - INFO: <--(3217) direction : send
(18420) 14/02/19 07:29:17 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 07:29:17 - INFO: <--(3217) bps_used : 14400
(18420) 14/02/19 07:29:17 - INFO: <--(3217) own_csid : +43 7563 8041
(18420) 14/02/19 07:29:17 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 07:29:17 - INFO: <--(3217) ecm_used : 1
(18420) 14/02/19 07:29:17 - INFO: <--(3217) dpi_used : 200 dpi
(18420) 14/02/19 07:29:17 - INFO: <--(3217) t4mode_used : MMR
(18420) 14/02/19 07:29:17 - INFO: <--(3217) tx_image_type : BFF
(18420) 14/02/19 07:29:17 - INFO: <--(3217) rx_image_type : unknown
(18420) 14/02/19 07:29:17 - INFO: <--(3217) total_pages : 1
(18420) 14/02/19 07:29:17 - INFO: <--(3217) tx_pages : 0
(18420) 14/02/19 07:29:17 - INFO: <--(3217) rx_pages : 0
(18420) 14/02/19 07:29:17 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 07:29:17 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 07:29:17 - INFO: <--(3217) to_whom_tx : 0756253104
(18420) 14/02/19 07:29:17 - INFO: <--(3217) from_whom_tx : Schlosser
(18420) 14/02/19 07:29:17 - INFO: <--(3217) remote_csid : +43756253104
(18420) 14/02/19 07:29:17 - INFO: <--(3217) remote_sernum : 0
(18420) 14/02/19 07:29:17 - INFO: <--(3217) error : 22
(18420) 14/02/19 07:29:17 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:29:17" --error="none" --type="send" --bps="14400" --ecm=1
--res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:29:17 - INFO: DChannel::OnMsgLine(): job 89692: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:29:17" --error="none" --
type="send" --bps="14400" --ecm=1 --res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:29:17 - INFO: <--(3217) FC : <- B1 07:29:17,824 state=FC_W4_T30_KILL_REQ
(18420) 14/02/19 07:29:17 - INFO: <--(3217) LAPi: B1 07:29:17,824 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:29:17 - INFO: <--(3217) LAPi: B1 07:29:17,825 setting (sync) tx modem mode 'txhdlc -n -r | txmdm -v 21 -b 300 -s | txg711 -a -r' (session 2)
(18420) 14/02/19 07:29:17 - INFO: <--(3217) LAPi: B1 07:29:17,825 Sending 38 flags
(18420) 14/02/19 07:29:17 - INFO: <--(3217) LAPi: B1 07:29:17,825 write: req=1, size=1, buf: 26
(18420) 14/02/19 07:29:17 - INFO: <--(3217) LAPi: B1 07:29:17,827 write: req=2, size=3, buf: ff 13 bf
(18420) 14/02/19 07:29:17 - INFO: <--(3217) LAPi: B1 07:29:17,827 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 07:29:17 - INFO: <--(3217) LAPi: B1 07:29:17,827 write: req=1, size=1, buf: 02
(18420) 14/02/19 07:29:17 - INFO: <--(3217) LAPi: B1 07:29:17,827 write: req=5, size=0, buf:

(18420) 14/02/19 07:29:17 - INFO: <--(3217) LAPi: B1 07:29:17,828 turned off tx irq
(18420) 14/02/19 07:29:17 - INFO: <--(3217) LAPi: B1 07:29:17,828 setting (sync) tx modem mode 'txidle -a' (session 3)
(18420) 14/02/19 07:29:19 - INFO: <--(3217) LAPi: B1 07:29:19,440 txend for session 2
(18420) 14/02/19 07:29:19 - INFO: <--(3217) LAPi: B1 07:29:19,441 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:29:19 - INFO: <--(3217) T30 : B1 07:29:19,442 stop Timer Lapi Timer
(18420) 14/02/19 07:29:19 - INFO: <--(3217) T30 : B1 07:29:19,442 Kill Lapi
(18420) 14/02/19 07:29:19 - INFO: <--(3217) LAPi: B1 07:29:19,443 killed
(18420) 14/02/19 07:29:19 - INFO: <--(3217) T30 : B1 SendHighLayerKillReq page_count=1
(18420) 14/02/19 07:29:19 - INFO: <--(3217) FC : --> B1 07:29:19,448 state=FC_W4_T30_KILL_REQ, event=T30_KILL_REQ
(18420) 14/02/19 07:29:19 - INFO: <--(3217) FC : Wed Feb 19 07:29:19 2014
(18420) 14/02/19 07:29:19 - INFO: <--(3217) Status Update
(18420) 14/02/19 07:29:19 - INFO: <--(3217) direction : send
(18420) 14/02/19 07:29:19 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 07:29:19 - INFO: <--(3217) bps_used : 14400
(18420) 14/02/19 07:29:19 - INFO: <--(3217) own_csid : +43 7563 8041
(18420) 14/02/19 07:29:19 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 07:29:19 - INFO: <--(3217) ecm_used : 1
(18420) 14/02/19 07:29:19 - INFO: <--(3217) dpi_used : 200 dpi
(18420) 14/02/19 07:29:19 - INFO: <--(3217) t4mode_used : MMR
(18420) 14/02/19 07:29:19 - INFO: <--(3217) tx_image_type : BFF
(18420) 14/02/19 07:29:19 - INFO: <--(3217) rx_image_type : unknown
(18420) 14/02/19 07:29:19 - INFO: <--(3217) total_pages : 1
(18420) 14/02/19 07:29:19 - INFO: <--(3217) tx_pages : 1
(18420) 14/02/19 07:29:19 - INFO: <--(3217) rx_pages : 0
(18420) 14/02/19 07:29:19 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 07:29:19 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 07:29:19 - INFO: <--(3217) to_whom_tx : 0756253104
(18420) 14/02/19 07:29:19 - INFO: <--(3217) from_whom_tx : Schlosser
(18420) 14/02/19 07:29:19 - INFO: <--(3217) remote_csid : +43756253104
(18420) 14/02/19 07:29:19 - INFO: <--(3217) remote_sernum : 0
(18420) 14/02/19 07:29:19 - INFO: <--(3217) error : 1
(18420) 14/02/19 07:29:19 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:29:19" --error="none" --type="send" --bps="14400" --ecm=1
--res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:29:19 - INFO: DChannel::OnMsgLine(): job 89692: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:29:19" --error="none" --
type="send" --bps="14400" --ecm=1 --res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:29:19 - INFO: <--(3217) T30 : B1 07:29:19,449 Kill Function called
(18420) 14/02/19 07:29:19 - INFO: <--(3217) T30 : B1 Send T4 Kill
(18420) 14/02/19 07:29:19 - INFO: <--(3217) T30 : B1 Kill T30TxDataTask
(18420) 14/02/19 07:29:19 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:29:19" --error="none" --type="send" --bps="14400" --ecm=1
--res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:29:19 - INFO: DChannel::OnMsgLine(): job 89692: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:29:19" --error="none" --
type="send" --bps="14400" --ecm=1 --res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:29:19 - INFO: <--(3217) FC : in FCExit
(18420) 14/02/19 07:29:19 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:29:19" --error="end_of_fax" --type="send" --bps="14400" --
ecm=1 --res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:29:19 - INFO: DChannel::OnMsgLine(): job 89692: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:29:19" --error="end_of_fax" --
type="send" --bps="14400" --ecm=1 --res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:29:19 - INFO: <--(3217) :bchannel --message="finished" --client_id="89692" --bchannel="1.a/B1/S0/HFC-4S"
(18420) 14/02/19 07:29:19 - INFO: <--(3217) :channel_state --channel_name="1.a/B1/S0/HFC-4S" --status="" --> 0756253104 --called_party_number="0756253104" --
calling_party_number1="" --calling_party_number2="" --redirected_party_number="" --destination="fms" --ready
(18420) 14/02/19 07:29:19 - INFO: <--(3217) :dchannel --message="onhook" --channel_id=54 --client_id="89692" --dchannel="jobcontrol_isdn:54" --charges=0 --
cause=10
(18420) 14/02/19 07:29:19 - INFO: Submitting message of type 'Send' to '0756253104' with status 0 and error code 0.
(12148) 14/02/19 07:34:39 - INFO: OnJobSubmitReq(): processing job submit request for job 89708 and subcomponent 'OMG201806 - D00'.
(12148) 14/02/19 07:34:39 - INFO: JobQueue<AppSpec>::ActivateJobEntry(): processing job 89708 at 009991B0.
(12148) 14/02/19 07:34:39 - INFO: JobQueue<AppSpec>::SendJob(): job 0099F4B8 submitted to channel 00999284 at 009991B0.
(18420) 14/02/19 07:34:39 - INFO: DChannel::StartSend(): processing outgoing job 89708 on OMG201806 - D00.
(18420) 14/02/19 07:34:39 - INFO: [phnumcor] MakePhoneNumExt(): raw address '0756253104' after automatic correction: '0756253104'.
(18420) 14/02/19 07:34:39 - INFO: --> :send --bchan_exec=fax.prc --called_party_number="0756253104" --calling_party_number="" --client_id=89708 --
bchan_param="" --type=send --tx-file=[10.1.1.50:51988]/OMCUMS-EXPORT-50946B2A/work/omcums0/send/00015e71.bff --bps=14400 --ecm=1 --resolution=200 --
compression=MMR --header=1 --logo=1 --info-text=MARK Metallwarenfabrik GmbH' --csid="+43 7563 8041" --to-whom="0756253104" --from-whom="mf1" --pages=1 --
debug-snfs=2 --debug-fc=3 --debug-t30=2 --debug-t4=2 --debug-lapi=2 --debug-modem=2 --stat-fd=1"
(18420) 14/02/19 07:34:39 - INFO: <--(3217) :dchannel --message="offhook" --channel_id=55 --client_id="89708" --dchannel="jobcontrol_isdn:55"
(18420) 14/02/19 07:34:40 - INFO: JobQueue<AppSpec>::AddChannel(): adding channel 00999284 to list at 009991B0.
(18420) 14/02/19 07:34:42 - INFO: <--(3217) :alive
(18420) 14/02/19 07:34:47 - INFO: <--(3217) :channel_state --channel_name="1.a/B1/S0/HFC-4S" --status="" --> 0756253104 --called_party_number="0756253104" --
calling_party_number1="" --calling_party_number2="" --redirected_party_number="" --destination="fms" --used
(18420) 14/02/19 07:34:47 - INFO: <--(3217) :bchannel --message="start" --client_id="89708" --bchannel="1.a/B1/S0/HFC-4S"
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : csid="+43 7563 8041"
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[0]='fax.prc'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[1]='--type=send'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[2]='--interface=1.a/B1/S0/HFC-4S'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[3]='--stat-fd=1'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[4]='--calling-party-number='
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[5]='--called-party-number=0756253104'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[6]='--type=send'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[7]='--tx-file=[10.1.1.50:51988]/OMCUMS-EXPORT-50946B2A/work/omcums0/send/00015e71.bff'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[8]='--bps=14400'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[9]='--ecm=1'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[10]='--resolution=200'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[11]='--compression=MMR'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[12]='--header=1'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[13]='--logo=1'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[14]='--info-text=MARK Metallwarenfabrik GmbH'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[15]='--csid="+43 7563 8041"
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[16]='--to-whom=0756253104'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[17]='--from-whom=mf1'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[18]='--pages=1'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[19]='--debug-snfs=2'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[20]='--debug-fc=3'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[21]='--debug-t30=2'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[22]='--debug-t4=2'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[23]='--debug-lapi=2'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[24]='--debug-modem=2'

(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[25]='--stat-fd=1'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[0]='fax.prc'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[1]='--type=send'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[2]='--interface=1.a/B1/S0/HFC-4S'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[3]='--stat-fd=1'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[4]='--calling-party-number='
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[5]='--called-party-number=0756253104'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[6]='--type=send'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[7]='--tx-file=10.1.1.50:51988j/OMCUMS-EXPORT-50946B2A/work/omcums0/send/00015e71.bff'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[8]='--bps=14400'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[9]='--ecm=1'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[10]='--resolution=200'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[11]='--compression=MMR'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[12]='--header=1'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[13]='--logo=1'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[14]='--info-text=MARK Metallwarenfabrik GmbH'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[15]='--csid=+43 7563 8041'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[16]='--to-whom=0756253104'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[17]='--from-whom=mf1'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[18]='--pages=1'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[19]='--debug-snfs=2'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[20]='--debug-fc=3'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[21]='--debug-t30=2'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[22]='--debug-t4=2'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[23]='--debug-lapi=2'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[24]='--debug-modem=2'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FAX : argv[25]='--stat-fd=1'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) :event PRC_STARTED
(18420) 14/02/19 07:34:47 - WARNING: DChannel::OnMsgLine(): ignoring unknown command 'event PRC_STARTED'.
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FC : --> B-1 07:34:47,400 state=FC_RESET, event=FC_INIT
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FC : B1 T30 built.
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FC : B1 Sending SETUP_TX to T30
(18420) 14/02/19 07:34:47 - INFO: <--(3217) FC : <-- B1 07:34:47,401 state=FC_W4_T30_SETUP_ACK
(18420) 14/02/19 07:34:47 - INFO: <--(3217) T30 : B1 Wed Feb 19 07:34:47 2014
(18420) 14/02/19 07:34:47 - INFO: <--(3217) SETUP TX 14400 ECM Fax fine MR/MMR NoPoll
(18420) 14/02/19 07:34:47 - INFO: <--(3217) T30 : SETUP more info
(18420) 14/02/19 07:34:47 - INFO: <--(3217) T30 : Lapidx = 0
(18420) 14/02/19 07:34:47 - INFO: <--(3217) T30 : HighLayerIdx = 1
(18420) 14/02/19 07:34:47 - INFO: <--(3217) T30 : min_speed = 0
(18420) 14/02/19 07:34:47 - INFO: <--(3217) T30 : listen_time_dtmf = 0
(18420) 14/02/19 07:34:47 - INFO: <--(3217) T30 : short_dis = 0
(18420) 14/02/19 07:34:47 - INFO: <--(3217) T30 : dis_size = 7
(18420) 14/02/19 07:34:47 - INFO: <--(3217) T30 : own_subs_id = +43 7563 8041
(18420) 14/02/19 07:34:47 - INFO: <--(3217) T30 : own_sernum = 0
(18420) 14/02/19 07:34:47 - INFO: <--(3217) T30 : B1 07:34:47,403 start Timer Timer 1
(18420) 14/02/19 07:34:47 - INFO: <--(3217) LAPI: B1 07:34:47,404 open ISDN Lineinterface 1.a/B1/S0/HFC-4S on /dev/ilid (dbg=0x0002)
(18420) 14/02/19 07:34:47 - INFO: <--(3217) LAPI: B1 07:34:47,404 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:34:47 - INFO: <--(3217) LAPI: B1 07:34:47,405 setting rx modem mode 'rxg711 -a -r | rxmdm -v 0 -R'
(18420) 14/02/19 07:34:47 - INFO: <--(3217) LAPI: B1 07:34:47,405 setting rx modem mode "
(18420) 14/02/19 07:34:47 - INFO: <--(3217) LAPI: B1 07:34:47,405 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:34:47 - INFO: <--(3217) LAPI: B1 07:34:47,405 turned off tx irq
(18420) 14/02/19 07:34:47 - INFO: <--(3217) T30 : B1 07:34:47,407 LapiSetMode id=1 mode=2 alaw=1 dir=1 bufsize=0 hdlc=0 t1=500 t2=0 f=1100
(18420) 14/02/19 07:34:47 - INFO: <--(3217) T30 : B1 07:34:47,408 Restart Timer Timer 1
(18420) 14/02/19 07:34:47 - INFO: <--(3217) LAPI: B1 07:34:47,409 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:34:47 - INFO: <--(3217) LAPI: B1 07:34:47,409 sending tone 1100 Hz / 0 Hz -15 dB 500 ms
(18420) 14/02/19 07:34:47 - INFO: <--(3217) LAPI: B1 07:34:47,409 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:34:47 - INFO: <--(3217) LAPI: B1 07:34:47,409 setting (sync) tx modem mode 'xtone | txg711 -a -r' (session 2)
(18420) 14/02/19 07:34:47 - INFO: <--(3217) LAPI: B1 07:34:47,410 write: req=2, size=8, buf: 4c 04 00 00 f4 01 f1 81
(18420) 14/02/19 07:34:47 - INFO: <--(3217) LAPI: B1 07:34:47,412 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 07:34:47 - INFO: <--(3217) LAPI: B1 07:34:47,413 write: req=5, size=0, buf:
(18420) 14/02/19 07:34:47 - INFO: <--(3217) LAPI: B1 07:34:47,413 turned off tx irq
(18420) 14/02/19 07:34:47 - INFO: <--(3217) LAPI: B1 07:34:47,413 setting (sync) tx modem mode 'txidle -a' (session 3)
(18420) 14/02/19 07:34:47 - INFO: <--(3217) LAPI: B1 07:34:47,928 txend for session 2
(18420) 14/02/19 07:34:47 - INFO: <--(3217) LAPI: B1 07:34:47,929 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:34:47 - INFO: <--(3217) T30 : B1 07:34:47,930 LapiSetMode id=2 mode=4 alaw=1 dir=0 bufsize=264 hdlc=1 t1=3000 t2=0 f=2100
(18420) 14/02/19 07:34:47 - INFO: <--(3217) LAPI: B1 07:34:47,931 setting rx modem mode 'rxg711 -a -r | rxmdm -v 0'
(18420) 14/02/19 07:34:48 - INFO: <--(3217) :alive
(18420) 14/02/19 07:34:48 - INFO: <--(3217) LAPI: B1 07:34:48,968 (34.48,96738) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 07:34:48 - INFO: <--(3217) LAPI: B1 07:34:48,984 (34.48,98335) ILID_IND_DETECT ILAPI_DETECT_CED size=21
(18420) 14/02/19 07:34:48 - INFO: <--(3217) LAPI: B1 07:34:48,984 setting rx modem mode "
(18420) 14/02/19 07:34:48 - INFO: <--(3217) T30 : B1 07:34:48,985 CED detected
(18420) 14/02/19 07:34:48 - INFO: <--(3217) T30 : B1 07:34:48,985 LapiSetMode id=3 mode=6 alaw=1 dir=0 bufsize=264 hdlc=1 t1=0 t2=0 f=0
(18420) 14/02/19 07:34:48 - INFO: <--(3217) T30 : B1 07:34:48,985 start Timer Timer 6
(18420) 14/02/19 07:34:48 - INFO: <--(3217) LAPI: B1 07:34:48,986 setting rx modem mode 'rxg711 -a -r | rxmdm -v 21 -b 300 | rxhdlc -r'
(18420) 14/02/19 07:34:48 - INFO: <--(3217) LAPI: B1 07:34:49,000 (34.48,99937) ILID_IND_DETECT ILAPI_DETECT_CED size=21
(18420) 14/02/19 07:34:48 - INFO: <--(3217) LAPI: B1 07:34:49,160 (34.49,15931) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 07:34:48 - INFO: <--(3217) LAPI: B1 07:34:49,176 (34.49,17540) ILID_IND_DETECT ILAPI_DETECT_SILENCE size=21
(18420) 14/02/19 07:34:48 - INFO: <--(3217) LAPI: B1 07:34:49,208 (34.49,20735) ILID_IND_DETECT ILAPI_DETECT_CED size=21
(18420) 14/02/19 07:34:51 - INFO: <--(3217) LAPI: B1 07:34:51,992 (34.51,99131) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 07:34:51 - INFO: <--(3217) LAPI: B1 07:34:52,008 (34.52,00739) ILID_IND_DETECT ILAPI_DETECT_SILENCE size=21
(18420) 14/02/19 07:34:51 - INFO: <--(3217) LAPI: B1 07:34:52,088 (34.52,08728) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 07:34:51 - INFO: <--(3217) LAPI: B1 07:34:52,216 (34.52,21528) ILID_IND_DETECT ILAPI_DETECT_V21 size=21
(18420) 14/02/19 07:34:52 - INFO: <--(3217) LAPI: B1 07:34:52,296 (34.52,29130) ILID_IND_FLAG size=16
(18420) 14/02/19 07:34:52 - INFO: <--(3217) T30 : B1 V21 Flags detected
(18420) 14/02/19 07:34:52 - INFO: <--(3217) T30 : B1 07:34:52,297 Restart Timer Timer 6
(18420) 14/02/19 07:34:53 - INFO: <--(3217) LAPI: B1 07:34:53,624 (34.53,61917) ILID_IND_DATA ff 03 20 00 00 56 55 55 ...
(18420) 14/02/19 07:34:53 - INFO: <--(3217) T30 : B1 07:34:53,625 Restart Timer Timer 6
(18420) 14/02/19 07:34:53 - INFO: <--(3217) T30 : B1 07:34:53,625 stop Timer Timer 1
(18420) 14/02/19 07:34:53 - INFO: <--(3217) T30 : B1 07:34:53,625 start Timer Timer 9
(18420) 14/02/19 07:34:53 - INFO: <--(3217) T30 : B1 07:34:53,625 RCV NSF (00 00 6a aa 00 31 09 01 6c d0)
(18420) 14/02/19 07:34:53 - INFO: <--(3217) T30: Remote: No Ferrari
(18420) 14/02/19 07:34:54 - INFO: <--(3217) LAPI: B1 07:34:54,312 (34.54,30717) ILID_IND_DATA ff 03 40 34 30 31 33 35 ...
(18420) 14/02/19 07:34:54 - INFO: <--(3217) T30 : B1 07:34:54,313 Restart Timer Timer 6
(18420) 14/02/19 07:34:54 - INFO: <--(3217) T30 : B1 07:34:54,313 RCV CSI remote_subs_id = " +43756253104"
(18420) 14/02/19 07:34:54 - INFO: <--(3217) LAPI: B1 07:34:54,632 (34.54,62730) ILID_IND_DATA ff 13 80 00 ee a8 c4 80 ...

(18420) 14/02/19 07:34:54 - INFO: <--(3217) T30 : B1 07:34:54,632 RCV DIS V17 ECM Fax fine MMR (00 77 15 23 01 88)
(18420) 14/02/19 07:34:54 - INFO: <--(3217) T30 : DIS line_width=2 min_time_4_line=2 time_4_line_raw=2
(18420) 14/02/19 07:34:54 - INFO: <--(3217) T30 : B1 07:34:54,632 stop Timer Timer 6
(18420) 14/02/19 07:34:54 - INFO: <--(3217) :alive
(18420) 14/02/19 07:34:54 - INFO: <--(3217) LAPi: B1 07:34:54,712 (34.54,70426) ILID_IND_CARRIER_LOST size=16
(18420) 14/02/19 07:34:54 - INFO: <--(3217) LAPi: B1 07:34:54,712 setting rx modem mode ""
(18420) 14/02/19 07:34:54 - INFO: <--(3217) T4 : built
(18420) 14/02/19 07:34:54 - INFO: <--(3217) T30 : B1 Build T4. T4Idx=5
(18420) 14/02/19 07:34:54 - INFO: <--(3217) T30 : B1 Build TxDataTask. TxDataIdx=6
(18420) 14/02/19 07:34:54 - INFO: <--(3217) T30 : B1 07:34:54,713 Send T4 Setup
(18420) 14/02/19 07:34:54 - INFO: <--(3217) T30 : B1 07:34:54,714 LapiSetMode id=4 mode=6 alaw=1 dir=1 bufsize=0 hdlc=1 t1=1000 t2=100 f=0
(18420) 14/02/19 07:34:54 - INFO: <--(3217) T30 : B1 SEND TSI (31 34 30 38 20 33 36 35 37 20 33 34 2b 20 20 20
(18420) 14/02/19 07:34:54 - INFO: <--(3217) 20 20 20 20)
(18420) 14/02/19 07:34:54 - INFO: <--(3217) T30 : B1 SEND DCS V17 14400 ECM Fax fine MMR (00 47 15 22)
(18420) 14/02/19 07:34:54 - INFO: <--(3217) T30 : DCS line_width=2 min_time_4_line=2
(18420) 14/02/19 07:34:54 - INFO: <--(3217) LAPi: B1 07:34:54,715 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:34:54 - INFO: <--(3217) LAPi: B1 07:34:54,715 setting (sync) tx modem mode 'txhdlc -n -r | txmdm -v 21 -b 300 -s | txg711 -a -r' (session 2)
(18420) 14/02/19 07:34:54 - INFO: <--(3217) LAPi: B1 07:34:54,715 Sending 38 flags
(18420) 14/02/19 07:34:54 - INFO: <--(3217) LAPi: B1 07:34:54,716 write: req=1, size=1, buf: 26
(18420) 14/02/19 07:34:54 - INFO: <--(3217) T4 : 07:34:54,717 ready for encoding
(18420) 14/02/19 07:34:54 - INFO: <--(3217) buffer size: 256
(18420) 14/02/19 07:34:54 - INFO: <--(3217) line width: 1728
(18420) 14/02/19 07:34:54 - INFO: <--(3217) min. line size: 18
(18420) 14/02/19 07:34:54 - INFO: <--(3217) ecm overhead: 4
(18420) 14/02/19 07:34:54 - INFO: <--(3217) add. info overhead: 0
(18420) 14/02/19 07:34:54 - INFO: <--(3217) event: 0x51
(18420) 14/02/19 07:34:54 - INFO: <--(3217) rtc event: 0x52
(18420) 14/02/19 07:34:54 - INFO: <--(3217) eom event: 0x53
(18420) 14/02/19 07:34:54 - INFO: <--(3217) K: 1
(18420) 14/02/19 07:34:54 - INFO: <--(3217) FC : --> B1 07:34:54,717 state=FC_W4_T30_SETUP_ACK, event=T30_SETUP_ACK_TX
(18420) 14/02/19 07:34:54 - INFO: <--(3217) FC : Wed Feb 19 07:34:54 2014
(18420) 14/02/19 07:34:54 - INFO: <--(3217) Status Update
(18420) 14/02/19 07:34:54 - INFO: <--(3217) direction : send
(18420) 14/02/19 07:34:54 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 07:34:54 - INFO: <--(3217) bps_used : 14400
(18420) 14/02/19 07:34:54 - INFO: <--(3217) own_csid : +43 7563 8041
(18420) 14/02/19 07:34:54 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 07:34:54 - INFO: <--(3217) ecm_used : 1
(18420) 14/02/19 07:34:54 - INFO: <--(3217) dpi_used : 200 dpi
(18420) 14/02/19 07:34:54 - INFO: <--(3217) t4mode_used : MMR
(18420) 14/02/19 07:34:54 - INFO: <--(3217) tx_image_type : BFF
(18420) 14/02/19 07:34:54 - INFO: <--(3217) rx_image_type : unknown
(18420) 14/02/19 07:34:54 - INFO: <--(3217) total_pages : 1
(18420) 14/02/19 07:34:54 - INFO: <--(3217) tx_pages : 0
(18420) 14/02/19 07:34:54 - INFO: <--(3217) rx_pages : 0
(18420) 14/02/19 07:34:54 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 07:34:54 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 07:34:54 - INFO: <--(3217) to_whom_tx : 0756253104
(18420) 14/02/19 07:34:54 - INFO: <--(3217) from_whom_tx : mf1
(18420) 14/02/19 07:34:54 - INFO: <--(3217) remote_csid : +43756253104
(18420) 14/02/19 07:34:54 - INFO: <--(3217) remote_sernum : 0
(18420) 14/02/19 07:34:54 - INFO: <--(3217) error : 22
(18420) 14/02/19 07:34:54 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:34:54" --error="none" --types="send" --bps="14400" --ecm=1
--res="200" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:34:54 - INFO: DChannel::OnMsgLine(): job 89708: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:34:54" --error="none" --
type="send" --bps="14400" --ecm=1 --res="200" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:34:54 - INFO: <--(3217) FC : B1 Header: ' 2014-02-19-07:34 ID: +43 7563 8041 MARK Metallwarenfabrik GmbH ^~~~~~ py1/1
' mode: 0
(18420) 14/02/19 07:34:54 - INFO: <--(3217) Text: 2014-02-19-07:34 ID: +43 7563 8041 MARK Metallwarenfabrik GmbH py1/1
(18420) 14/02/19 07:34:54 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:34:54 - INFO: <--(3217) FC : <-- B1 07:34:54,725 state=FC_TX
(18420) 14/02/19 07:34:54 - INFO: <--(3217) LAPi: B1 07:34:54,726 write: req=2, size=23, buf: ff 03 43 31 34 30 38 20 ...
(18420) 14/02/19 07:34:54 - INFO: <--(3217) LAPi: B1 07:34:54,727 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 07:34:54 - INFO: <--(3217) LAPi: B1 07:34:54,729 write: req=2, size=7, buf: ff 13 83 00 e2 a8 44
(18420) 14/02/19 07:34:54 - INFO: <--(3217) LAPi: B1 07:34:54,729 write: req=1, size=1, buf: 02
(18420) 14/02/19 07:34:54 - INFO: <--(3217) LAPi: B1 07:34:54,729 write: req=5, size=0, buf:
(18420) 14/02/19 07:34:54 - INFO: <--(3217) LAPi: B1 07:34:54,729 turned off tx irq
(18420) 14/02/19 07:34:54 - INFO: <--(3217) LAPi: B1 07:34:54,729 setting (sync) tx modem mode 'txidle -a' (session 3)
(18420) 14/02/19 07:34:54 - INFO: <--(3217) FC : --> B1 07:34:54,731 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:34:54 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:34:54 - INFO: <--(3217) FC : <-- B1 07:34:54,733 state=FC_TX
(18420) 14/02/19 07:34:54 - INFO: <--(3217) FC : --> B1 07:34:54,736 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:34:54 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:34:54 - INFO: <--(3217) FC : <-- B1 07:34:54,738 state=FC_TX
(18420) 14/02/19 07:34:54 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeiIndex=4
(18420) 14/02/19 07:34:54 - INFO: <--(3217) FC : --> B1 07:34:54,740 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:34:54 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:34:54 - INFO: <--(3217) FC : <-- B1 07:34:54,741 state=FC_TX
(18420) 14/02/19 07:34:54 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeiIndex=4
(18420) 14/02/19 07:34:54 - INFO: <--(3217) FC : --> B1 07:34:54,745 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:34:54 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:34:54 - INFO: <--(3217) FC : <-- B1 07:34:54,751 state=FC_TX
(18420) 14/02/19 07:34:54 - INFO: <--(3217) FC : --> B1 07:34:54,754 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:34:54 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:34:54 - INFO: <--(3217) FC : <-- B1 07:34:54,756 state=FC_TX
(18420) 14/02/19 07:34:54 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeiIndex=4
(18420) 14/02/19 07:34:54 - INFO: <--(3217) FC : --> B1 07:34:54,758 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:34:54 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:34:54 - INFO: <--(3217) FC : <-- B1 07:34:54,760 state=FC_TX
(18420) 14/02/19 07:34:54 - INFO: <--(3217) FC : --> B1 07:34:54,762 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:34:54 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:34:54 - INFO: <--(3217) FC : <-- B1 07:34:54,764 state=FC_TX
(18420) 14/02/19 07:34:54 - INFO: <--(3217) FC : --> B1 07:34:54,765 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:34:54 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:34:54 - INFO: <--(3217) FC : <-- B1 07:34:54,766 state=FC_TX

(18420) 14/02/19 07:34:55 - INFO: <--(3217) FC : <-- B1 07:34:54,898 state=FC_TX
(18420) 14/02/19 07:34:55 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:34:55 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:34:55 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:34:55 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:34:55 - INFO: <--(3217) FC : --> B1 07:34:54,906 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:34:55 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:34:55 - INFO: <--(3217) FC : <-- B1 07:34:54,908 state=FC_TX
(18420) 14/02/19 07:34:55 - INFO: <--(3217) FC : --> B1 07:34:54,909 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:34:55 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:34:55 - INFO: <--(3217) FC : <-- B1 07:34:54,911 state=FC_TX
(18420) 14/02/19 07:34:55 - INFO: <--(3217) FC : --> B1 07:34:54,912 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:34:55 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:34:55 - INFO: <--(3217) FC : <-- B1 07:34:54,914 state=FC_TX
(18420) 14/02/19 07:34:55 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:34:55 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:34:55 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:34:55 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:34:55 - INFO: <--(3217) FC : --> B1 07:34:54,922 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:34:55 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:34:55 - INFO: <--(3217) FC : <-- B1 07:34:54,924 state=FC_TX
(18420) 14/02/19 07:34:55 - INFO: <--(3217) FC : --> B1 07:34:54,925 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:34:55 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:34:55 - INFO: <--(3217) FC : <-- B1 07:34:54,927 state=FC_TX
(18420) 14/02/19 07:34:55 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:34:55 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:34:55 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:34:55 - INFO: <--(3217) FC : --> B1 07:34:54,935 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:34:55 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:34:55 - INFO: <--(3217) FC : <-- B1 07:34:54,937 state=FC_TX
(18420) 14/02/19 07:34:55 - INFO: <--(3217) FC : --> B1 07:34:54,938 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:34:55 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:34:55 - INFO: <--(3217) FC : <-- B1 07:34:54,940 state=FC_TX
(18420) 14/02/19 07:34:55 - INFO: <--(3217) FC : --> B1 07:34:54,941 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:34:55 - INFO: <--(3217) FC : B1 Stream End
(18420) 14/02/19 07:34:55 - INFO: <--(3217) FC : B1 Header: ' 2014-02-19-07:34 ID: +43 7563 8041 MARK Metallwarenfabrik GmbH ^~~~~~ py/1
' mode: 3
(18420) 14/02/19 07:34:55 - INFO: <--(3217) FC : <-- B1 07:34:54,946 state=FC_W4_T30_KILL_REQ
(18420) 14/02/19 07:34:55 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:34:55 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:34:55 - INFO: <--(3217) T4 : Sending RTC
(18420) 14/02/19 07:34:55 - INFO: <--(3217) T4 : EOL 0 before bufpos=39/64, bitpos=7
(18420) 14/02/19 07:34:55 - INFO: <--(3217) T4 : EOL 1 before bufpos=40/64, bitpos=27
(18420) 14/02/19 07:34:55 - INFO: <--(3217) T4 : EOL 2 before bufpos=40/64, bitpos=15
(18420) 14/02/19 07:34:55 - INFO: <--(3217) T4 : EOL 3 before bufpos=40/64, bitpos=3
(18420) 14/02/19 07:34:55 - INFO: <--(3217) T4 : EOL 4 before bufpos=41/64, bitpos=23
(18420) 14/02/19 07:34:55 - INFO: <--(3217) T4 : EOL 5 before bufpos=41/64, bitpos=11
(18420) 14/02/19 07:34:55 - INFO: <--(3217) T4 : EOL 6 before bufpos=42/64, bitpos=31
(18420) 14/02/19 07:34:55 - INFO: <--(3217) T4 : EOL 7 before bufpos=42/64, bitpos=19
(18420) 14/02/19 07:34:55 - INFO: <--(3217) T4 : EOL 8 before bufpos=42/64, bitpos=7
(18420) 14/02/19 07:34:55 - INFO: <--(3217) T4 : EOL 9 before bufpos=43/64, bitpos=27
(18420) 14/02/19 07:34:55 - INFO: <--(3217) T4 : lines: 2374
(18420) 14/02/19 07:34:55 - INFO: <--(3217) T4 : t4e.c:FlushT4Msg:446 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:34:56 - INFO: <--(3217) LAPi: B1 07:34:57,168 txend for session 2
(18420) 14/02/19 07:34:56 - INFO: <--(3217) LAPi: B1 07:34:57,169 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:34:56 - INFO: <--(3217) T30 : B1 SendHighLayerStatus
(18420) 14/02/19 07:34:56 - INFO: <--(3217) T30 : B1 07:34:57,173 LapiSetMode id=5 mode=24 alaw=1 dir=1 bufsize=0 hdlc=0 t1=1500 t2=300 f=0
(18420) 14/02/19 07:34:56 - INFO: <--(3217) T30 : B1 07:34:57,173 SendTraining (TCF)
(18420) 14/02/19 07:34:56 - INFO: <--(3217) LAPi: B1 07:34:57,173 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:34:56 - INFO: <--(3217) LAPi: B1 07:34:57,174 setting (sync) tx modem mode 'txmdm -v 17 -b 14400 -l | txg711 -a -r' (session 2)
(18420) 14/02/19 07:34:56 - INFO: <--(3217) LAPi: B1 07:34:57,175 write: req=2, size=1024, buf: 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 07:34:56 - INFO: <--(3217) LAPi: B1 07:34:57,176 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 07:34:56 - INFO: <--(3217) LAPi: B1 07:34:57,177 write: req=2, size=1024, buf: 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 07:34:56 - INFO: <--(3217) LAPi: B1 07:34:57,177 write: req=2, size=652, buf: 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 07:34:56 - INFO: <--(3217) LAPi: B1 07:34:57,177 write: req=5, size=0, buf:
(18420) 14/02/19 07:34:56 - INFO: <--(3217) LAPi: B1 07:34:57,177 turned off tx irq
(18420) 14/02/19 07:34:56 - INFO: <--(3217) LAPi: B1 07:34:57,177 setting (sync) tx modem mode 'txidle -a' (session 3)
(18420) 14/02/19 07:34:56 - INFO: <--(3217) FC : --> B1 07:34:57,178 state=FC_W4_T30_KILL_REQ, event=T30_STATUS
(18420) 14/02/19 07:34:56 - INFO: <--(3217) FC : Wed Feb 19 07:34:57 2014
(18420) 14/02/19 07:34:56 - INFO: <--(3217) Status Update
(18420) 14/02/19 07:34:56 - INFO: <--(3217) direction : send
(18420) 14/02/19 07:34:56 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 07:34:56 - INFO: <--(3217) bps_used : 14400
(18420) 14/02/19 07:34:56 - INFO: <--(3217) own_csid : +43 7563 8041
(18420) 14/02/19 07:34:56 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 07:34:56 - INFO: <--(3217) ecm_used : 1
(18420) 14/02/19 07:34:56 - INFO: <--(3217) dpi_used : 200 dpi
(18420) 14/02/19 07:34:56 - INFO: <--(3217) t4mode_used : MMR
(18420) 14/02/19 07:34:56 - INFO: <--(3217) tx_image_type : BFF
(18420) 14/02/19 07:34:56 - INFO: <--(3217) rx_image_type : unknown
(18420) 14/02/19 07:34:56 - INFO: <--(3217) total_pages : 1
(18420) 14/02/19 07:34:56 - INFO: <--(3217) tx_pages : 0
(18420) 14/02/19 07:34:56 - INFO: <--(3217) rx_pages : 0
(18420) 14/02/19 07:34:56 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 07:34:56 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 07:34:56 - INFO: <--(3217) to_whom_tx : 0756253104
(18420) 14/02/19 07:34:56 - INFO: <--(3217) from_whom_tx : mf1
(18420) 14/02/19 07:34:56 - INFO: <--(3217) remote_csid : +43756253104
(18420) 14/02/19 07:34:56 - INFO: <--(3217) remote_sernum : 0
(18420) 14/02/19 07:34:56 - INFO: <--(3217) error : 22
(18420) 14/02/19 07:34:56 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:34:57" --error="none" --type="send" --bps="14400" --ecm=1
--res="200" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:34:56 - INFO: DChannel:OnMsgLine()::job 89708: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:34:57" --error="none" --
type="send" --bps="14400" --ecm=1 --res="200" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:34:57 - INFO: <--(3217) FC : <-- B1 07:34:57,179 state=FC_W4_T30_KILL_REQ

(18420) 14/02/19 07:35:00 - INFO: <--(3217) LAPi: B1 07:35:00,376 txend for session 2
(18420) 14/02/19 07:35:00 - INFO: <--(3217) LAPi: B1 07:35:00,377 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:35:00 - INFO: <--(3217) T30 : B1 07:35:00,377 LapiSetMode id=6 mode=6 alaw=1 dir=0 bufsize=264 hdlc=1 t1=0 t2=0 f=0
(18420) 14/02/19 07:35:00 - INFO: <--(3217) T30 : B1 07:35:00,378 start Timer Timer 6
(18420) 14/02/19 07:35:00 - INFO: <--(3217) LAPi: B1 07:35:00,380 setting rx modem mode 'rxg711 -a -r | rxmdm -v 21 -b 300 | rxhdlc -r'
(18420) 14/02/19 07:35:00 - INFO: <--(3217) :alive
(18420) 14/02/19 07:35:00 - INFO: <--(3217) LAPi: B1 07:35:00,808 (35.00,80737) ILID_IND_DETECT ILAPi_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 07:35:00 - INFO: <--(3217) LAPi: B1 07:35:00,920 (35.00,91931) ILID_IND_DETECT ILAPi_DETECT_V21 size=21
(18420) 14/02/19 07:35:00 - INFO: <--(3217) LAPi: B1 07:35:01,000 (35.00,99515) ILID_IND_FLAG size=16
(18420) 14/02/19 07:35:00 - INFO: <--(3217) T30 : B1 V21 Flags detected
(18420) 14/02/19 07:35:00 - INFO: <--(3217) T30 : B1 07:35:01,001 Restart Timer Timer 6
(18420) 14/02/19 07:35:01 - INFO: <--(3217) LAPi: B1 07:35:02,056 (35.02,05128) ILID_IND_DATA ff 13 84 ea 7d
(18420) 14/02/19 07:35:01 - INFO: <--(3217) T30 : B1 07:35:02,056 stop Timer Timer 6
(18420) 14/02/19 07:35:01 - INFO: <--(3217) T30 : B1 07:35:02,057 stop Timer Timer 9
(18420) 14/02/19 07:35:01 - INFO: <--(3217) T30 : B1 07:35:02,057 RCV CFR
(18420) 14/02/19 07:35:01 - INFO: <--(3217) LAPi: B1 07:35:02,120 (35.02,11486) ILID_IND_CARRIER_LOST size=16
(18420) 14/02/19 07:35:01 - INFO: <--(3217) LAPi: B1 07:35:02,120 setting rx modem mode ""
(18420) 14/02/19 07:35:01 - INFO: <--(3217) T30 : B1 SendHighLayerStatus
(18420) 14/02/19 07:35:01 - INFO: <--(3217) T30 : B1 07:35:02,121 Begin SendHighSpeedData ECM
(18420) 14/02/19 07:35:01 - INFO: <--(3217) T30 : B1 07:35:02,121 LapiSetMode id=7 mode=24 alaw=1 dir=1 bufsize=0 hdlc=1 t1=200 t2=100 f=0
(18420) 14/02/19 07:35:01 - INFO: <--(3217) LAPi: B1 07:35:02,122 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:35:01 - INFO: <--(3217) LAPi: B1 07:35:02,122 setting (sync) tx modem mode 'txhdlc -n -r -R | txmdm -v 17 -b 14400 -s | txg711 -a -r' (session 2)
(18420) 14/02/19 07:35:01 - INFO: <--(3217) LAPi: B1 07:35:02,122 Sending 255 flags
(18420) 14/02/19 07:35:01 - INFO: <--(3217) LAPi: B1 07:35:02,123 Sending 105 flags
(18420) 14/02/19 07:35:01 - INFO: <--(3217) LAPi: B1 07:35:02,123 write: req=1, size=1, buf: ff
(18420) 14/02/19 07:35:01 - INFO: <--(3217) LAPi: B1 07:35:02,124 write: req=1, size=1, buf: 69
(18420) 14/02/19 07:35:01 - INFO: <--(3217) FC : --> B1 07:35:02,124 state=FC_W4_T30_KILL_REQ, event=T30_STATUS
(18420) 14/02/19 07:35:01 - INFO: <--(3217) FC : Wed Feb 19 07:35:02 2014
(18420) 14/02/19 07:35:01 - INFO: <--(3217) Status Update
(18420) 14/02/19 07:35:01 - INFO: <--(3217) direction : send
(18420) 14/02/19 07:35:01 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 07:35:01 - INFO: <--(3217) bps_used : 14400
(18420) 14/02/19 07:35:01 - INFO: <--(3217) own_csid : +437563 8041
(18420) 14/02/19 07:35:01 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 07:35:01 - INFO: <--(3217) ecm_used : 1
(18420) 14/02/19 07:35:01 - INFO: <--(3217) dpi_used : 200 dpi
(18420) 14/02/19 07:35:01 - INFO: <--(3217) t4mode_used : MMR
(18420) 14/02/19 07:35:01 - INFO: <--(3217) tx_image_type : BFF
(18420) 14/02/19 07:35:01 - INFO: <--(3217) rx_image_type : unknown
(18420) 14/02/19 07:35:01 - INFO: <--(3217) total_pages : 1
(18420) 14/02/19 07:35:01 - INFO: <--(3217) tx_pages : 0
(18420) 14/02/19 07:35:01 - INFO: <--(3217) rx_pages : 0
(18420) 14/02/19 07:35:01 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 07:35:01 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 07:35:01 - INFO: <--(3217) to_whom_tx : 0756253104
(18420) 14/02/19 07:35:01 - INFO: <--(3217) from_whom_tx : mf1
(18420) 14/02/19 07:35:01 - INFO: <--(3217) remote_csid : +43756253104
(18420) 14/02/19 07:35:01 - INFO: <--(3217) remote_sernum : 0
(18420) 14/02/19 07:35:01 - INFO: <--(3217) error : 22
(18420) 14/02/19 07:35:01 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:35:02" --error="none" --types="send" --bps="14400" --ecm=1
--res="200" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:35:01 - INFO: DChannel::OnMsgLine(): job 89708: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:35:02" --error="none" --
type="send" --bps="14400" --ecm=1 --res="200" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:35:01 - INFO: <--(3217) FC : <-- B1 07:35:02,125 state=FC_W4_T30_KILL_REQ
(18420) 14/02/19 07:35:01 - INFO: <--(3217) T30 : B1 07:35:02,136 start Timer Timer 2 TXECM
(18420) 14/02/19 07:35:01 - INFO: <--(3217) T30 : B1 07:35:02,137 LapiSendData, BlockNo=0 , Backlog Count=55
(18420) 14/02/19 07:35:02 - INFO: <--(3217) LAPi: B1 07:35:02,139 write: req=2, size=260, buf: ff c0 60 00 ce dc 21 e0 ...
(18420) 14/02/19 07:35:02 - INFO: <--(3217) LAPi: B1 07:35:02,140 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 07:35:02 - INFO: <--(3217) T30 : B1 07:35:02,153 Restart Timer Timer 2 TXECM
(18420) 14/02/19 07:35:02 - INFO: <--(3217) T30 : B1 07:35:02,153 LapiSendData, BlockNo=1 , Backlog Count=54
(18420) 14/02/19 07:35:02 - INFO: <--(3217) LAPi: B1 07:35:02,155 write: req=2, size=260, buf: ff c0 60 80 11 de 10 41 ...
(18420) 14/02/19 07:35:02 - INFO: <--(3217) T30 : B1 07:35:02,169 Restart Timer Timer 2 TXECM
(18420) 14/02/19 07:35:02 - INFO: <--(3217) T30 : B1 07:35:02,169 LapiSendData, BlockNo=2 , Backlog Count=53
(18420) 14/02/19 07:35:02 - INFO: <--(3217) LAPi: B1 07:35:02,171 write: req=2, size=260, buf: ff c0 60 40 ff ff ff ce ...
(18420) 14/02/19 07:35:02 - INFO: <--(3217) T30 : B1 07:35:02,185 Restart Timer Timer 2 TXECM
(18420) 14/02/19 07:35:02 - INFO: <--(3217) T30 : B1 07:35:02,185 LapiSendData, BlockNo=3 , Backlog Count=52
(18420) 14/02/19 07:35:02 - INFO: <--(3217) LAPi: B1 07:35:02,187 write: req=2, size=260, buf: ff c0 60 c0 ff ff ff ff ...
(18420) 14/02/19 07:35:02 - INFO: <--(3217) T30 : B1 07:35:02,201 Restart Timer Timer 2 TXECM
(18420) 14/02/19 07:35:02 - INFO: <--(3217) T30 : B1 07:35:02,201 LapiSendData, BlockNo=4 , Backlog Count=51
(18420) 14/02/19 07:35:02 - INFO: <--(3217) LAPi: B1 07:35:02,202 write: req=2, size=260, buf: ff c0 60 20 18 52 e3 dc ...
(18420) 14/02/19 07:35:02 - INFO: <--(3217) T30 : B1 07:35:02,217 Restart Timer Timer 2 TXECM
(18420) 14/02/19 07:35:02 - INFO: <--(3217) T30 : B1 07:35:02,218 LapiSendData, BlockNo=5 , Backlog Count=50
(18420) 14/02/19 07:35:02 - INFO: <--(3217) LAPi: B1 07:35:02,219 write: req=2, size=260, buf: ff c0 60 a0 4a f7 e1 6d ...
(18420) 14/02/19 07:35:02 - INFO: <--(3217) T30 : B1 07:35:02,233 Restart Timer Timer 2 TXECM
(18420) 14/02/19 07:35:02 - INFO: <--(3217) T30 : B1 07:35:02,233 LapiSendData, BlockNo=6 , Backlog Count=49
(18420) 14/02/19 07:35:02 - INFO: <--(3217) LAPi: B1 07:35:02,235 write: req=2, size=260, buf: ff c0 60 60 70 d2 e1 af ...
(18420) 14/02/19 07:35:02 - INFO: <--(3217) T30 : B1 07:35:02,250 Restart Timer Timer 2 TXECM
(18420) 14/02/19 07:35:02 - INFO: <--(3217) T30 : B1 07:35:02,251 LapiSendData, BlockNo=7 , Backlog Count=48
(18420) 14/02/19 07:35:02 - INFO: <--(3217) LAPi: B1 07:35:02,252 write: req=2, size=260, buf: ff c0 60 e0 ff ff ff ff ...
(18420) 14/02/19 07:35:02 - INFO: <--(3217) T30 : B1 07:35:02,265 Restart Timer Timer 2 TXECM
(18420) 14/02/19 07:35:02 - INFO: <--(3217) T30 : B1 07:35:02,265 LapiSendData, BlockNo=8 , Backlog Count=47
(18420) 14/02/19 07:35:02 - INFO: <--(3217) LAPi: B1 07:35:02,267 write: req=2, size=260, buf: ff c0 60 10 66 d2 97 41 ...
(18420) 14/02/19 07:35:02 - INFO: <--(3217) T30 : B1 07:35:02,281 Restart Timer Timer 2 TXECM
(18420) 14/02/19 07:35:02 - INFO: <--(3217) T30 : B1 07:35:02,282 LapiSendData, BlockNo=9 , Backlog Count=46
(18420) 14/02/19 07:35:02 - INFO: <--(3217) LAPi: B1 07:35:02,283 write: req=2, size=260, buf: ff c0 60 90 39 7f fe 72 ...
(18420) 14/02/19 07:35:02 - INFO: <--(3217) T30 : B1 07:35:02,297 Restart Timer Timer 2 TXECM
(18420) 14/02/19 07:35:02 - INFO: <--(3217) T30 : B1 07:35:02,298 LapiSendData, BlockNo=10 , Backlog Count=45
(18420) 14/02/19 07:35:02 - INFO: <--(3217) LAPi: B1 07:35:02,299 write: req=2, size=260, buf: ff c0 60 50 ff f3 69 41 ...
(18420) 14/02/19 07:35:02 - INFO: <--(3217) T30 : B1 07:35:02,313 Restart Timer Timer 2 TXECM
(18420) 14/02/19 07:35:02 - INFO: <--(3217) T30 : B1 07:35:02,313 LapiSendData, BlockNo=11 , Backlog Count=44
(18420) 14/02/19 07:35:02 - INFO: <--(3217) LAPi: B1 07:35:02,315 write: req=2, size=260, buf: ff c0 60 d0 7f c4 44 18 ...
(18420) 14/02/19 07:35:02 - INFO: <--(3217) T30 : B1 07:35:02,329 Restart Timer Timer 2 TXECM
(18420) 14/02/19 07:35:02 - INFO: <--(3217) T30 : B1 07:35:02,329 LapiSendData, BlockNo=12 , Backlog Count=43
(18420) 14/02/19 07:35:02 - INFO: <--(3217) LAPi: B1 07:35:02,331 write: req=2, size=260, buf: ff c0 60 30 3c 20 c2 0f ...
(18420) 14/02/19 07:35:02 - INFO: <--(3217) T30 : B1 07:35:02,345 Restart Timer Timer 2 TXECM

(18420) 14/02/19 07:35:11 - INFO: <--(3217) T30 : B1 07:35:11,537 Backlog Tx HDLC Return No: 51
(18420) 14/02/19 07:35:11 - INFO: <--(3217) T30 : B1 07:35:11,537 Backlog Tx HDLC Return No: 52
(18420) 14/02/19 07:35:11 - INFO: <--(3217) T30 : B1 07:35:11,538 Backlog Tx HDLC Return No: 53
(18420) 14/02/19 07:35:11 - INFO: <--(3217) T30 : B1 07:35:11,539 Backlog Tx HDLC Return No: 54
(18420) 14/02/19 07:35:11 - INFO: <--(3217) T30 : B1 07:35:11,539 Backlog Tx HDLC Return No: 55
(18420) 14/02/19 07:35:11 - INFO: <--(3217) T30 : B1 07:35:11,541 ALL DATA OF FAX SENT (56 blocks)
(18420) 14/02/19 07:35:11 - INFO: <--(3217) T30 : B1 07:35:11,541 LapiSetMode id=8 mode=6 alaw=1 dir=1 bufsize=0 hdlc=1 t1=1000 t2=100 f=0
(18420) 14/02/19 07:35:11 - INFO: <--(3217) T30 : B1 07:35:11,542 Send PPS: 2f 00 00 37
(18420) 14/02/19 07:35:11 - INFO: <--(3217) T30 : B1 07:35:11,542 start Timer Timer 4
(18420) 14/02/19 07:35:11 - INFO: <--(3217) LAPi: B1 07:35:11,543 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:35:11 - INFO: <--(3217) LAPi: B1 07:35:11,543 setting (sync) tx modem mode 'txhdlc -n -r | txmdm -v 21 -b 300 -s | txg711 -a -r' (session 2)
(18420) 14/02/19 07:35:11 - INFO: <--(3217) LAPi: B1 07:35:11,543 Sending 38 flags
(18420) 14/02/19 07:35:11 - INFO: <--(3217) LAPi: B1 07:35:11,544 write: req=1, size=1, buf: 26
(18420) 14/02/19 07:35:11 - INFO: <--(3217) LAPi: B1 07:35:11,545 write: req=2, size=7, buf: ff 13 bf 2f 00 00 37
(18420) 14/02/19 07:35:11 - INFO: <--(3217) LAPi: B1 07:35:11,546 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 07:35:11 - INFO: <--(3217) LAPi: B1 07:35:11,546 write: req=1, size=1, buf: 02
(18420) 14/02/19 07:35:11 - INFO: <--(3217) LAPi: B1 07:35:11,546 write: req=5, size=0, buf:
(18420) 14/02/19 07:35:11 - INFO: <--(3217) LAPi: B1 07:35:11,546 turned off tx irq
(18420) 14/02/19 07:35:11 - INFO: <--(3217) LAPi: B1 07:35:11,546 setting (sync) tx modem mode 'txidle -a' (session 3)
(18420) 14/02/19 07:35:12 - INFO: <--(3217) :alive
(18420) 14/02/19 07:35:13 - INFO: <--(3217) LAPi: B1 07:35:13,272 txend for session 2
(18420) 14/02/19 07:35:13 - INFO: <--(3217) LAPi: B1 07:35:13,273 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:35:13 - INFO: <--(3217) T30 : B1 07:35:13,275 Restart Timer Timer 4
(18420) 14/02/19 07:35:13 - INFO: <--(3217) T30 : B1 07:35:13,275 LapiSetMode id=9 mode=6 alaw=1 dir=0 bufsize=264 hdlc=1 t1=0 t2=0 f=0
(18420) 14/02/19 07:35:13 - INFO: <--(3217) LAPi: B1 07:35:13,275 setting rx modem mode 'rxg711 -a -r | rxmdm -v 21 -b 300 | rxhdlc -r'
(18420) 14/02/19 07:35:13 - INFO: <--(3217) LAPi: B1 07:35:13,592 (35.13,59203) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 07:35:13 - INFO: <--(3217) LAPi: B1 07:35:13,728 (35.13,72726) ILID_IND_DETECT ILAPI_DETECT_V21 size=21
(18420) 14/02/19 07:35:13 - INFO: <--(3217) LAPi: B1 07:35:13,792 (35.13,78794) ILID_IND_FLAG size=16
(18420) 14/02/19 07:35:13 - INFO: <--(3217) T30 : B1 V21 Flags detected
(18420) 14/02/19 07:35:13 - INFO: <--(3217) T30 : B1 07:35:13,793 Restart Timer Timer 4
(18420) 14/02/19 07:35:14 - INFO: <--(3217) LAPi: B1 07:35:14,816 (35.14,80689) ILID_IND_DATA ff 13 8c a2 f1
(18420) 14/02/19 07:35:14 - INFO: <--(3217) T30 : B1 07:35:14,816 stop Timer Timer 5
(18420) 14/02/19 07:35:14 - INFO: <--(3217) T30 : B1 07:35:14,817 stop Timer Timer 4
(18420) 14/02/19 07:35:14 - INFO: <--(3217) T30 : B1 07:35:14,817 RCV MCF
(18420) 14/02/19 07:35:14 - INFO: <--(3217) LAPi: B1 07:35:14,896 (35.14,88940) ILID_IND_CARRIER_LOST size=16
(18420) 14/02/19 07:35:14 - INFO: <--(3217) LAPi: B1 07:35:14,896 setting rx modem mode ""
(18420) 14/02/19 07:35:14 - INFO: <--(3217) T30 : B1 SendHighLayerStatus
(18420) 14/02/19 07:35:14 - INFO: <--(3217) T30 : B1 07:35:14,912 Tx ECM finished; Pages: 1
(18420) 14/02/19 07:35:14 - INFO: <--(3217) T30 : B1 07:35:14,912 CleanUpT30
(18420) 14/02/19 07:35:14 - INFO: <--(3217) T30 : B1 07:35:14,912 LapiSetMode id=10 mode=6 alaw=1 dir=1 bufsize=0 hdlc=1 t1=1000 t2=100 f=0
(18420) 14/02/19 07:35:14 - INFO: <--(3217) T30 : B1 07:35:14,913 SendT30Command
(18420) 14/02/19 07:35:14 - INFO: <--(3217) T30 : B1 07:35:14,913 start Timer Lapi Timer
(18420) 14/02/19 07:35:14 - INFO: <--(3217) FC : --> B1 07:35:14,914 state=FC_W4_T30_KILL_REQ, event=T30_STATUS
(18420) 14/02/19 07:35:14 - INFO: <--(3217) FC : Wed Feb 19 07:35:14 2014
(18420) 14/02/19 07:35:14 - INFO: <--(3217) Status Update
(18420) 14/02/19 07:35:14 - INFO: <--(3217) direction : send
(18420) 14/02/19 07:35:14 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 07:35:14 - INFO: <--(3217) bps_used : 14400
(18420) 14/02/19 07:35:14 - INFO: <--(3217) own_csid : +43 7563 8041
(18420) 14/02/19 07:35:14 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 07:35:14 - INFO: <--(3217) ecm_used : 1
(18420) 14/02/19 07:35:14 - INFO: <--(3217) dpi_used : 200 dpi
(18420) 14/02/19 07:35:14 - INFO: <--(3217) t4mode_used : MMR
(18420) 14/02/19 07:35:14 - INFO: <--(3217) tx_image_type : BFF
(18420) 14/02/19 07:35:14 - INFO: <--(3217) rx_image_type : unknown
(18420) 14/02/19 07:35:14 - INFO: <--(3217) total_pages : 1
(18420) 14/02/19 07:35:14 - INFO: <--(3217) tx_pages : 0
(18420) 14/02/19 07:35:14 - INFO: <--(3217) rx_pages : 0
(18420) 14/02/19 07:35:14 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 07:35:14 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 07:35:14 - INFO: <--(3217) to_whom_tx : 0756253104
(18420) 14/02/19 07:35:14 - INFO: <--(3217) from_whom_tx : mfl
(18420) 14/02/19 07:35:14 - INFO: <--(3217) remote_csid : +43756253104
(18420) 14/02/19 07:35:14 - INFO: <--(3217) remote_sernum : 0
(18420) 14/02/19 07:35:14 - INFO: <--(3217) error : 22
(18420) 14/02/19 07:35:14 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:35:14" --error="none" --type="send" --bps="14400" --ecm=1
--res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:35:14 - INFO: DChannel:OnMsgLine(): job 89708 :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:35:14" --error="none" --
type="send" --bps="14400" --ecm=1 --res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:35:14 - INFO: <--(3217) FC : <-- B1 07:35:14,915 state=FC_W4_T30_KILL_REQ
(18420) 14/02/19 07:35:14 - INFO: <--(3217) LAPi: B1 07:35:14,915 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:35:14 - INFO: <--(3217) LAPi: B1 07:35:14,916 setting (sync) tx modem mode 'txhdlc -n -r | txmdm -v 21 -b 300 -s | txg711 -a -r' (session 2)
(18420) 14/02/19 07:35:14 - INFO: <--(3217) LAPi: B1 07:35:14,916 Sending 38 flags
(18420) 14/02/19 07:35:14 - INFO: <--(3217) LAPi: B1 07:35:14,916 write: req=1, size=1, buf: 26
(18420) 14/02/19 07:35:14 - INFO: <--(3217) LAPi: B1 07:35:14,918 write: req=2, size=3, buf: ff 13 fb
(18420) 14/02/19 07:35:14 - INFO: <--(3217) LAPi: B1 07:35:14,919 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 07:35:14 - INFO: <--(3217) LAPi: B1 07:35:14,919 write: req=1, size=1, buf: 02
(18420) 14/02/19 07:35:14 - INFO: <--(3217) LAPi: B1 07:35:14,919 write: req=5, size=0, buf:
(18420) 14/02/19 07:35:14 - INFO: <--(3217) LAPi: B1 07:35:14,919 turned off tx irq
(18420) 14/02/19 07:35:14 - INFO: <--(3217) LAPi: B1 07:35:14,919 setting (sync) tx modem mode 'txidle -a' (session 3)
(18420) 14/02/19 07:35:16 - INFO: <--(3217) LAPi: B1 07:35:16,528 txend for session 2
(18420) 14/02/19 07:35:16 - INFO: <--(3217) LAPi: B1 07:35:16,529 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:35:16 - INFO: <--(3217) T30 : B1 07:35:16,530 stop Timer Lapi Timer
(18420) 14/02/19 07:35:16 - INFO: <--(3217) T30 : B1 07:35:16,531 Kill Lapi
(18420) 14/02/19 07:35:16 - INFO: <--(3217) LAPi: B1 07:35:16,531 killed
(18420) 14/02/19 07:35:16 - INFO: <--(3217) T30 : B1 SendHighLayerKillReq page_count=1
(18420) 14/02/19 07:35:16 - INFO: <--(3217) FC : --> B1 07:35:16,533 state=FC_W4_T30_KILL_REQ, event=T30_KILL_REQ
(18420) 14/02/19 07:35:16 - INFO: <--(3217) FC : Wed Feb 19 07:35:16 2014
(18420) 14/02/19 07:35:16 - INFO: <--(3217) Status Update
(18420) 14/02/19 07:35:16 - INFO: <--(3217) direction : send
(18420) 14/02/19 07:35:16 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 07:35:16 - INFO: <--(3217) bps_used : 14400
(18420) 14/02/19 07:35:16 - INFO: <--(3217) own_csid : +43 7563 8041
(18420) 14/02/19 07:35:16 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 07:35:16 - INFO: <--(3217) ecm_used : 1

(18420) 14/02/19 07:35:16 - INFO: <--(3217) dpi_used : 200 dpi
(18420) 14/02/19 07:35:16 - INFO: <--(3217) t4mode_used : MMR
(18420) 14/02/19 07:35:16 - INFO: <--(3217) tx_image_type : BFF
(18420) 14/02/19 07:35:16 - INFO: <--(3217) rx_image_type : unknown
(18420) 14/02/19 07:35:16 - INFO: <--(3217) total_pages : 1
(18420) 14/02/19 07:35:16 - INFO: <--(3217) tx_pages : 1
(18420) 14/02/19 07:35:16 - INFO: <--(3217) rx_pages : 0
(18420) 14/02/19 07:35:16 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 07:35:16 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 07:35:16 - INFO: <--(3217) to_whom_tx : 0756253104
(18420) 14/02/19 07:35:16 - INFO: <--(3217) from_whom_tx : mfl
(18420) 14/02/19 07:35:16 - INFO: <--(3217) remote_csid : +43756253104
(18420) 14/02/19 07:35:16 - INFO: <--(3217) remote_sernum : 0
(18420) 14/02/19 07:35:16 - INFO: <--(3217) error : 1
(18420) 14/02/19 07:35:16 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:35:16" --error="none" --type="send" --bps="14400" --ecm=1
--res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:35:16 - INFO: DChannel::OnMsgLine(): job 89708: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:35:16" --error="none" --
type="send" --bps="14400" --ecm=1 --res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:35:16 - INFO: <--(3217) T30 : B1 07:35:16.534 Kill Function called
(18420) 14/02/19 07:35:16 - INFO: <--(3217) T30 : B1 Send T4 Kill
(18420) 14/02/19 07:35:16 - INFO: <--(3217) T30 : B1 Kill T30TxDataTask
(18420) 14/02/19 07:35:16 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:35:16" --error="none" --type="send" --bps="14400" --ecm=1
--res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:35:16 - INFO: DChannel::OnMsgLine(): job 89708: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:35:16" --error="none" --
type="send" --bps="14400" --ecm=1 --res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:35:16 - INFO: <--(3217) FC : in FCExit
(18420) 14/02/19 07:35:16 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:35:16" --error="end_of_fax" --type="send" --bps="14400" --
ecm=1 --res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:35:16 - INFO: DChannel::OnMsgLine(): job 89708: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:35:16" --error="end_of_fax" --
type="send" --bps="14400" --ecm=1 --res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:35:16 - INFO: <--(3217) :bchannel --message="finished" --client_id="89708" --bchannel="1.a/B1/S0/HFC-4S"
(18420) 14/02/19 07:35:16 - INFO: <--(3217) :channel_state --channel_name="1.a/B1/S0/HFC-4S" --status="" --> 0756253104 --called_party_number="0756253104" --
calling_party_number1="" --calling_party_number2="" --redirected_party_number="" --destination="fms" --ready
(18420) 14/02/19 07:35:16 - INFO: <--(3217) :dchannel --message="onhook" --channel_id=55 --client_id="89708" --dchannel="jobcontrol_isdn:55" --charges=0 --
cause=10
(18420) 14/02/19 07:35:16 - INFO: Submitting message of type 'Send' to '0756253104' with status 0 and error code 0.

(12148) 14/02/19 07:46:33 - INFO: OnJobSubmitReq(): processing job submit request for job 89725 and subcomponent 'OMG201806 - D00'.
(12148) 14/02/19 07:46:33 - INFO: JobQueue<AppSpec>::ActivateJobEntry(): processing job 89725 at 009991B0.
(12148) 14/02/19 07:46:33 - INFO: JobQueue<AppSpec>::SendJob(): job 009EC040 submitted to channel 00999284 at 009991B0.
(18420) 14/02/19 07:46:33 - INFO: DChannel::StartSend(): processing outgoing job 89725 on OMG201806 - D00.
(18420) 14/02/19 07:46:33 - INFO: [phnumcor] MakePhoneNumExt(): raw address '0756253104' after automatic correction: '0756253104'.
(18420) 14/02/19 07:46:33 - INFO: --> :send --bchan_exec=fax.prc --called_party_number="0756253104" --calling_party_number="" --client_id=89725 --
bchan_param="" --type=send --tx-file=[10.1.1.50:51988]/OMCUMS-EXPORT-50946B2A/work/omcums0/send/00015e82.bff --bps=14400 --ecm=1 --resolution=200 --
compression=MMR --header=1 --logo=1 --info-text=MARK Metallwarenfabrik GmbH --csid="+43 7563 8041" --to-whom=0756253104 --from-whom=Edler Christian --
pages=1 --debug-snfs=2 --debug-fc=3 --debug-t30=2 --debug-t4=2 --debug-lapi=2 --debug-modem=2 --stat-fd=1"

(18420) 14/02/19 07:46:33 - INFO: <--(3217) :dchannel --message="offhook" --channel_id=58 --client_id="89725" --dchannel="jobcontrol_isdn:58"
(18420) 14/02/19 07:46:34 - INFO: <--(3217) :alive
(18420) 14/02/19 07:46:34 - INFO: JobQueue<AppSpec>::AddChannel(): adding channel 00999284 to list at 009991B0.
(18420) 14/02/19 07:46:40 - INFO: <--(3217) :alive
(18420) 14/02/19 07:46:40 - INFO: <--(3217) :channel_state --channel_name="1.a/B1/S0/HFC-4S" --status="" --> 0756253104 --called_party_number="0756253104" --
calling_party_number1="" --calling_party_number2="" --redirected_party_number="" --destination="fms" --used
(18420) 14/02/19 07:46:40 - INFO: <--(3217) :bchannel --message="start" --client_id="89725" --bchannel="1.a/B1/S0/HFC-4S"
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : csid="+43 7563 8041"
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[0]='fax.prc'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[1]='--type=send'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[2]='--interface=1.a/B1/S0/HFC-4S'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[3]='--stat-fd=1'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[4]='--calling-party-number='
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[5]='--called-party-number=0756253104'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[6]='--type=send'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[7]='--tx-file=[10.1.1.50:51988]/OMCUMS-EXPORT-50946B2A/work/omcums0/send/00015e82.bff'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[8]='--bps=14400'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[9]='--ecm=1'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[10]='--resolution=200'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[11]='--compression=MMR'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[12]='--header=1'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[13]='--logo=1'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[14]='--info-text=MARK Metallwarenfabrik GmbH'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[15]='--csid="+43 7563 8041"
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[16]='--to-whom=0756253104'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[17]='--from-whom=Edler Christian'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[18]='--pages=1'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[19]='--debug-snfs=2'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[20]='--debug-fc=3'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[21]='--debug-t30=2'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[22]='--debug-t4=2'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[23]='--debug-lapi=2'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[24]='--debug-modem=2'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[25]='--stat-fd=1'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[0]='fax.prc'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[1]='--type=send'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[2]='--interface=1.a/B1/S0/HFC-4S'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[3]='--stat-fd=1'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[4]='--calling-party-number='
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[5]='--called-party-number=0756253104'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[6]='--type=send'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[7]='--tx-file=[10.1.1.50:51988]/OMCUMS-EXPORT-50946B2A/work/omcums0/send/00015e82.bff'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[8]='--bps=14400'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[9]='--ecm=1'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[10]='--resolution=200'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[11]='--compression=MMR'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[12]='--header=1'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[13]='--logo=1"

(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[14]='--info-text=MARK Metallwarenfabrik GmbH'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[15]='--csid=+43 7563 8041'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[16]='--to-whom=0756253104'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[17]='--from-whom=Elder Christian'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[18]='--pages=1'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[19]='--debug-snfs=2'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[20]='--debug-fc=3'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[21]='--debug-t30=2'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[22]='--debug-t4=2'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[23]='--debug-lapi=2'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[24]='--debug-modem=2'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FAX : argv[25]='--stat-fd=1'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) :event PRC_STARTED
(18420) 14/02/19 07:46:40 - WARNING: DChannel::OnMsgLine(): ignoring unknown command 'event PRC_STARTED'.
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FC : --> B-1 07:46:41,049 state=FC_RESET, event=FC_INIT
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FC : B1 T30 built.
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FC : B1 Sending SETUP_TX to T30
(18420) 14/02/19 07:46:40 - INFO: <--(3217) FC : <-- B1 07:46:41,050 state=FC_W4_T30_SETUP_ACK
(18420) 14/02/19 07:46:40 - INFO: <--(3217) T30 : B1 Wed Feb 19 07:46:41 2014
(18420) 14/02/19 07:46:40 - INFO: <--(3217) SETUP TX 14400 ECM Fax fine MR/MMR NoPoll
(18420) 14/02/19 07:46:40 - INFO: <--(3217) T30 : SETUP more info
(18420) 14/02/19 07:46:40 - INFO: <--(3217) T30 : Lapidx = 0
(18420) 14/02/19 07:46:40 - INFO: <--(3217) T30 : HighLayerIdx = 1
(18420) 14/02/19 07:46:40 - INFO: <--(3217) T30 : min_speed = 0
(18420) 14/02/19 07:46:40 - INFO: <--(3217) T30 : listen_time_dtmf = 0
(18420) 14/02/19 07:46:40 - INFO: <--(3217) T30 : short_dis = 0
(18420) 14/02/19 07:46:40 - INFO: <--(3217) T30 : dis_size = 7
(18420) 14/02/19 07:46:40 - INFO: <--(3217) T30 : own_subs_id = +43 7563 8041
(18420) 14/02/19 07:46:40 - INFO: <--(3217) T30 : own_sernum = 0
(18420) 14/02/19 07:46:40 - INFO: <--(3217) T30 : B1 07:46:41,052 start Timer Timer 1
(18420) 14/02/19 07:46:40 - INFO: <--(3217) LAPi: B1 07:46:41,053 open ISDN Lineinterface 1.a/B1/S0/HFC-4S on /dev/ilid (dbg=0x0002)
(18420) 14/02/19 07:46:40 - INFO: <--(3217) LAPi: B1 07:46:41,053 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:46:40 - INFO: <--(3217) LAPi: B1 07:46:41,053 setting rx modem mode 'rxg711 -a -r | rxmdm -v 0 -R'
(18420) 14/02/19 07:46:40 - INFO: <--(3217) LAPi: B1 07:46:41,053 setting rx modem mode "
(18420) 14/02/19 07:46:40 - INFO: <--(3217) LAPi: B1 07:46:41,054 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:46:40 - INFO: <--(3217) LAPi: B1 07:46:41,054 turned off tx irq
(18420) 14/02/19 07:46:40 - INFO: <--(3217) T30 : B1 07:46:41,056 LapiSetMode id=1 mode=2 alaw=1 dir=1 bufsize=0 hdlc=0 t1=500 t2=0 f=1100
(18420) 14/02/19 07:46:40 - INFO: <--(3217) T30 : B1 07:46:41,056 Restart Timer Timer 1
(18420) 14/02/19 07:46:40 - INFO: <--(3217) LAPi: B1 07:46:41,057 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:46:40 - INFO: <--(3217) LAPi: B1 07:46:41,057 sending tone 1100 Hz / 0 Hz -15 dB 500 ms
(18420) 14/02/19 07:46:40 - INFO: <--(3217) LAPi: B1 07:46:41,057 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:46:40 - INFO: <--(3217) LAPi: B1 07:46:41,057 setting (sync) tx modem mode 'xtone | txg711 -a -r' (session 2)
(18420) 14/02/19 07:46:40 - INFO: <--(3217) LAPi: B1 07:46:41,058 write: req=2, size=8, buf: 4c 04 00 00 f4 01 f1 81
(18420) 14/02/19 07:46:40 - INFO: <--(3217) LAPi: B1 07:46:41,060 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 07:46:40 - INFO: <--(3217) LAPi: B1 07:46:41,060 write: req=5, size=0, buf:
(18420) 14/02/19 07:46:40 - INFO: <--(3217) LAPi: B1 07:46:41,061 turned off tx irq
(18420) 14/02/19 07:46:40 - INFO: <--(3217) LAPi: B1 07:46:41,061 setting (sync) tx modem mode 'txidle -a' (session 3)
(18420) 14/02/19 07:46:41 - INFO: <--(3217) LAPi: B1 07:46:41,576 txend for session 2
(18420) 14/02/19 07:46:41 - INFO: <--(3217) LAPi: B1 07:46:41,577 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:46:41 - INFO: <--(3217) T30 : B1 07:46:41,578 LapiSetMode id=2 mode=4 alaw=1 dir=0 bufsize=264 hdlc=1 t1=3000 t2=0 f=2100
(18420) 14/02/19 07:46:41 - INFO: <--(3217) LAPi: B1 07:46:41,579 setting rx modem mode 'rxg711 -a -r | rxmdm -v 0'
(18420) 14/02/19 07:46:42 - INFO: <--(3217) LAPi: B1 07:46:42,520 (46.42,51931) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 07:46:42 - INFO: <--(3217) LAPi: B1 07:46:42,520 (46.42,51931) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 07:46:42 - INFO: <--(3217) LAPi: B1 07:46:42,520 (46.42,51931) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 07:46:42 - INFO: <--(3217) LAPi: B1 07:46:42,536 (46.42,53534) ILID_IND_DETECT ILAPI_DETECT_CED size=21
(18420) 14/02/19 07:46:42 - INFO: <--(3217) LAPi: B1 07:46:42,536 setting rx modem mode "
(18420) 14/02/19 07:46:42 - INFO: <--(3217) T30 : B1 07:46:42,537 CED detected
(18420) 14/02/19 07:46:42 - INFO: <--(3217) T30 : B1 07:46:42,537 LapiSetMode id=3 mode=6 alaw=1 dir=0 bufsize=264 hdlc=1 t1=0 t2=0 f=0
(18420) 14/02/19 07:46:42 - INFO: <--(3217) T30 : B1 07:46:42,537 start Timer Timer 6
(18420) 14/02/19 07:46:42 - INFO: <--(3217) LAPi: B1 07:46:42,538 setting rx modem mode 'rxg711 -a -r | rxmdm -v 21 -b 300 | rxhdlc -r'
(18420) 14/02/19 07:46:42 - INFO: <--(3217) LAPi: B1 07:46:42,552 (46.42,55134) ILID_IND_DETECT ILAPI_DETECT_CED size=21
(18420) 14/02/19 07:46:42 - INFO: <--(3217) LAPi: B1 07:46:42,728 (46.42,72741) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 07:46:42 - INFO: <--(3217) LAPi: B1 07:46:42,744 (46.42,74345) ILID_IND_DETECT ILAPI_DETECT_SILENCE size=21
(18420) 14/02/19 07:46:42 - INFO: <--(3217) LAPi: B1 07:46:42,776 (46.42,77542) ILID_IND_DETECT ILAPI_DETECT_CED size=21
(18420) 14/02/19 07:46:45 - INFO: <--(3217) LAPi: B1 07:46:45,560 (46.45,55940) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 07:46:45 - INFO: <--(3217) LAPi: B1 07:46:45,576 (46.45,57545) ILID_IND_DETECT ILAPI_DETECT_SILENCE size=21
(18420) 14/02/19 07:46:45 - INFO: <--(3217) LAPi: B1 07:46:45,640 (46.45,63947) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 07:46:45 - INFO: <--(3217) LAPi: B1 07:46:45,768 (46.45,76747) ILID_IND_DETECT ILAPI_DETECT_V21 size=21
(18420) 14/02/19 07:46:45 - INFO: <--(3217) LAPi: B1 07:46:45,848 (46.45,84330) ILID_IND_FLAG size=16
(18420) 14/02/19 07:46:45 - INFO: <--(3217) T30 : B1 V21 Flags detected
(18420) 14/02/19 07:46:45 - INFO: <--(3217) T30 : B1 07:46:45,849 Restart Timer Timer 6
(18420) 14/02/19 07:46:46 - INFO: <--(3217) :alive
(18420) 14/02/19 07:46:46 - INFO: <--(3217) LAPi: B1 07:46:47,192 (46.47,18742) ILID_IND_DATA ff 03 20 00 00 56 55 55 ...
(18420) 14/02/19 07:46:46 - INFO: <--(3217) T30 : B1 07:46:47,193 Restart Timer Timer 6
(18420) 14/02/19 07:46:46 - INFO: <--(3217) T30 : B1 07:46:47,193 stop Timer Timer 1
(18420) 14/02/19 07:46:46 - INFO: <--(3217) T30 : B1 07:46:47,193 start Timer Timer 9
(18420) 14/02/19 07:46:46 - INFO: <--(3217) T30 : B1 07:46:47,193 RCV NSF (00 00 6a aa 00 31 09 01 6c d0)
(18420) 14/02/19 07:46:46 - INFO: <--(3217) T30 : Remote: No Ferrari
(18420) 14/02/19 07:46:47 - INFO: <--(3217) LAPi: B1 07:46:47,880 (46.47,87542) ILID_IND_DATA ff 03 40 34 30 31 33 35 ...
(18420) 14/02/19 07:46:47 - INFO: <--(3217) T30 : B1 07:46:47,881 Restart Timer Timer 6
(18420) 14/02/19 07:46:47 - INFO: <--(3217) T30 : B1 07:46:47,881 RCV CSI remote_subs_id = " +43756253104"
(18420) 14/02/19 07:46:47 - INFO: <--(3217) LAPi: B1 07:46:48,200 (46.48,19554) ILID_IND_DATA ff 13 80 00 ee a8 c4 80 ...
(18420) 14/02/19 07:46:47 - INFO: <--(3217) T30 : B1 07:46:48,201 RCV DIS V17 ECM Fax fine MMR (00 77 15 23 01 88)
(18420) 14/02/19 07:46:47 - INFO: <--(3217) T30 : DIS line_width=2 min_time_4_line=2 time_4_line_raw=2
(18420) 14/02/19 07:46:47 - INFO: <--(3217) T30 : B1 07:46:48,201 stop Timer Timer 6
(18420) 14/02/19 07:46:48 - INFO: <--(3217) LAPi: B1 07:46:48,280 (46.48,26513) ILID_IND_CARRIER_LOST size=16
(18420) 14/02/19 07:46:48 - INFO: <--(3217) LAPi: B1 07:46:48,280 setting rx modem mode "
(18420) 14/02/19 07:46:48 - INFO: <--(3217) T4 : built
(18420) 14/02/19 07:46:48 - INFO: <--(3217) T30 : B1 Build T4. T4Idx=5
(18420) 14/02/19 07:46:48 - INFO: <--(3217) T30 : B1 Build TxDataTask. TxDataIdx=6
(18420) 14/02/19 07:46:48 - INFO: <--(3217) T30 : B1 07:46:48,282 Send T4 Setup
(18420) 14/02/19 07:46:48 - INFO: <--(3217) T30 : B1 07:46:48,282 LapiSetMode id=4 mode=6 alaw=1 dir=1 bufsize=0 hdlc=1 t1=1000 t2=100 f=0
(18420) 14/02/19 07:46:48 - INFO: <--(3217) T30 : B1 SEND TSI (31 34 30 38 20 33 36 35 37 20 33 34 2b 20 20 20)
(18420) 14/02/19 07:46:48 - INFO: <--(3217) 20 20 20 20)
(18420) 14/02/19 07:46:48 - INFO: <--(3217) T30 : B1 SEND DCS V17 14400 ECM Fax fine MMR (00 47 15 22)

(18420) 14/02/19 07:46:48 - INFO: <--(3217) T30 : DCS line_width=2 min_time_4_line=2
(18420) 14/02/19 07:46:48 - INFO: <--(3217) LAP1: B1 07:46:48,283 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:46:48 - INFO: <--(3217) LAP1: B1 07:46:48,284 setting (sync) tx modem mode 'txhdlc -n -r | txmdm -v 21 -b 300 -s | txg711 -a -r' (session 2)
(18420) 14/02/19 07:46:48 - INFO: <--(3217) LAP1: B1 07:46:48,284 Sending 38 flags
(18420) 14/02/19 07:46:48 - INFO: <--(3217) LAP1: B1 07:46:48,284 write: req=1, size=1, buf: 26
(18420) 14/02/19 07:46:48 - INFO: <--(3217) T4 : 07:46:48,285 ready for encoding
(18420) 14/02/19 07:46:48 - INFO: <--(3217) buffer size: 256
(18420) 14/02/19 07:46:48 - INFO: <--(3217) line width: 1728
(18420) 14/02/19 07:46:48 - INFO: <--(3217) min. line size: 18
(18420) 14/02/19 07:46:48 - INFO: <--(3217) ecm overhead: 4
(18420) 14/02/19 07:46:48 - INFO: <--(3217) add. info overhead: 0
(18420) 14/02/19 07:46:48 - INFO: <--(3217) event: 0x51
(18420) 14/02/19 07:46:48 - INFO: <--(3217) rtc event: 0x52
(18420) 14/02/19 07:46:48 - INFO: <--(3217) eom event: 0x53
(18420) 14/02/19 07:46:48 - INFO: <--(3217) K: 1
(18420) 14/02/19 07:46:48 - INFO: <--(3217) FC : --> B1 07:46:48,286 state=FC_W4_T30_SETUP_ACK, event=T30_SETUP_ACK_TX
(18420) 14/02/19 07:46:48 - INFO: <--(3217) FC : Wed Feb 19 07:46:48 2014
(18420) 14/02/19 07:46:48 - INFO: <--(3217) Status Update
(18420) 14/02/19 07:46:48 - INFO: <--(3217) direction : send
(18420) 14/02/19 07:46:49 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 07:46:49 - INFO: <--(3217) bps_used : 14400
(18420) 14/02/19 07:46:49 - INFO: <--(3217) own_csid : +43 7563 8041
(18420) 14/02/19 07:46:49 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 07:46:49 - INFO: <--(3217) ecm_used : 1
(18420) 14/02/19 07:46:49 - INFO: <--(3217) dpi_used : 200 dpi
(18420) 14/02/19 07:46:49 - INFO: <--(3217) t4mode_used : MMR
(18420) 14/02/19 07:46:49 - INFO: <--(3217) tx image_type : BFF
(18420) 14/02/19 07:46:49 - INFO: <--(3217) rx image_type : unknown
(18420) 14/02/19 07:46:49 - INFO: <--(3217) total_pages : 1
(18420) 14/02/19 07:46:49 - INFO: <--(3217) tx_pages : 0
(18420) 14/02/19 07:46:49 - INFO: <--(3217) rx_pages : 0
(18420) 14/02/19 07:46:49 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 07:46:49 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 07:46:49 - INFO: <--(3217) to_whom_tx : 0756253104
(18420) 14/02/19 07:46:49 - INFO: <--(3217) from_whom_tx : Edler Christian
(18420) 14/02/19 07:46:49 - INFO: <--(3217) remote_csid : +43756253104
(18420) 14/02/19 07:46:49 - INFO: <--(3217) remote_sernum : 0
(18420) 14/02/19 07:46:49 - INFO: <--(3217) error : 22
(18420) 14/02/19 07:46:49 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:46:48" --error="none" --type="send" --bps="14400" --ecm=1
--res="200" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:46:49 - INFO: DChannel:OnMsgLine(): job 89725: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:46:48" --error="none" --
type="send" --bps="14400" --ecm=1 --res="200" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : B1 Header: ' 2014-02-19-07:46 ID: +43 7563 8041 MARK Metallwarenfabrik GmbH ^~~~~~ pÿ1/1
' mode: 0
(18420) 14/02/19 07:46:49 - INFO: <--(3217) Text: 2014-02-19-07:46 ID: +43 7563 8041 MARK Metallwarenfabrik GmbH pÿ1/1
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : <-- B1 07:46:48,299 state=FC_TX
(18420) 14/02/19 07:46:49 - INFO: <--(3217) LAP1: B1 07:46:48,300 write: req=2, size=23, buf: ff 03 43 31 34 30 38 20 ...
(18420) 14/02/19 07:46:49 - INFO: <--(3217) LAP1: B1 07:46:48,301 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 07:46:49 - INFO: <--(3217) LAP1: B1 07:46:48,302 write: req=2, size=7, buf: ff 13 83 00 e2 a8 44
(18420) 14/02/19 07:46:49 - INFO: <--(3217) LAP1: B1 07:46:48,303 write: req=1, size=1, buf: 02
(18420) 14/02/19 07:46:49 - INFO: <--(3217) LAP1: B1 07:46:48,303 write: req=5, size=0, buf:
(18420) 14/02/19 07:46:49 - INFO: <--(3217) LAP1: B1 07:46:48,303 turned off tx irq
(18420) 14/02/19 07:46:49 - INFO: <--(3217) LAP1: B1 07:46:48,303 setting (sync) tx modem mode 'txidle -a' (session 3)
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : --> B1 07:46:48,305 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : <-- B1 07:46:48,306 state=FC_TX
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : --> B1 07:46:48,309 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : <-- B1 07:46:48,311 state=FC_TX
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : --> B1 07:46:48,314 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : <-- B1 07:46:48,316 state=FC_TX
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : --> B1 07:46:48,320 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : <-- B1 07:46:48,322 state=FC_TX
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : --> B1 07:46:48,325 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : <-- B1 07:46:48,326 state=FC_TX
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : --> B1 07:46:48,329 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : <-- B1 07:46:48,331 state=FC_TX
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : --> B1 07:46:48,333 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : <-- B1 07:46:48,336 state=FC_TX
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : --> B1 07:46:48,337 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : <-- B1 07:46:48,338 state=FC_TX
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : --> B1 07:46:48,339 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : <-- B1 07:46:48,341 state=FC_TX
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : --> B1 07:46:48,342 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : <-- B1 07:46:48,344 state=FC_TX
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : --> B1 07:46:48,345 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : <-- B1 07:46:48,346 state=FC_TX
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : --> B1 07:46:48,347 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : <-- B1 07:46:48,349 state=FC_TX
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4

```

(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : --> B1 07:46:48,356 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : <-- B1 07:46:48,358 state=FC_TX
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : --> B1 07:46:48,366 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : <-- B1 07:46:48,368 state=FC_TX
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : --> B1 07:46:48,376 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : <-- B1 07:46:48,378 state=FC_TX
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : --> B1 07:46:48,386 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : <-- B1 07:46:48,388 state=FC_TX
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : --> B1 07:46:48,397 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : <-- B1 07:46:48,399 state=FC_TX
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : --> B1 07:46:48,408 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : <-- B1 07:46:48,410 state=FC_TX
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : --> B1 07:46:48,418 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : <-- B1 07:46:48,419 state=FC_TX
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : --> B1 07:46:48,421 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : B1 More Data
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : <-- B1 07:46:48,429 state=FC_TX
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:SendBits:356 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : --> B1 07:46:48,437 state=FC_TX, event=FC_CNVT_POLL
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : B1 Stream End
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : B1 Header: ' 2014-02-19-07:46 ID: +43 7563 8041 MARK Metallwarenfabrik GmbH ^~~~~~ py1/1
' mode: 3
(18420) 14/02/19 07:46:49 - INFO: <--(3217) FC : <-- B1 07:46:48,443 state=FC_W4_T30_KILL_REQ
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : Sending RTC
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : EOL 0 before bufpos=28/64, bitpos=22
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : EOL 1 before bufpos=28/64, bitpos=10
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : EOL 2 before bufpos=29/64, bitpos=30
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : EOL 3 before bufpos=29/64, bitpos=18
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : EOL 4 before bufpos=29/64, bitpos=6
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : EOL 5 before bufpos=30/64, bitpos=26
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : EOL 6 before bufpos=30/64, bitpos=14
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : EOL 7 before bufpos=30/64, bitpos=2
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : EOL 8 before bufpos=31/64, bitpos=22
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : EOL 9 before bufpos=31/64, bitpos=10
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : lines: 2374
(18420) 14/02/19 07:46:49 - INFO: <--(3217) T4 : t4e.c:FlushT4Msg:446 G3 block ready nTeilIndex=4
(18420) 14/02/19 07:46:50 - INFO: <--(3217) LAPi: B1 07:46:50,744 txend for session 2
(18420) 14/02/19 07:46:50 - INFO: <--(3217) LAPi: B1 07:46:50,745 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:46:50 - INFO: <--(3217) T30 : B1 SendHighLayerStatus
(18420) 14/02/19 07:46:50 - INFO: <--(3217) T30 : B1 07:46:50,747 LapiSetMode id=5 mode=24 alaw=1 dir=1 bufsize=0 hdlc=0 t1=1500 t2=300 f=0
(18420) 14/02/19 07:46:50 - INFO: <--(3217) T30 : B1 07:46:50,748 SendTraining (TCF)
(18420) 14/02/19 07:46:50 - INFO: <--(3217) LAPi: B1 07:46:50,748 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:46:50 - INFO: <--(3217) LAPi: B1 07:46:50,748 setting (sync) tx modem mode 'txmdm -v 17 -b 14400 -l | txg711 -a -r' (session 2)
(18420) 14/02/19 07:46:50 - INFO: <--(3217) LAPi: B1 07:46:50,749 write: req=2, size=1024, buf: 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 07:46:50 - INFO: <--(3217) LAPi: B1 07:46:50,750 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 07:46:50 - INFO: <--(3217) LAPi: B1 07:46:50,751 write: req=2, size=1024, buf: 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 07:46:50 - INFO: <--(3217) LAPi: B1 07:46:50,752 write: req=2, size=652, buf: 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 07:46:50 - INFO: <--(3217) LAPi: B1 07:46:50,752 write: req=5, size=0, buf:
(18420) 14/02/19 07:46:50 - INFO: <--(3217) LAPi: B1 07:46:50,756 turned off tx irq
(18420) 14/02/19 07:46:50 - INFO: <--(3217) LAPi: B1 07:46:50,756 setting (sync) tx modem mode 'txidle -a' (session 3)
(18420) 14/02/19 07:46:50 - INFO: <--(3217) FC : --> B1 07:46:50,757 state=FC_W4_T30_KILL_REQ, event=T30_STATUS
(18420) 14/02/19 07:46:50 - INFO: <--(3217) FC : Wed Feb 19 07:46:50 2014
(18420) 14/02/19 07:46:50 - INFO: <--(3217) Status Update
(18420) 14/02/19 07:46:50 - INFO: <--(3217) direction : send
(18420) 14/02/19 07:46:50 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 07:46:50 - INFO: <--(3217) bps_used : 14400
(18420) 14/02/19 07:46:50 - INFO: <--(3217) own_csid : +43 7563 8041
(18420) 14/02/19 07:46:50 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 07:46:50 - INFO: <--(3217) ecm_used : 1
(18420) 14/02/19 07:46:50 - INFO: <--(3217) dpi_used : 200 dpi
(18420) 14/02/19 07:46:50 - INFO: <--(3217) t4mode_used : MMR
(18420) 14/02/19 07:46:50 - INFO: <--(3217) tx_image_type : BFF
(18420) 14/02/19 07:46:50 - INFO: <--(3217) rx_image_type : unknown

```

(18420) 14/02/19 07:46:50 - INFO: <--(3217) total_pages : 1
(18420) 14/02/19 07:46:50 - INFO: <--(3217) tx_pages : 0
(18420) 14/02/19 07:46:50 - INFO: <--(3217) rx_pages : 0
(18420) 14/02/19 07:46:50 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 07:46:50 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 07:46:50 - INFO: <--(3217) to_whom_tx : 0756253104
(18420) 14/02/19 07:46:50 - INFO: <--(3217) from_whom_tx : Edler Christian
(18420) 14/02/19 07:46:50 - INFO: <--(3217) remote_csid : +43756253104
(18420) 14/02/19 07:46:50 - INFO: <--(3217) remote_sernum : 0
(18420) 14/02/19 07:46:50 - INFO: <--(3217) error : 22
(18420) 14/02/19 07:46:50 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:46:50" --error="none" --type="send" --bps="14400" --ecm=1
--res="200" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:46:50 - INFO: DChannel::OnMsgLine(): job 89725: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:46:50" --error="none" --
type="send" --bps="14400" --ecm=1 --res="200" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:46:50 - INFO: <--(3217) FC : <-- B1 07:46:50,758 state=FC_W4_T30_KILL_REQ
(18420) 14/02/19 07:46:52 - INFO: <--(3217) :alive
(18420) 14/02/19 07:46:53 - INFO: <--(3217) LAPi: B1 07:46:53,944 txend for session 2
(18420) 14/02/19 07:46:53 - INFO: <--(3217) LAPi: B1 07:46:53,945 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:46:53 - INFO: <--(3217) T30 : B1 07:46:53,946 LapiSetMode id=6 mode=6 alaw=1 dir=0 bufsize=264 hdlc=1 t1=0 t2=0 f=0
(18420) 14/02/19 07:46:53 - INFO: <--(3217) T30 : B1 07:46:53,946 start Timer Timer 6
(18420) 14/02/19 07:46:53 - INFO: <--(3217) LAPi: B1 07:46:53,947 setting rx modem mode 'rxg711 -a -r | rxmdm -v 21 -b 300 | rxhdlc -r'
(18420) 14/02/19 07:46:54 - INFO: <--(3217) LAPi: B1 07:46:54,376 (46.54,37549) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 07:46:54 - INFO: <--(3217) LAPi: B1 07:46:54,472 (46.54,47148) ILID_IND_DETECT ILAPI_DETECT_V21 size=21
(18420) 14/02/19 07:46:54 - INFO: <--(3217) LAPi: B1 07:46:54,552 (46.54,54755) ILID_IND_FLAG size=16
(18420) 14/02/19 07:46:54 - INFO: <--(3217) T30 : B1 V21 Flags detected
(18420) 14/02/19 07:46:54 - INFO: <--(3217) T30 : B1 07:46:54,553 Restart Timer Timer 6
(18420) 14/02/19 07:46:55 - INFO: <--(3217) LAPi: B1 07:46:55,624 (46.55,61955) ILID_IND_DATA ff 13 84 ea 7d
(18420) 14/02/19 07:46:55 - INFO: <--(3217) T30 : B1 07:46:55,625 stop Timer Timer 6
(18420) 14/02/19 07:46:55 - INFO: <--(3217) T30 : B1 07:46:55,625 stop Timer Timer 9
(18420) 14/02/19 07:46:55 - INFO: <--(3217) T30 : B1 07:46:55,625 RCV CFR
(18420) 14/02/19 07:46:55 - INFO: <--(3217) LAPi: B1 07:46:55,688 (46.55,67851) ILID_IND_ABORT size=16
(18420) 14/02/19 07:46:55 - INFO: <--(3217) LAPi: B1 07:46:55,688 (46.55,67851) ILID_IND_CARRIER_LOST size=16
(18420) 14/02/19 07:46:55 - INFO: <--(3217) LAPi: B1 07:46:55,688 setting rx modem mode "
(18420) 14/02/19 07:46:55 - INFO: <--(3217) T30 : B1 SendHighLayerStatus
(18420) 14/02/19 07:46:55 - INFO: <--(3217) T30 : B1 07:46:55,689 Begin SendHighSpeedData ECM
(18420) 14/02/19 07:46:55 - INFO: <--(3217) T30 : B1 07:46:55,689 LapiSetMode id=7 mode=24 alaw=1 dir=1 bufsize=0 hdlc=1 t1=200 t2=100 f=0
(18420) 14/02/19 07:46:55 - INFO: <--(3217) LAPi: B1 07:46:55,690 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:46:55 - INFO: <--(3217) LAPi: B1 07:46:55,690 setting (sync) tx modem mode 'txhdlc -n -r -R | txmdm -v 17 -b 14400 -s | txg711 -a -r' (session 2)
(18420) 14/02/19 07:46:55 - INFO: <--(3217) LAPi: B1 07:46:55,690 Sending 255 flags
(18420) 14/02/19 07:46:55 - INFO: <--(3217) LAPi: B1 07:46:55,691 Sending 105 flags
(18420) 14/02/19 07:46:55 - INFO: <--(3217) LAPi: B1 07:46:55,691 write: req=1, size=1, buf: ff
(18420) 14/02/19 07:46:55 - INFO: <--(3217) LAPi: B1 07:46:55,691 write: req=1, size=1, buf: 69
(18420) 14/02/19 07:46:55 - INFO: <--(3217) FC : --> B1 07:46:55,692 state=FC_W4_T30_KILL_REQ, event=T30_STATUS
(18420) 14/02/19 07:46:55 - INFO: <--(3217) FC : Wed Feb 19 07:46:55 2014
(18420) 14/02/19 07:46:55 - INFO: <--(3217) Status Update
(18420) 14/02/19 07:46:55 - INFO: <--(3217) direction : send
(18420) 14/02/19 07:46:55 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 07:46:55 - INFO: <--(3217) bps_used : 14400
(18420) 14/02/19 07:46:55 - INFO: <--(3217) own_csid : +43 7563 8041
(18420) 14/02/19 07:46:55 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 07:46:55 - INFO: <--(3217) ecm_used : 1
(18420) 14/02/19 07:46:55 - INFO: <--(3217) dpi_used : 200 dpi
(18420) 14/02/19 07:46:55 - INFO: <--(3217) t4mode_used : MMR
(18420) 14/02/19 07:46:55 - INFO: <--(3217) tx_image_type : BFF
(18420) 14/02/19 07:46:55 - INFO: <--(3217) rx_image_type : unknown
(18420) 14/02/19 07:46:55 - INFO: <--(3217) total_pages : 1
(18420) 14/02/19 07:46:55 - INFO: <--(3217) tx_pages : 0
(18420) 14/02/19 07:46:55 - INFO: <--(3217) rx_pages : 0
(18420) 14/02/19 07:46:55 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 07:46:55 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 07:46:55 - INFO: <--(3217) to_whom_tx : 0756253104
(18420) 14/02/19 07:46:55 - INFO: <--(3217) from_whom_tx : Edler Christian
(18420) 14/02/19 07:46:55 - INFO: <--(3217) remote_csid : +43756253104
(18420) 14/02/19 07:46:55 - INFO: <--(3217) remote_sernum : 0
(18420) 14/02/19 07:46:55 - INFO: <--(3217) error : 22
(18420) 14/02/19 07:46:55 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:46:55" --error="none" --type="send" --bps="14400" --ecm=1
--res="200" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:46:55 - INFO: DChannel::OnMsgLine(): job 89725: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:46:55" --error="none" --
type="send" --bps="14400" --ecm=1 --res="200" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:46:55 - INFO: <--(3217) FC : <-- B1 07:46:55,697 state=FC_W4_T30_KILL_REQ
(18420) 14/02/19 07:46:55 - INFO: <--(3217) T30 : B1 07:46:55,702 start Timer Timer 2 TXECM
(18420) 14/02/19 07:46:55 - INFO: <--(3217) T30 : B1 07:46:55,702 LapiSendData, BlockNo=0 , Backlog Count=31
(18420) 14/02/19 07:46:55 - INFO: <--(3217) LAPi: B1 07:46:55,704 write: req=2, size=260, buf: ff c0 60 00 ce dc 21 e0 ...
(18420) 14/02/19 07:46:55 - INFO: <--(3217) LAPi: B1 07:46:55,705 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 07:46:55 - INFO: <--(3217) T30 : B1 07:46:55,718 Restart Timer Timer 2 TXECM
(18420) 14/02/19 07:46:55 - INFO: <--(3217) T30 : B1 07:46:55,719 LapiSendData, BlockNo=1 , Backlog Count=30
(18420) 14/02/19 07:46:55 - INFO: <--(3217) LAPi: B1 07:46:55,721 write: req=2, size=260, buf: ff c0 60 80 8e f0 82 08 ...
(18420) 14/02/19 07:46:55 - INFO: <--(3217) T30 : B1 07:46:55,734 Restart Timer Timer 2 TXECM
(18420) 14/02/19 07:46:55 - INFO: <--(3217) T30 : B1 07:46:55,735 LapiSendData, BlockNo=2 , Backlog Count=29
(18420) 14/02/19 07:46:55 - INFO: <--(3217) LAPi: B1 07:46:55,737 write: req=2, size=260, buf: ff c0 60 40 ff ff e7 76 ...
(18420) 14/02/19 07:46:55 - INFO: <--(3217) T30 : B1 07:46:55,750 Restart Timer Timer 2 TXECM
(18420) 14/02/19 07:46:55 - INFO: <--(3217) T30 : B1 07:46:55,751 LapiSendData, BlockNo=3 , Backlog Count=28
(18420) 14/02/19 07:46:55 - INFO: <--(3217) LAPi: B1 07:46:55,752 write: req=2, size=260, buf: ff c0 60 c0 bf ff ff ...
(18420) 14/02/19 07:46:55 - INFO: <--(3217) T30 : B1 07:46:55,768 Restart Timer Timer 2 TXECM
(18420) 14/02/19 07:46:55 - INFO: <--(3217) T30 : B1 07:46:55,768 LapiSendData, BlockNo=4 , Backlog Count=27
(18420) 14/02/19 07:46:55 - INFO: <--(3217) LAPi: B1 07:46:55,770 write: req=2, size=260, buf: ff c0 60 20 72 34 23 41 ...
(18420) 14/02/19 07:46:55 - INFO: <--(3217) T30 : B1 07:46:55,783 Restart Timer Timer 2 TXECM
(18420) 14/02/19 07:46:55 - INFO: <--(3217) T30 : B1 07:46:55,784 LapiSendData, BlockNo=5 , Backlog Count=26
(18420) 14/02/19 07:46:55 - INFO: <--(3217) LAPi: B1 07:46:55,785 write: req=2, size=260, buf: ff c0 60 a0 7f fc e8 12 ...
(18420) 14/02/19 07:46:55 - INFO: <--(3217) T30 : B1 07:46:55,798 Restart Timer Timer 2 TXECM
(18420) 14/02/19 07:46:55 - INFO: <--(3217) T30 : B1 07:46:55,799 LapiSendData, BlockNo=6 , Backlog Count=25
(18420) 14/02/19 07:46:55 - INFO: <--(3217) LAPi: B1 07:46:55,801 write: req=2, size=260, buf: ff c0 60 4d a2 e2 8b ...
(18420) 14/02/19 07:46:55 - INFO: <--(3217) T30 : B1 07:46:55,817 Restart Timer Timer 2 TXECM
(18420) 14/02/19 07:46:55 - INFO: <--(3217) T30 : B1 07:46:55,818 LapiSendData, BlockNo=7 , Backlog Count=24
(18420) 14/02/19 07:46:55 - INFO: <--(3217) LAPi: B1 07:46:55,819 write: req=2, size=260, buf: ff c0 60 e0 21 11 06 08 ...

(18420) 14/02/19 07:47:01 - INFO: <--(3217) T30 : B1 07:47:01,325 Backlog Tx HDLC Return No: 12
(18420) 14/02/19 07:47:01 - INFO: <--(3217) T30 : B1 07:47:01,326 Backlog Tx HDLC Return No: 13
(18420) 14/02/19 07:47:01 - INFO: <--(3217) T30 : B1 07:47:01,327 Backlog Tx HDLC Return No: 14
(18420) 14/02/19 07:47:01 - INFO: <--(3217) T30 : B1 07:47:01,328 Backlog Tx HDLC Return No: 15
(18420) 14/02/19 07:47:01 - INFO: <--(3217) T30 : B1 07:47:01,329 Backlog Tx HDLC Return No: 16
(18420) 14/02/19 07:47:01 - INFO: <--(3217) T30 : B1 07:47:01,329 Backlog Tx HDLC Return No: 17
(18420) 14/02/19 07:47:01 - INFO: <--(3217) T30 : B1 07:47:01,330 Backlog Tx HDLC Return No: 18
(18420) 14/02/19 07:47:01 - INFO: <--(3217) T30 : B1 07:47:01,331 Backlog Tx HDLC Return No: 19
(18420) 14/02/19 07:47:01 - INFO: <--(3217) T30 : B1 07:47:01,331 Backlog Tx HDLC Return No: 20
(18420) 14/02/19 07:47:01 - INFO: <--(3217) T30 : B1 07:47:01,332 Backlog Tx HDLC Return No: 21
(18420) 14/02/19 07:47:01 - INFO: <--(3217) T30 : B1 07:47:01,333 Backlog Tx HDLC Return No: 22
(18420) 14/02/19 07:47:01 - INFO: <--(3217) T30 : B1 07:47:01,333 Backlog Tx HDLC Return No: 23
(18420) 14/02/19 07:47:01 - INFO: <--(3217) T30 : B1 07:47:01,334 Backlog Tx HDLC Return No: 24
(18420) 14/02/19 07:47:01 - INFO: <--(3217) T30 : B1 07:47:01,335 Backlog Tx HDLC Return No: 25
(18420) 14/02/19 07:47:01 - INFO: <--(3217) T30 : B1 07:47:01,336 Backlog Tx HDLC Return No: 26
(18420) 14/02/19 07:47:01 - INFO: <--(3217) T30 : B1 07:47:01,336 Backlog Tx HDLC Return No: 27
(18420) 14/02/19 07:47:01 - INFO: <--(3217) T30 : B1 07:47:01,337 Backlog Tx HDLC Return No: 28
(18420) 14/02/19 07:47:01 - INFO: <--(3217) T30 : B1 07:47:01,338 Backlog Tx HDLC Return No: 29
(18420) 14/02/19 07:47:01 - INFO: <--(3217) T30 : B1 07:47:01,338 Backlog Tx HDLC Return No: 30
(18420) 14/02/19 07:47:01 - INFO: <--(3217) T30 : B1 07:47:01,339 Backlog Tx HDLC Return No: 31
(18420) 14/02/19 07:47:01 - INFO: <--(3217) T30 : B1 07:47:01,341 ALL DATA OF FAX SENT (32 blocks)
(18420) 14/02/19 07:47:01 - INFO: <--(3217) T30 : B1 07:47:01,341 LapiSetMode id=8 mode=6 alaw=1 dir=1 bufsize=0 hdlc=1 t1=1000 t2=100 f=0
(18420) 14/02/19 07:47:01 - INFO: <--(3217) T30 : B1 07:47:01,341 Send PPS: 2f 00 00 1f
(18420) 14/02/19 07:47:01 - INFO: <--(3217) T30 : B1 07:47:01,342 start Timer Timer 4
(18420) 14/02/19 07:47:01 - INFO: <--(3217) LAPi: B1 07:47:01,342 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:47:01 - INFO: <--(3217) LAPi: B1 07:47:01,343 setting (sync) tx modem mode 'txhdlc -n -r | txmdm -v 21 -b 300 -s | txg711 -a -r' (session 2)
(18420) 14/02/19 07:47:01 - INFO: <--(3217) LAPi: B1 07:47:01,343 Sending 38 flags
(18420) 14/02/19 07:47:01 - INFO: <--(3217) LAPi: B1 07:47:01,344 write: req=1, size=1, buf: 26
(18420) 14/02/19 07:47:01 - INFO: <--(3217) LAPi: B1 07:47:01,345 write: req=2, size=7, buf: ff 13 bf 2f 00 00 1f
(18420) 14/02/19 07:47:01 - INFO: <--(3217) LAPi: B1 07:47:01,345 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 07:47:01 - INFO: <--(3217) LAPi: B1 07:47:01,346 write: req=1, size=1, buf: 02
(18420) 14/02/19 07:47:01 - INFO: <--(3217) LAPi: B1 07:47:01,346 write: req=5, size=0, buf:
(18420) 14/02/19 07:47:01 - INFO: <--(3217) LAPi: B1 07:47:01,346 turned off tx irq
(18420) 14/02/19 07:47:01 - INFO: <--(3217) LAPi: B1 07:47:01,346 setting (sync) tx modem mode 'txidle -a' (session 3)
(18420) 14/02/19 07:47:02 - INFO: <--(3217) LAPi: B1 07:47:03,072 txend for session 2
(18420) 14/02/19 07:47:02 - INFO: <--(3217) LAPi: B1 07:47:03,074 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:47:02 - INFO: <--(3217) T30 : B1 07:47:03,076 Restart Timer Timer 4
(18420) 14/02/19 07:47:02 - INFO: <--(3217) T30 : B1 07:47:03,076 LapiSetMode id=9 mode=6 alaw=1 dir=0 bufsize=264 hdlc=1 t1=0 t2=0 f=0
(18420) 14/02/19 07:47:02 - INFO: <--(3217) LAPi: B1 07:47:03,077 setting rx modem mode 'rxg711 -a -r | rxmdm -v 21 -b 300 | rxhdlc -r'
(18420) 14/02/19 07:47:03 - INFO: <--(3217) LAPi: B1 07:47:03,392 (47.03,39142) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 07:47:03 - INFO: <--(3217) LAPi: B1 07:47:03,520 (47.03,51939) ILID_IND_DETECT ILAPI_DETECT_V21 size=21
(18420) 14/02/19 07:47:03 - INFO: <--(3217) LAPi: B1 07:47:03,600 (47.03,59555) ILID_IND_FLAG size=16
(18420) 14/02/19 07:47:03 - INFO: <--(3217) T30 : B1 V21 Flags detected
(18420) 14/02/19 07:47:03 - INFO: <--(3217) T30 : B1 07:47:03,601 Restart Timer Timer 4
(18420) 14/02/19 07:47:03 - INFO: <--(3217) LAPi: B1 07:47:04,608 (47.04,60736) ILID_IND_DATA ff 13 8c a2 f1
(18420) 14/02/19 07:47:04 - INFO: <--(3217) T30 : B1 07:47:04,608 stop Timer Timer 5
(18420) 14/02/19 07:47:04 - INFO: <--(3217) T30 : B1 07:47:04,609 stop Timer Timer 4
(18420) 14/02/19 07:47:04 - INFO: <--(3217) T30 : B1 07:47:04,609 RCV MCF
(18420) 14/02/19 07:47:04 - INFO: <--(3217) :alive
(18420) 14/02/19 07:47:04 - INFO: <--(3217) LAPi: B1 07:47:04,688 (47.04,68513) ILID_IND_CARRIER_LOST size=16
(18420) 14/02/19 07:47:04 - INFO: <--(3217) LAPi: B1 07:47:04,688 setting rx modem mode ""
(18420) 14/02/19 07:47:04 - INFO: <--(3217) T30 : B1 SendHighLayerStatus
(18420) 14/02/19 07:47:04 - INFO: <--(3217) T30 : B1 07:47:04,697 Tx ECM finished; Pages: 1
(18420) 14/02/19 07:47:04 - INFO: <--(3217) T30 : B1 07:47:04,698 CleanUpT30
(18420) 14/02/19 07:47:04 - INFO: <--(3217) T30 : B1 07:47:04,698 LapiSetMode id=10 mode=6 alaw=1 dir=1 bufsize=0 hdlc=1 t1=1000 t2=100 f=0
(18420) 14/02/19 07:47:04 - INFO: <--(3217) T30 : B1 07:47:04,698 SendT30Command
(18420) 14/02/19 07:47:04 - INFO: <--(3217) T30 : B1 07:47:04,699 start Timer Lapi Timer
(18420) 14/02/19 07:47:04 - INFO: <--(3217) FC : --> B1 07:47:04,700 state=FC_W4_T30_KILL_REQ, event=T30_STATUS
(18420) 14/02/19 07:47:04 - INFO: <--(3217) FC : Wed Feb 19 07:47:04 2014
(18420) 14/02/19 07:47:04 - INFO: <--(3217) Status Update
(18420) 14/02/19 07:47:04 - INFO: <--(3217) direction : send
(18420) 14/02/19 07:47:04 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 07:47:04 - INFO: <--(3217) bps_used : 14400
(18420) 14/02/19 07:47:04 - INFO: <--(3217) own_csid : +43 7563 8041
(18420) 14/02/19 07:47:04 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 07:47:04 - INFO: <--(3217) ecm_used : 1
(18420) 14/02/19 07:47:04 - INFO: <--(3217) dpi_used : 200 dpi
(18420) 14/02/19 07:47:04 - INFO: <--(3217) t4mode_used : MMR
(18420) 14/02/19 07:47:04 - INFO: <--(3217) tx_image_type : BFF
(18420) 14/02/19 07:47:04 - INFO: <--(3217) rx_image_type : unknown
(18420) 14/02/19 07:47:04 - INFO: <--(3217) total_pages : 1
(18420) 14/02/19 07:47:04 - INFO: <--(3217) tx_pages : 0
(18420) 14/02/19 07:47:04 - INFO: <--(3217) rx_pages : 0
(18420) 14/02/19 07:47:04 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 07:47:04 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 07:47:04 - INFO: <--(3217) to_whom_tx : 0756253104
(18420) 14/02/19 07:47:04 - INFO: <--(3217) from_whom_tx : Edler Christian
(18420) 14/02/19 07:47:04 - INFO: <--(3217) remote_csid : +43756253104
(18420) 14/02/19 07:47:04 - INFO: <--(3217) remote_sernum : 0
(18420) 14/02/19 07:47:04 - INFO: <--(3217) error : 22
(18420) 14/02/19 07:47:04 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:47.04" --error="none" --type="send" --bps="14400" --ecm=1
--res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:47:04 - INFO: DChannel:OnMsgLine(): job 89725: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:47.04" --error="none" --
type="send" --bps="14400" --ecm=1 --res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:47:04 - INFO: <--(3217) FC : <-- B1 07:47:04,701 state=FC_W4_T30_KILL_REQ
(18420) 14/02/19 07:47:04 - INFO: <--(3217) LAPi: B1 07:47:04,701 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:47:04 - INFO: <--(3217) LAPi: B1 07:47:04,702 setting (sync) tx modem mode 'txhdlc -n -r | txmdm -v 21 -b 300 -s | txg711 -a -r' (session 2)
(18420) 14/02/19 07:47:04 - INFO: <--(3217) LAPi: B1 07:47:04,702 Sending 38 flags
(18420) 14/02/19 07:47:04 - INFO: <--(3217) LAPi: B1 07:47:04,702 write: req=1, size=1, buf: 26
(18420) 14/02/19 07:47:04 - INFO: <--(3217) LAPi: B1 07:47:04,704 write: req=2, size=3, buf: ff 13 fb
(18420) 14/02/19 07:47:04 - INFO: <--(3217) LAPi: B1 07:47:04,705 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 07:47:04 - INFO: <--(3217) LAPi: B1 07:47:04,705 write: req=1, size=1, buf: 02
(18420) 14/02/19 07:47:04 - INFO: <--(3217) LAPi: B1 07:47:04,705 write: req=5, size=0, buf:
(18420) 14/02/19 07:47:04 - INFO: <--(3217) LAPi: B1 07:47:04,705 turned off tx irq
(18420) 14/02/19 07:47:04 - INFO: <--(3217) LAPi: B1 07:47:04,705 setting (sync) tx modem mode 'txidle -a' (session 3)

(18420) 14/02/19 07:47:06 - INFO: <--(3217) LAPI: B1 07:47:06,320 txend for session 2
(18420) 14/02/19 07:47:06 - INFO: <--(3217) LAPI: B1 07:47:06,321 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 07:47:06 - INFO: <--(3217) T30 : B1 07:47:06,324 stop Timer Lapi Timer
(18420) 14/02/19 07:47:06 - INFO: <--(3217) T30 : B1 07:47:06,324 Kill Lapi
(18420) 14/02/19 07:47:06 - INFO: <--(3217) LAPI: B1 07:47:06,324 killed
(18420) 14/02/19 07:47:06 - INFO: <--(3217) T30 : B1 SendHighLayerKillReq page_count=1
(18420) 14/02/19 07:47:06 - INFO: <--(3217) FC : --> B1 07:47:06,326 state=FC_W4_T30_KILL_REQ, event=T30_KILL_REQ
(18420) 14/02/19 07:47:06 - INFO: <--(3217) FC : Wed Feb 19 07:47:06 2014
(18420) 14/02/19 07:47:06 - INFO: <--(3217) Status Update
(18420) 14/02/19 07:47:06 - INFO: <--(3217) direction : send
(18420) 14/02/19 07:47:06 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 07:47:06 - INFO: <--(3217) bps_used : 14400
(18420) 14/02/19 07:47:06 - INFO: <--(3217) own_csid : +43 7563 8041
(18420) 14/02/19 07:47:06 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 07:47:06 - INFO: <--(3217) ecm_used : 1
(18420) 14/02/19 07:47:06 - INFO: <--(3217) dpi_used : 200 dpi
(18420) 14/02/19 07:47:06 - INFO: <--(3217) t4mode_used : MMR
(18420) 14/02/19 07:47:06 - INFO: <--(3217) tx_image_type : BFF
(18420) 14/02/19 07:47:06 - INFO: <--(3217) rx_image_type : unknown
(18420) 14/02/19 07:47:06 - INFO: <--(3217) total_pages : 1
(18420) 14/02/19 07:47:06 - INFO: <--(3217) tx_pages : 1
(18420) 14/02/19 07:47:06 - INFO: <--(3217) rx_pages : 0
(18420) 14/02/19 07:47:06 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 07:47:06 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 07:47:06 - INFO: <--(3217) to_whom_tx : 0756253104
(18420) 14/02/19 07:47:06 - INFO: <--(3217) from_whom_tx : Edler Christian
(18420) 14/02/19 07:47:06 - INFO: <--(3217) remote_csid : +43756253104
(18420) 14/02/19 07:47:06 - INFO: <--(3217) remote_sernum : 0
(18420) 14/02/19 07:47:06 - INFO: <--(3217) error : 1
(18420) 14/02/19 07:47:06 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:47:06" --error="none" --type="send" --bps="14400" --ecm=1
--res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:47:06 - INFO: DChannel::OnMsgLine(): job 89725: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:47:06" --error="none" --
type="send" --bps="14400" --ecm=1 --res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:47:06 - INFO: <--(3217) T30 : B1 07:47:06,327 Kill Function called
(18420) 14/02/19 07:47:06 - INFO: <--(3217) T30 : B1 Send T4 Kill
(18420) 14/02/19 07:47:06 - INFO: <--(3217) T30 : B1 Kill T30TxDataTask
(18420) 14/02/19 07:47:06 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:47:06" --error="none" --type="send" --bps="14400" --ecm=1
--res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:47:06 - INFO: DChannel::OnMsgLine(): job 89725: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:47:06" --error="none" --
type="send" --bps="14400" --ecm=1 --res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:47:06 - INFO: <--(3217) FC : in FCExit
(18420) 14/02/19 07:47:06 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:47:06" --error="end_of_fax" --type="send" --bps="14400" --
ecm=1 --res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:47:06 - INFO: DChannel::OnMsgLine(): job 89725: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-07:47:06" --error="end_of_fax" --
type="send" --bps="14400" --ecm=1 --res="200" --t4="MMR" --txp=1 --rxp=0 --ferrari=0 --sernum=0 --csid=" +43756253104" --to="" --from=""
(18420) 14/02/19 07:47:06 - INFO: <--(3217) :bchannel --message="finished" --client_id="89725" --bchannel="1.a/B1/S0/HFC-4S"
(18420) 14/02/19 07:47:06 - INFO: <--(3217) :channel_state --channel_name="1.a/B1/S0/HFC-4S" --status="" --> 0756253104 --called_party_number="0756253104" --
calling_party_number1="" --calling_party_number2="" --redirected_party_number="" --destination="fms" --ready
(18420) 14/02/19 07:47:06 - INFO: <--(3217) :dchannel --message="onhook" --channel_id=58 --client_id="89725" --dchannel="jobcontrol_isdn:58" --charges=0 --
cause=10
(18420) 14/02/19 07:47:06 - INFO: Submitting message of type 'Send' to '0756253104' with status 0 and error code 0.
(18420) 14/02/19 08:17:54 - INFO: <--(3217) :channel_state --channel_name="1.a/B1/S0/HFC-4S" --status="3256774275 --> 0" --called_party_number="0" --
calling_party_number1="3256774275" --calling_party_number2="" --redirected_party_number="" --destination="fms" --used
(18420) 14/02/19 08:17:54 - INFO: <--(3217) :dchannel --message="alerting" --dchannel="jobcontrol_isdn:59" --channel_id=59 --calling_party_number="3256774275" --
calling_party_number2="" --called_party_number="0" --redirecting_number=""
(18420) 14/02/19 08:17:54 - INFO: DChannel::StartSend(): processing incoming call on OMG201806 - D00.
(18420) 14/02/19 08:17:54 - INFO: [phnumcor] MakePhoneNumExt(): automatic phone number correction not available for '0'.
(18420) 14/02/19 08:17:54 - INFO: [libagent] get_component_port(): component 'Poll' not found.
(18420) 14/02/19 08:17:54 - INFO: DChannel::CheckFaxAddr(): no poll definition for 0.
(18420) 14/02/19 08:17:54 - INFO: --> :receive --channel_id=59 --client_id=89739 --command=accept --called_party_number="0" --
calling_party_number="3256774275" --bchan_exec=fax.prc --bchan_param="" --type=recv --rx-file=[10.1.1.50:51988]/OMCUMS-EXPORT-
50946B2A/work/omcums0/rec/00015e8c.bff --csid="+43 7563 8041" --debug-snfs=2 --debug-fc=3 --debug-t30=2 --debug-t4=2 --debug-lapi=2 --debug-modem=2 --
bps=14400 --logo=1 --stat-fd=1"
(18420) 14/02/19 08:17:55 - INFO: <--(3217) :dchannel --message="offhook" --channel_id=59 --client_id="89739" --dchannel="jobcontrol_isdn:59"
(18420) 14/02/19 08:17:55 - INFO: <--(3217) :bchannel --message="start" --client_id="89739" --bchannel="1.a/B1/S0/HFC-4S"
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : rx_file=[10.1.1.50:51988]/OMCUMS-EXPORT-50946B2A/work/omcums0/rec/00015e8c.bff
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : csid="+43 7563 8041"
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[0]='fax.prc'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[1]='--type=recv'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[2]='--interface=1.a/B1/S0/HFC-4S'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[3]='--stat-fd=1'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[4]='--calling-party-number=3256774275'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[5]='--called-party-number=0'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[6]='--type=recv'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[7]='--rx-file=[10.1.1.50:51988]/OMCUMS-EXPORT-50946B2A/work/omcums0/rec/00015e8c.bff'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[8]='--csid="+43 7563 8041"
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[9]='--debug-snfs=2'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[10]='--debug-fc=3'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[11]='--debug-t30=2'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[12]='--debug-t4=2'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[13]='--debug-lapi=2'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[14]='--debug-modem=2'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[15]='--bps=14400'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[16]='--logo=1'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[17]='--stat-fd=1'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[0]='fax.prc'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[1]='--type=recv'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[2]='--interface=1.a/B1/S0/HFC-4S'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[3]='--stat-fd=1'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[4]='--calling-party-number=3256774275'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[5]='--called-party-number=0'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[6]='--type=recv'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[7]='--rx-file=[10.1.1.50:51988]/OMCUMS-EXPORT-50946B2A/work/omcums0/rec/00015e8c.bff'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[8]='--csid="+43 7563 8041'

(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[9]='--debug-snfs=2'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[10]='--debug-fc=3'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[11]='--debug-t30=2'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[12]='--debug-t4=2'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[13]='--debug-lapi=2'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[14]='--debug-modem=2'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[15]='--bps=14400'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[16]='--logo=1'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FAX : argv[17]='--stat-fd=1'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) :event PRC_STARTED
(18420) 14/02/19 08:17:55 - WARNING: DChannel::OnMsgLine(): ignoring unknown command 'event PRC_STARTED'.
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FC : --> B-1 08:17:55,322 state=FC_RESET, event=FC_INIT
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FC : B1 T30 built.
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FC : B1 Sending SETUP_RX to T30
(18420) 14/02/19 08:17:55 - INFO: <--(3217) FC : <-- B1 08:17:55,323 state=FC_W4_T30_SETUP_ACK
(18420) 14/02/19 08:17:55 - INFO: <--(3217) T30 : B1 Wed Feb 19 08:17:55 2014
(18420) 14/02/19 08:17:55 - INFO: <--(3217) SETUP RX 14400 ECM Fax fine MR/MMR NoPoll
(18420) 14/02/19 08:17:55 - INFO: <--(3217) T30 : SETUP more info
(18420) 14/02/19 08:17:55 - INFO: <--(3217) T30 : Lapidx = 0
(18420) 14/02/19 08:17:55 - INFO: <--(3217) T30 : HighLayerIdx = 1
(18420) 14/02/19 08:17:55 - INFO: <--(3217) T30 : min_speed = 0
(18420) 14/02/19 08:17:55 - INFO: <--(3217) T30 : listen_time_dtmf = 0
(18420) 14/02/19 08:17:55 - INFO: <--(3217) T30 : short_dis = 0
(18420) 14/02/19 08:17:55 - INFO: <--(3217) T30 : dis_size = 7
(18420) 14/02/19 08:17:55 - INFO: <--(3217) T30 : own_subs_id = +43 7563 8041
(18420) 14/02/19 08:17:55 - INFO: <--(3217) T30 : own_sernum = 0
(18420) 14/02/19 08:17:55 - INFO: <--(3217) T30 : B1 08:17:55,324 start Timer Timer 1
(18420) 14/02/19 08:17:55 - INFO: <--(3217) LAPI: B1 08:17:55,325 open ISDN Lineinterface 1.a/B1/S0/HFC-4S on /dev/ilid (dbg=0x0002)
(18420) 14/02/19 08:17:55 - INFO: <--(3217) LAPI: B1 08:17:55,326 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 08:17:55 - INFO: <--(3217) LAPI: B1 08:17:55,326 setting rx modem mode 'rxg711 -a -r | rxmdm -v 0 -R'
(18420) 14/02/19 08:17:55 - INFO: <--(3217) LAPI: B1 08:17:55,326 setting rx modem mode "
(18420) 14/02/19 08:17:55 - INFO: <--(3217) LAPI: B1 08:17:55,326 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 08:17:55 - INFO: <--(3217) LAPI: B1 08:17:55,326 turned off tx irq
(18420) 14/02/19 08:17:55 - INFO: <--(3217) T30 : B1 08:17:55,329 Restart Timer Timer 1
(18420) 14/02/19 08:17:56 - INFO: <--(3217) :alive
(18420) 14/02/19 08:17:57 - INFO: <--(3217) T30 : B1 08:17:57,332 LapiSetMode id=1 mode=2 alaw=1 dir=1 bufsize=0 hdlc=0 t1=3000 t2=0 f=2100
(18420) 14/02/19 08:17:57 - INFO: <--(3217) LAPI: B1 08:17:57,333 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 08:17:57 - INFO: <--(3217) LAPI: B1 08:17:57,333 sending tone 2100 Hz / 0 Hz -15 dB 3000 ms
(18420) 14/02/19 08:17:57 - INFO: <--(3217) LAPI: B1 08:17:57,333 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 08:17:57 - INFO: <--(3217) LAPI: B1 08:17:57,334 setting (sync) tx modem mode 'txtone | txg711 -a -r' (session 2)
(18420) 14/02/19 08:17:57 - INFO: <--(3217) LAPI: B1 08:17:57,334 write: req=2, size=8, buf: 34 08 00 00 b8 0b f1 81
(18420) 14/02/19 08:17:57 - INFO: <--(3217) LAPI: B1 08:17:57,338 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 08:17:57 - INFO: <--(3217) LAPI: B1 08:17:57,338 write: req=5, size=0, buf:
(18420) 14/02/19 08:17:57 - INFO: <--(3217) LAPI: B1 08:17:57,338 turned off tx irq
(18420) 14/02/19 08:17:57 - INFO: <--(3217) LAPI: B1 08:17:57,338 setting (sync) tx modem mode 'txidle -a' (session 3)
(18420) 14/02/19 08:18:00 - INFO: <--(3217) LAPI: B1 08:18:00,352 txend for session 2
(18420) 14/02/19 08:18:00 - INFO: <--(3217) LAPI: B1 08:18:00,353 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 08:18:00 - INFO: <--(3217) T30 : B1 08:18:00,353 LapiSetMode id=2 mode=6 alaw=1 dir=1 bufsize=0 hdlc=1 t1=1000 t2=100 f=0
(18420) 14/02/19 08:18:00 - INFO: <--(3217) T30 : B1 SEND NSF (04 8b 02 01 05 00 00)
(18420) 14/02/19 08:18:00 - INFO: <--(3217) T30 : B1 SEND CSI
(18420) 14/02/19 08:18:00 - INFO: <--(3217) T30 : B1 SEND first DIS
(18420) 14/02/19 08:18:00 - INFO: <--(3217) T30 : B1 SEND DIS V17/V33 14400 ECM Fax fine MR/MMR (00 77 1f 22)
(18420) 14/02/19 08:18:00 - INFO: <--(3217) T30 : DIS line_width=2 min_time_4_line=7
(18420) 14/02/19 08:18:00 - INFO: <--(3217) LAPI: B1 08:18:00,355 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 08:18:00 - INFO: <--(3217) LAPI: B1 08:18:00,355 setting (sync) tx modem mode 'txhdlc -n -r | txmdm -v 21 -b 300 -s | txg711 -a -r' (session 2)
(18420) 14/02/19 08:18:00 - INFO: <--(3217) LAPI: B1 08:18:00,355 Sending 38 flags
(18420) 14/02/19 08:18:00 - INFO: <--(3217) LAPI: B1 08:18:00,356 write: req=1, size=1, buf: 26
(18420) 14/02/19 08:18:00 - INFO: <--(3217) LAPI: B1 08:18:00,357 write: req=2, size=10, buf: ff 03 20 20 d1 40 80 a0 ...
(18420) 14/02/19 08:18:00 - INFO: <--(3217) LAPI: B1 08:18:00,358 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 08:18:00 - INFO: <--(3217) LAPI: B1 08:18:00,361 write: req=2, size=23, buf: ff 03 40 31 34 30 38 20 ...
(18420) 14/02/19 08:18:00 - INFO: <--(3217) LAPI: B1 08:18:00,363 write: req=2, size=7, buf: ff 13 80 00 ee f8 44
(18420) 14/02/19 08:18:00 - INFO: <--(3217) LAPI: B1 08:18:00,363 write: req=1, size=1, buf: 02
(18420) 14/02/19 08:18:00 - INFO: <--(3217) LAPI: B1 08:18:00,363 write: req=5, size=0, buf:
(18420) 14/02/19 08:18:00 - INFO: <--(3217) LAPI: B1 08:18:00,363 turned off tx irq
(18420) 14/02/19 08:18:00 - INFO: <--(3217) LAPI: B1 08:18:00,363 setting (sync) tx modem mode 'txidle -a' (session 3)
(18420) 14/02/19 08:18:02 - INFO: <--(3217) :alive
(18420) 14/02/19 08:18:02 - INFO: <--(3217) LAPI: B1 08:18:03,137 txend for session 2
(18420) 14/02/19 08:18:02 - INFO: <--(3217) LAPI: B1 08:18:03,138 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 08:18:02 - INFO: <--(3217) T30 : B1 08:18:03,141 start Timer Timer 4
(18420) 14/02/19 08:18:02 - INFO: <--(3217) T30 : B1 08:18:03,141 LapiSetMode id=3 mode=6 alaw=1 dir=0 bufsize=264 hdlc=1 t1=0 t2=0 f=0
(18420) 14/02/19 08:18:02 - INFO: <--(3217) LAPI: B1 08:18:03,142 setting rx modem mode 'rxg711 -a -r | rxmdm -v 21 -b 300 | rxhdlc -r'
(18420) 14/02/19 08:18:03 - INFO: <--(3217) LAPI: B1 08:18:04,081 (18.04,08053) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 08:18:03 - INFO: <--(3217) LAPI: B1 08:18:04,209 (18.04,20856) ILID_IND_DETECT ILAPI_DETECT_V21 size=21
(18420) 14/02/19 08:18:03 - INFO: <--(3217) LAPI: B1 08:18:04,289 (18.04,28385) ILID_IND_FLAG size=16
(18420) 14/02/19 08:18:03 - INFO: <--(3217) T30 : B1 08:18:04,290 Restart Timer Timer 4
(18420) 14/02/19 08:18:05 - INFO: <--(3217) LAPI: B1 08:18:05,825 (18.05,81960) ILID_IND_DATA ff 03 43 36 37 37 35 37 ...
(18420) 14/02/19 08:18:05 - INFO: <--(3217) T30 : B1 08:18:05,825 RCV TSI remote_subs_id = " 00 32 56 775776"
(18420) 14/02/19 08:18:05 - INFO: <--(3217) T30 : B1 08:18:05,826 stop Timer Timer 1
(18420) 14/02/19 08:18:05 - INFO: <--(3217) T30 : B1 08:18:05,826 start Timer Timer 9
(18420) 14/02/19 08:18:05 - INFO: <--(3217) T30 : B1 08:18:05,826 Restart Timer Timer 4
(18420) 14/02/19 08:18:05 - INFO: <--(3217) LAPI: B1 08:18:06,097 (18.06,09173) ILID_IND_DATA ff 13 83 00 22 ff 44 2a ...
(18420) 14/02/19 08:18:05 - INFO: <--(3217) T30 : B1 08:18:06,097 RCV DCS V17 14400 ECM Fax standard MMR (00 44 0f 22)
(18420) 14/02/19 08:18:05 - INFO: <--(3217) T30 : DCS line_width=2 min_time_4_line=7
(18420) 14/02/19 08:18:05 - INFO: <--(3217) T30 : B1 08:18:06,098 LapiSetMode id=4 mode=24 alaw=1 dir=0 bufsize=100 hdlc=0 t1=3300 t2=500 f=0
(18420) 14/02/19 08:18:05 - INFO: <--(3217) T30 : B1 08:18:06,098 CheckTraining (TCF)
(18420) 14/02/19 08:18:05 - INFO: <--(3217) T30 : B1 08:18:06,098 stop Timer Timer 1
(18420) 14/02/19 08:18:05 - INFO: <--(3217) T30 : B1 08:18:06,098 stop Timer Timer 4
(18420) 14/02/19 08:18:05 - INFO: <--(3217) T30 : B1 08:18:06,098 start Timer Timer 6 RXTCF
(18420) 14/02/19 08:18:05 - INFO: <--(3217) T4 : built
(18420) 14/02/19 08:18:05 - INFO: <--(3217) T30 : B1 Build T4. T4Idx=5
(18420) 14/02/19 08:18:05 - INFO: <--(3217) T30 : B1 08:18:06,099 Send T4 Setup
(18420) 14/02/19 08:18:05 - INFO: <--(3217) LAPI: B1 08:18:06,100 setting rx modem mode "
(18420) 14/02/19 08:18:05 - INFO: <--(3217) T4 : 08:18:06,101 ready for decoding
(18420) 14/02/19 08:18:05 - INFO: <--(3217) line width: 1728
(18420) 14/02/19 08:18:05 - INFO: <--(3217) line repeat: 2

(18420) 14/02/19 08:18:05 - INFO: <--(3217) format : 6
(18420) 14/02/19 08:18:05 - INFO: <--(3217) event: 0x02
(18420) 14/02/19 08:18:05 - INFO: <--(3217) rtc event: 0x50
(18420) 14/02/19 08:18:05 - INFO: <--(3217) eom event: 0x00
(18420) 14/02/19 08:18:05 - INFO: <--(3217) K: 1
(18420) 14/02/19 08:18:05 - INFO: <--(3217) FC : --> B1 08:18:06,101 state=FC_W4_T30_SETUP_ACK, event=T30_SETUP_ACK_RX
(18420) 14/02/19 08:18:05 - INFO: <--(3217) FC : Wed Feb 19 08:18:06 2014
(18420) 14/02/19 08:18:05 - INFO: <--(3217) Status Update
(18420) 14/02/19 08:18:05 - INFO: <--(3217) direction : recv
(18420) 14/02/19 08:18:05 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 08:18:05 - INFO: <--(3217) bps_used : 14400
(18420) 14/02/19 08:18:05 - INFO: <--(3217) own_csid : +43 7563 8041
(18420) 14/02/19 08:18:05 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 08:18:05 - INFO: <--(3217) ecm_used : 1
(18420) 14/02/19 08:18:05 - INFO: <--(3217) dpi_used : 100 dpi
(18420) 14/02/19 08:18:05 - INFO: <--(3217) t4mode_used : MMR
(18420) 14/02/19 08:18:05 - INFO: <--(3217) tx image_type : unknown
(18420) 14/02/19 08:18:05 - INFO: <--(3217) rx image_type : BFF
(18420) 14/02/19 08:18:05 - INFO: <--(3217) total_pages : 0
(18420) 14/02/19 08:18:05 - INFO: <--(3217) tx_pages : 0
(18420) 14/02/19 08:18:05 - INFO: <--(3217) rx_pages : 0
(18420) 14/02/19 08:18:05 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 08:18:05 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 08:18:05 - INFO: <--(3217) to_whom_tx :
(18420) 14/02/19 08:18:05 - INFO: <--(3217) from_whom_tx :
(18420) 14/02/19 08:18:05 - INFO: <--(3217) remote_csid : 00 32 56 775776
(18420) 14/02/19 08:18:05 - INFO: <--(3217) remote_sernum : 0
(18420) 14/02/19 08:18:05 - INFO: <--(3217) error : 22
(18420) 14/02/19 08:18:05 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-08:18.06" --error="none" --type="recv" --bps="14400" --ecm=1 -
-res="100" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid=" 00 32 56 775776" --to="" --from=""
(18420) 14/02/19 08:18:05 - INFO: DChannel::OnMsgLine(): job 89739: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-08:18.06" --error="none" --
type="recv" --bps="14400" --ecm=1 --res="100" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid=" 00 32 56 775776" --to="" --from=""
(18420) 14/02/19 08:18:05 - INFO: <--(3217) FC : Init Rx BFF
(18420) 14/02/19 08:18:05 - INFO: <--(3217) BFF : Write SOP
(18420) 14/02/19 08:18:05 - INFO: <--(3217) BFF : Write SEEK Prev
(18420) 14/02/19 08:18:05 - INFO: <--(3217) BFF : Write SEEK Next
(18420) 14/02/19 08:18:05 - INFO: <--(3217) FC : <- B1 08:18:06,105 state=FC_RX
(18420) 14/02/19 08:18:05 - INFO: <--(3217) LAPi: B1 08:18:06,105 setting rx modem mode 'rxg711 -a -r | rxmdm -v 17 -b 14400 -l -r'
(18420) 14/02/19 08:18:05 - INFO: <--(3217) LAPi: B1 08:18:06,129 (18.06,12857) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 08:18:05 - INFO: <--(3217) LAPi: B1 08:18:06,146 (18.06,14472) ILID_IND_DETECT ILAPI_DETECT_SILENCE size=21
(18420) 14/02/19 08:18:05 - INFO: <--(3217) LAPi: B1 08:18:06,305 (18.06,30457) ILID_IND_DETECT ILAPI_DETECT_V17_14400 size=21
(18420) 14/02/19 08:18:07 - INFO: <--(3217) LAPi: B1 08:18:07,736 (18.07,73269) ILID_IND_DATA ff ff ff ff ff 00 00 00 ...
(18420) 14/02/19 08:18:07 - INFO: <--(3217) LAPi: B1 08:18:07,784 (18.07,78031) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:07 - INFO: <--(3217) LAPi: B1 08:18:07,832 (18.07,82794) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:07 - INFO: <--(3217) LAPi: B1 08:18:07,880 (18.07,87556) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:07 - INFO: <--(3217) LAPi: B1 08:18:07,928 (18.07,92319) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:07 - INFO: <--(3217) LAPi: B1 08:18:07,976 (18.07,97081) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:07 - INFO: <--(3217) LAPi: B1 08:18:08,024 (18.08,01844) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:07 - INFO: <--(3217) LAPi: B1 08:18:08,072 (18.08,06606) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:07 - INFO: <--(3217) LAPi: B1 08:18:08,120 (18.08,11369) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:07 - INFO: <--(3217) LAPi: B1 08:18:08,152 (18.08,15119) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:07 - INFO: <--(3217) LAPi: B1 08:18:08,200 (18.08,19919) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:07 - INFO: <--(3217) LAPi: B1 08:18:08,248 (18.08,24681) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:07 - INFO: <--(3217) LAPi: B1 08:18:08,296 (18.08,29444) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:07 - INFO: <--(3217) LAPi: B1 08:18:08,297 (18.08,29444) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:08 - INFO: <--(3217) LAPi: B1 08:18:08,344 (18.08,34206) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:08 - INFO: <--(3217) LAPi: B1 08:18:08,392 (18.08,38969) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:08 - INFO: <--(3217) LAPi: B1 08:18:08,440 (18.08,43731) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:08 - INFO: <--(3217) LAPi: B1 08:18:08,440 (18.08,43731) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:08 - INFO: <--(3217) LAPi: B1 08:18:08,488 (18.08,48494) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:08 - INFO: <--(3217) LAPi: B1 08:18:08,536 (18.08,53256) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:08 - INFO: <--(3217) LAPi: B1 08:18:08,584 (18.08,58019) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:08 - INFO: <--(3217) LAPi: B1 08:18:08,585 (18.08,58019) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:08 - INFO: <--(3217) LAPi: B1 08:18:08,632 (18.08,62781) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:08 - INFO: <--(3217) LAPi: B1 08:18:08,680 (18.08,67544) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:08 - INFO: <--(3217) LAPi: B1 08:18:08,728 (18.08,72306) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:08 - INFO: <--(3217) LAPi: B1 08:18:08,728 (18.08,72306) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:08 - INFO: <--(3217) :alive
(18420) 14/02/19 08:18:08 - INFO: <--(3217) LAPi: B1 08:18:08,776 (18.08,77069) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:08 - INFO: <--(3217) LAPi: B1 08:18:08,824 (18.08,81831) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:08 - INFO: <--(3217) LAPi: B1 08:18:08,872 (18.08,86594) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:08 - INFO: <--(3217) LAPi: B1 08:18:08,872 (18.08,86594) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:08 - INFO: <--(3217) LAPi: B1 08:18:08,921 (18.08,91931) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:08 - INFO: <--(3217) LAPi: B1 08:18:08,969 (18.08,96693) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:08 - INFO: <--(3217) LAPi: B1 08:18:09,016 (18.09,01456) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:08 - INFO: <--(3217) LAPi: B1 08:18:09,064 (18.09,06219) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:08 - INFO: <--(3217) LAPi: B1 08:18:09,112 (18.09,10981) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:08 - INFO: <--(3217) LAPi: B1 08:18:09,160 (18.09,15744) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:08 - INFO: <--(3217) LAPi: B1 08:18:09,208 (18.09,20731) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:08 - INFO: <--(3217) LAPi: B1 08:18:09,256 (18.09,25494) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 08:18:08 - INFO: <--(3217) LAPi: B1 08:18:09,288 (18.09,28669) ILID_IND_DATA ff ff ff ff ff ff ff ...
(18420) 14/02/19 08:18:09 - INFO: <--(3217) LAPi: B1 08:18:09,320 (18.09,30544) ILID_IND_DATA ff ff ff ff ff ff ff ...
(18420) 14/02/19 08:18:09 - INFO: <--(3217) LAPi: B1 08:18:09,321 (18.09,30544) ILID_IND_CARRIER_LOST size=16
(18420) 14/02/19 08:18:09 - INFO: <--(3217) LAPi: B1 08:18:09,321 setting rx modem mode "
(18420) 14/02/19 08:18:09 - INFO: <--(3217) T30 : B1 08:18:09,322 stop Timer Timer 6 RXTCF
(18420) 14/02/19 08:18:09 - INFO: <--(3217) T30 : B1 08:18:09,322 stop Timer Timer 9
(18420) 14/02/19 08:18:09 - INFO: <--(3217) T30 : B1 08:18:09,322 start Timer Timer 2
(18420) 14/02/19 08:18:09 - INFO: <--(3217) T30 : B1 08:18:09,322 TCF_OK
(18420) 14/02/19 08:18:09 - INFO: <--(3217) T30 : B1 SendHighLayerStatus
(18420) 14/02/19 08:18:09 - INFO: <--(3217) T30 : B1 Send CFR
(18420) 14/02/19 08:18:09 - INFO: <--(3217) T30 : B1 08:18:09,323 LapiSetMode id=5 mode=6 alaw=1 dir=1 bufsize=0 hdlc=1 t1=1000 t2=100 f=0
(18420) 14/02/19 08:18:09 - INFO: <--(3217) T30 : B1 08:18:09,323 SendT30Command
(18420) 14/02/19 08:18:09 - INFO: <--(3217) LAPi: B1 08:18:09,323 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 08:18:09 - INFO: <--(3217) LAPi: B1 08:18:09,324 setting (sync) tx modem mode 'txhdlc -n -r | txmdm -v 21 -b 300 -s | txg711 -a -r' (session 2)
(18420) 14/02/19 08:18:09 - INFO: <--(3217) LAPi: B1 08:18:09,324 Sending 38 flags

(18420) 14/02/19 08:18:09 - INFO: <--(3217) LAPI: B1 08:18:09,325 write: req=1, size=1, buf: 26
(18420) 14/02/19 08:18:09 - INFO: <--(3217) FC : --> B1 08:18:09,326 state=FC_RX, event=T30_STATUS
(18420) 14/02/19 08:18:09 - INFO: <--(3217) FC : Wed Feb 19 08:18:09 2014
(18420) 14/02/19 08:18:09 - INFO: <--(3217) Status Update
(18420) 14/02/19 08:18:09 - INFO: <--(3217) direction : recv
(18420) 14/02/19 08:18:09 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 08:18:09 - INFO: <--(3217) bps_used : 14400
(18420) 14/02/19 08:18:09 - INFO: <--(3217) own_csid : +43 7563 8041
(18420) 14/02/19 08:18:09 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 08:18:09 - INFO: <--(3217) ecm_used : 1
(18420) 14/02/19 08:18:09 - INFO: <--(3217) dpi_used : 100 dpi
(18420) 14/02/19 08:18:09 - INFO: <--(3217) t4mode_used : MMR
(18420) 14/02/19 08:18:09 - INFO: <--(3217) tx image_type : unknown
(18420) 14/02/19 08:18:09 - INFO: <--(3217) rx image_type : BFF
(18420) 14/02/19 08:18:09 - INFO: <--(3217) total_pages : 0
(18420) 14/02/19 08:18:09 - INFO: <--(3217) tx_pages : 0
(18420) 14/02/19 08:18:09 - INFO: <--(3217) rx_pages : 0
(18420) 14/02/19 08:18:09 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 08:18:09 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 08:18:09 - INFO: <--(3217) to_whom_tx :
(18420) 14/02/19 08:18:09 - INFO: <--(3217) from_whom_tx :
(18420) 14/02/19 08:18:09 - INFO: <--(3217) remote_csid : 00 32 56 775776
(18420) 14/02/19 08:18:09 - INFO: <--(3217) remote_sernum : 0
(18420) 14/02/19 08:18:09 - INFO: <--(3217) error : 22
(18420) 14/02/19 08:18:09 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-08:18:09" --error="none" --type="recv" --bps="14400" --ecm=1 -
-res="100" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid=" 00 32 56 775776" --to="" --from=""
(18420) 14/02/19 08:18:09 - INFO: DChannel:OnMsgLine(): job 89739: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-08:18:09" --error="none" --
type="recv" --bps="14400" --ecm=1 --res="100" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid=" 00 32 56 775776" --to="" --from=""
(18420) 14/02/19 08:18:09 - INFO: <--(3217) FC : <-- B1 08:18:09,327 state=FC_RX
(18420) 14/02/19 08:18:09 - INFO: <--(3217) LAPI: B1 08:18:09,328 write: req=2, size=3, buf: ff 13 84
(18420) 14/02/19 08:18:09 - INFO: <--(3217) LAPI: B1 08:18:09,329 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 08:18:09 - INFO: <--(3217) LAPI: B1 08:18:09,329 write: req=1, size=1, buf: 02
(18420) 14/02/19 08:18:09 - INFO: <--(3217) LAPI: B1 08:18:09,329 write: req=5, size=0, buf:
(18420) 14/02/19 08:18:09 - INFO: <--(3217) LAPI: B1 08:18:09,329 turned off tx irq
(18420) 14/02/19 08:18:09 - INFO: <--(3217) LAPI: B1 08:18:09,329 setting (sync) tx modem mode 'txidle -a' (session 3)
(18420) 14/02/19 08:18:10 - INFO: <--(3217) LAPI: B1 08:18:10,945 txend for session 2
(18420) 14/02/19 08:18:10 - INFO: <--(3217) LAPI: B1 08:18:10,946 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 08:18:10 - INFO: <--(3217) T30 : B1 08:18:10,947 stop Timer Timer 2
(18420) 14/02/19 08:18:10 - INFO: <--(3217) T30 : B1 08:18:10,947 start Timer Timer 2 RXECM
(18420) 14/02/19 08:18:10 - INFO: <--(3217) T30 : B1 08:18:10,947 ReceiveHighSpeedData ECM
(18420) 14/02/19 08:18:10 - INFO: <--(3217) T30 : B1 08:18:10,947 LapiSetMode id=6 mode=24 alaw=1 dir=0 bufsz=264 hdlc=1 t1=0 t2=0 f=0
(18420) 14/02/19 08:18:10 - INFO: <--(3217) LAPI: B1 08:18:10,948 setting rx modem mode 'rxg711 -a -r | rxmdm -v 17 -b 14400 -s | rxhdlc -r -R'
(18420) 14/02/19 08:18:11 - INFO: <--(3217) LAPI: B1 08:18:12,192 (18.12,19186) ILID_IND_DETECT ILAPI_DETECT_V17_14400 size=21
(18420) 14/02/19 08:18:12 - INFO: <--(3217) LAPI: B1 08:18:12,337 (18.12,33087) ILID_IND_FLAG size=16
(18420) 14/02/19 08:18:12 - INFO: <--(3217) LAPI: B1 08:18:12,736 (18.12,73411) ILID_IND_DATA ff c0 60 00 ca 64 ad 4e ...
(18420) 14/02/19 08:18:12 - INFO: <--(3217) T30 : B1 08:18:12,737 Rx ECM FRAME No: 0(frame_count: 0) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 08:18:12 - INFO: <--(3217) T30 : B1 08:18:12,738 Restart Timer Timer 2 RXECM
(18420) 14/02/19 08:18:12 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 08:18:12 - INFO: <--(3217) LAPI: B1 08:18:12,912 (18.12,90933) ILID_IND_DATA ff c0 60 80 ff f0 df f4 ...
(18420) 14/02/19 08:18:12 - INFO: <--(3217) T30 : B1 08:18:12,913 Rx ECM FRAME No: 1(frame_count: 1) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 08:18:12 - INFO: <--(3217) T30 : B1 08:18:12,914 Restart Timer Timer 2 RXECM
(18420) 14/02/19 08:18:12 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 08:18:12 - INFO: <--(3217) LAPI: B1 08:18:13,056 (18.13,05276) ILID_IND_DATA ff c0 60 40 1a 3a a3 aa ...
(18420) 14/02/19 08:18:12 - INFO: <--(3217) T30 : B1 08:18:13,057 Rx ECM FRAME No: 2(frame_count: 2) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 08:18:12 - INFO: <--(3217) T30 : B1 08:18:13,058 Restart Timer Timer 2 RXECM
(18420) 14/02/19 08:18:12 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 08:18:12 - INFO: <--(3217) LAPI: B1 08:18:13,200 (18.13,19618) ILID_IND_DATA ff c0 60 c0 5c e4 31 7c ...
(18420) 14/02/19 08:18:12 - INFO: <--(3217) T30 : B1 08:18:13,201 Rx ECM FRAME No: 3(frame_count: 3) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 08:18:12 - INFO: <--(3217) T30 : B1 08:18:13,202 Restart Timer Timer 2 RXECM
(18420) 14/02/19 08:18:12 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 08:18:12 - INFO: <--(3217) FC : --> B1 08:18:13,205 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 08:18:12 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4002
(18420) 14/02/19 08:18:12 - INFO: <--(3217) FC : <-- B1 08:18:13,211 state=FC_RX
(18420) 14/02/19 08:18:13 - INFO: <--(3217) LAPI: B1 08:18:13,360 (18.13,35550) ILID_IND_DATA ff c0 60 20 88 0e 78 58 ...
(18420) 14/02/19 08:18:13 - INFO: <--(3217) T30 : B1 08:18:13,361 Rx ECM FRAME No: 4(frame_count: 4) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 08:18:13 - INFO: <--(3217) T30 : B1 08:18:13,362 Restart Timer Timer 2 RXECM
(18420) 14/02/19 08:18:13 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 08:18:13 - INFO: <--(3217) LAPI: B1 08:18:13,520 (18.13,51418) ILID_IND_DATA ff c0 60 a0 34 82 29 ca ...
(18420) 14/02/19 08:18:13 - INFO: <--(3217) T30 : B1 08:18:13,521 Rx ECM FRAME No: 5(frame_count: 5) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 08:18:13 - INFO: <--(3217) T30 : B1 08:18:13,522 Restart Timer Timer 2 RXECM
(18420) 14/02/19 08:18:13 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 08:18:13 - INFO: <--(3217) LAPI: B1 08:18:13,664 (18.13,66183) ILID_IND_DATA ff c0 60 60 70 44 7f f4 ...
(18420) 14/02/19 08:18:13 - INFO: <--(3217) T30 : B1 08:18:13,665 Rx ECM FRAME No: 6(frame_count: 6) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 08:18:13 - INFO: <--(3217) T30 : B1 08:18:13,666 Restart Timer Timer 2 RXECM
(18420) 14/02/19 08:18:13 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 08:18:13 - INFO: <--(3217) FC : --> B1 08:18:13,669 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 08:18:13 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4002
(18420) 14/02/19 08:18:13 - INFO: <--(3217) FC : <-- B1 08:18:13,672 state=FC_RX
(18420) 14/02/19 08:18:13 - INFO: <--(3217) LAPI: B1 08:18:13,808 (18.13,80519) ILID_IND_DATA ff c0 60 e0 b2 3e 22 22 ...
(18420) 14/02/19 08:18:13 - INFO: <--(3217) T30 : B1 08:18:13,809 Rx ECM FRAME No: 7(frame_count: 7) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 08:18:13 - INFO: <--(3217) T30 : B1 08:18:13,810 Restart Timer Timer 2 RXECM
(18420) 14/02/19 08:18:13 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 08:18:13 - INFO: <--(3217) LAPI: B1 08:18:13,968 (18.13,96522) ILID_IND_DATA ff c0 60 10 19 b4 97 41 ...
(18420) 14/02/19 08:18:13 - INFO: <--(3217) T30 : B1 08:18:13,969 Rx ECM FRAME No: 8(frame_count: 8) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 08:18:13 - INFO: <--(3217) T30 : B1 08:18:13,970 Restart Timer Timer 2 RXECM
(18420) 14/02/19 08:18:13 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 08:18:13 - INFO: <--(3217) LAPI: B1 08:18:14,112 (18.14,10893) ILID_IND_DATA ff c0 60 90 3c 05 04 5f ...
(18420) 14/02/19 08:18:13 - INFO: <--(3217) T30 : B1 08:18:14,113 Rx ECM FRAME No: 9(frame_count: 9) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 08:18:13 - INFO: <--(3217) T30 : B1 08:18:14,114 Restart Timer Timer 2 RXECM
(18420) 14/02/19 08:18:13 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 08:18:13 - INFO: <--(3217) FC : --> B1 08:18:14,119 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 08:18:13 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4004
(18420) 14/02/19 08:18:13 - INFO: <--(3217) FC : <-- B1 08:18:14,121 state=FC_RX
(18420) 14/02/19 08:18:13 - INFO: <--(3217) LAPI: B1 08:18:14,272 (18.14,26844) ILID_IND_DATA ff c0 60 50 e4 1d 07 66 ...
(18420) 14/02/19 08:18:13 - INFO: <--(3217) T30 : B1 08:18:14,273 Rx ECM FRAME No: 10(frame_count: 10) OK (Size = 260) . Send to HighLayer

(18420) 14/02/19 08:18:16 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 08:18:16 - INFO: <--(3217) LAPi: B1 08:18:17,104 (18.17,10113) ILID_IND_DATA ff c0 60 b8 b5 4e d3 4d ...
(18420) 14/02/19 08:18:16 - INFO: <--(3217) T30 : B1 08:18:17,105 Rx ECM FRAME No: 29(frame_count: 29) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 08:18:16 - INFO: <--(3217) T30 : B1 08:18:17,106 Restart Timer Timer 2 RXECM
(18420) 14/02/19 08:18:16 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 08:18:16 - INFO: <--(3217) LAPi: B1 08:18:17,248 (18.17,24464) ILID_IND_DATA ff c0 60 78 cf 2f db f3 ...
(18420) 14/02/19 08:18:16 - INFO: <--(3217) T30 : B1 08:18:17,249 Rx ECM FRAME No: 30(frame_count: 30) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 08:18:16 - INFO: <--(3217) T30 : B1 08:18:17,250 Restart Timer Timer 2 RXECM
(18420) 14/02/19 08:18:16 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 08:18:16 - INFO: <--(3217) FC : --> B1 08:18:17,252 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 08:18:16 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4002
(18420) 14/02/19 08:18:16 - INFO: <--(3217) FC : <-- B1 08:18:17,253 state=FC_RX
(18420) 14/02/19 08:18:17 - INFO: <--(3217) LAPi: B1 08:18:17,392 (18.17,38800) ILID_IND_DATA ff c0 60 f8 0e 88 84 dd ...
(18420) 14/02/19 08:18:17 - INFO: <--(3217) T30 : B1 08:18:17,393 Rx ECM FRAME No: 31(frame_count: 31) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 08:18:17 - INFO: <--(3217) T30 : B1 08:18:17,394 Restart Timer Timer 2 RXECM
(18420) 14/02/19 08:18:17 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 08:18:17 - INFO: <--(3217) LAPi: B1 08:18:17,552 (18.17,54675) ILID_IND_DATA ff c0 60 04 86 db 86 66 ...
(18420) 14/02/19 08:18:17 - INFO: <--(3217) T30 : B1 08:18:17,553 Rx ECM FRAME No: 32(frame_count: 32) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 08:18:17 - INFO: <--(3217) T30 : B1 08:18:17,554 Restart Timer Timer 2 RXECM
(18420) 14/02/19 08:18:17 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 08:18:17 - INFO: <--(3217) LAPi: B1 08:18:17,696 (18.17,68865) ILID_IND_DATA ff c0 60 84 81 1b 64 43 ...
(18420) 14/02/19 08:18:17 - INFO: <--(3217) T30 : B1 08:18:17,697 Rx ECM FRAME No: 33(frame_count: 33) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 08:18:17 - INFO: <--(3217) T30 : B1 08:18:17,698 Restart Timer Timer 2 RXECM
(18420) 14/02/19 08:18:17 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 08:18:17 - INFO: <--(3217) LAPi: B1 08:18:17,840 (18.17,83734) ILID_IND_DATA ff c0 60 44 c9 03 91 f3 ...
(18420) 14/02/19 08:18:17 - INFO: <--(3217) T30 : B1 08:18:17,841 Rx ECM FRAME No: 34(frame_count: 34) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 08:18:17 - INFO: <--(3217) T30 : B1 08:18:17,842 Restart Timer Timer 2 RXECM
(18420) 14/02/19 08:18:17 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 08:18:17 - INFO: <--(3217) FC : --> B1 08:18:17,846 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 08:18:17 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4002
(18420) 14/02/19 08:18:17 - INFO: <--(3217) FC : <-- B1 08:18:17,847 state=FC_RX
(18420) 14/02/19 08:18:17 - INFO: <--(3217) LAPi: B1 08:18:17,984 (18.17,98105) ILID_IND_DATA ff c0 60 c4 bb 93 86 10 ...
(18420) 14/02/19 08:18:17 - INFO: <--(3217) T30 : B1 08:18:17,985 Rx ECM FRAME No: 35(frame_count: 35) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 08:18:17 - INFO: <--(3217) T30 : B1 08:18:17,986 Restart Timer Timer 2 RXECM
(18420) 14/02/19 08:18:17 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 08:18:17 - INFO: <--(3217) LAPi: B1 08:18:18,144 (18.18,14032) ILID_IND_DATA ff c0 60 24 ca 29 07 a5 ...
(18420) 14/02/19 08:18:17 - INFO: <--(3217) LAPi: B1 08:18:18,145 (18.18,14080) ILID_IND_DATA ff c0 61 96 d3
(18420) 14/02/19 08:18:17 - INFO: <--(3217) LAPi: B1 08:18:18,145 (18.18,14122) ILID_IND_DATA ff c0 61 96 d3
(18420) 14/02/19 08:18:17 - INFO: <--(3217) LAPi: B1 08:18:18,145 (18.18,14163) ILID_IND_DATA ff c0 61 96 d3
(18420) 14/02/19 08:18:17 - INFO: <--(3217) T30 : B1 08:18:18,146 Rx ECM FRAME No: 36(frame_count: 36) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 08:18:17 - INFO: <--(3217) T30 : B1 08:18:18,147 Restart Timer Timer 2 RXECM
(18420) 14/02/19 08:18:17 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 08:18:17 - INFO: <--(3217) T30 : B1 08:18:18,148 ECM RCP 1x
(18420) 14/02/19 08:18:17 - INFO: <--(3217) T30 : B1 08:18:18,148 LapiSetMode id=7 mode=6 alaw=1 dir=0 bufsize=264 hdlc=1 t1=0 t2=0 f=0
(18420) 14/02/19 08:18:17 - INFO: <--(3217) T30 : B1 08:18:18,149 stop Timer Timer 2 RXECM
(18420) 14/02/19 08:18:17 - INFO: <--(3217) T30 : B1 08:18:18,149 start Timer Timer 2
(18420) 14/02/19 08:18:17 - INFO: <--(3217) LAPi: B1 08:18:18,150 setting rx modem mode ""
(18420) 14/02/19 08:18:17 - INFO: <--(3217) Error: T30 B1 08:18:18,152 Msg L_RECEIVE_DATA at state T30_PDR_ECM_W4PPS_CTC with old session_id received -> ignore!
(18420) 14/02/19 08:18:17 - INFO: <--(3217) LAPi: B1 08:18:18,152 setting rx modem mode 'rxg711 -a -r | rxmdm -v 21 -b 300 | rxhdlc -r'
(18420) 14/02/19 08:18:17 - INFO: <--(3217) Error: T30 B1 08:18:18,154 Msg L_RECEIVE_DATA at state T30_PDR_ECM_W4PPS_CTC with old session_id received -> ignore!
(18420) 14/02/19 08:18:17 - INFO: <--(3217) FC : --> B1 08:18:18,159 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 08:18:17 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4000
(18420) 14/02/19 08:18:17 - INFO: <--(3217) FC : <-- B1 08:18:18,161 state=FC_RX
(18420) 14/02/19 08:18:17 - INFO: <--(3217) T4 : 08:18:18,171 detecting RTC
(18420) 14/02/19 08:18:17 - INFO: <--(3217) T4 : EOL 1 before bufpos=56/64,bitpos=23
(18420) 14/02/19 08:18:17 - INFO: <--(3217) T4 : EOL 2 before bufpos=56/64,bitpos=11
(18420) 14/02/19 08:18:17 - INFO: <--(3217) T4 : lines=1119 errors=0
(18420) 14/02/19 08:18:17 - INFO: <--(3217) T30 : B1 08:18:18,172 ECM T30_RX_RTC RECEIVED 1.x
(18420) 14/02/19 08:18:17 - INFO: <--(3217) FC : --> B1 08:18:18,172 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 08:18:17 - INFO: <--(3217) FC : B1 T30_RX_DATA size=700
(18420) 14/02/19 08:18:17 - INFO: <--(3217) FC : <-- B1 08:18:18,173 state=FC_RX
(18420) 14/02/19 08:18:17 - INFO: <--(3217) FC : --> B1 08:18:18,174 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 08:18:17 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4
(18420) 14/02/19 08:18:17 - INFO: <--(3217) BFF : Write SOP
(18420) 14/02/19 08:18:17 - INFO: <--(3217) BFF : Write SEEK Prev
(18420) 14/02/19 08:18:17 - INFO: <--(3217) FC : <-- B1 08:18:18,176 state=FC_RX
(18420) 14/02/19 08:18:17 - INFO: <--(3217) LAPi: B1 08:18:18,177 (18.18,17586) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 08:18:17 - INFO: <--(3217) LAPi: B1 08:18:18,241 (18.18,23978) ILID_IND_DETECT ILAPI_DETECT_SILENCE size=21
(18420) 14/02/19 08:18:18 - INFO: <--(3217) LAPi: B1 08:18:18,352 (18.18,35182) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 08:18:18 - INFO: <--(3217) LAPi: B1 08:18:18,480 (18.18,47980) ILID_IND_DETECT ILAPI_DETECT_V21 size=21
(18420) 14/02/19 08:18:18 - INFO: <--(3217) LAPi: B1 08:18:18,560 (18.18,55637) ILID_IND_FLAG size=16
(18420) 14/02/19 08:18:18 - INFO: <--(3217) T30 : B1 V21 Flags detected
(18420) 14/02/19 08:18:18 - INFO: <--(3217) T30 : B1 08:18:18,561 Restart Timer Timer 2
(18420) 14/02/19 08:18:19 - INFO: <--(3217) LAPi: B1 08:18:19,680 (18.19,67970) ILID_IND_DATA ff 13 bf 2f 00 00 24 ec ...
(18420) 14/02/19 08:18:19 - INFO: <--(3217) T30 : B1 08:18:19,681 RCV PPS (ff 13 bf 2f 00 00 24)
(18420) 14/02/19 08:18:19 - INFO: <--(3217) T30 : B1 08:18:19,681 stop Timer Timer 2
(18420) 14/02/19 08:18:19 - INFO: <--(3217) LAPi: B1 08:18:19,776 (18.19,76407) ILID_IND_CARRIER_LOST size=17
(18420) 14/02/19 08:18:19 - INFO: <--(3217) LAPi: B1 08:18:19,776 setting rx modem mode ""
(18420) 14/02/19 08:18:19 - INFO: <--(3217) T30 : B1 08:18:19,777 Receiver Ready: T4_RX_Backlog: 0 Fapi: ACCEPT_RX_DATA
(18420) 14/02/19 08:18:19 - INFO: <--(3217) T30 : B1 SendHighLayerStatus
(18420) 14/02/19 08:18:19 - INFO: <--(3217) T30 : B1 08:18:19,777 Page OK Pages: 1
(18420) 14/02/19 08:18:19 - INFO: <--(3217) T30 : B1 08:18:19,777 LapiSetMode id=8 mode=6 alaw=1 dir=1 bufsize=0 hdlc=1 t1=1000 t2=100 f=0
(18420) 14/02/19 08:18:19 - INFO: <--(3217) T30 : B1 08:18:19,778 Send MCF:
(18420) 14/02/19 08:18:19 - INFO: <--(3217) LAPi: B1 08:18:19,778 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 08:18:19 - INFO: <--(3217) LAPi: B1 08:18:19,779 setting (sync) tx modem mode 'txhdlc -n -r | txmdm -v 21 -b 300 -s | txg711 -a -r' (session 2)
(18420) 14/02/19 08:18:19 - INFO: <--(3217) LAPi: B1 08:18:19,779 Sending 38 flags
(18420) 14/02/19 08:18:19 - INFO: <--(3217) LAPi: B1 08:18:19,779 write: req=1, size=1, buf: 26
(18420) 14/02/19 08:18:19 - INFO: <--(3217) FC : --> B1 08:18:19,780 state=FC_RX, event=T30_STATUS
(18420) 14/02/19 08:18:19 - INFO: <--(3217) FC : Wed Feb 19 08:18:19 2014
(18420) 14/02/19 08:18:19 - INFO: <--(3217) Status Update
(18420) 14/02/19 08:18:19 - INFO: <--(3217) direction : rcv
(18420) 14/02/19 08:18:19 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 08:18:19 - INFO: <--(3217) bps_used : 14400

(18420) 14/02/19 08:18:19 - INFO: <--(3217) own_csid : +43 7563 8041
(18420) 14/02/19 08:18:19 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 08:18:19 - INFO: <--(3217) ecm_used : 1
(18420) 14/02/19 08:18:19 - INFO: <--(3217) dpi_used : 100 dpi
(18420) 14/02/19 08:18:19 - INFO: <--(3217) t4mode_used : MMR
(18420) 14/02/19 08:18:19 - INFO: <--(3217) tx_image_type : unknown
(18420) 14/02/19 08:18:19 - INFO: <--(3217) rx_image_type : BFF
(18420) 14/02/19 08:18:19 - INFO: <--(3217) total_pages : 0
(18420) 14/02/19 08:18:19 - INFO: <--(3217) tx_pages : 0
(18420) 14/02/19 08:18:19 - INFO: <--(3217) rx_pages : 0
(18420) 14/02/19 08:18:19 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 08:18:19 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 08:18:19 - INFO: <--(3217) to_whom_tx :
(18420) 14/02/19 08:18:19 - INFO: <--(3217) from_whom_tx :
(18420) 14/02/19 08:18:19 - INFO: <--(3217) remote_csid : 00 32 56 775776
(18420) 14/02/19 08:18:19 - INFO: <--(3217) remote_sernum : 0
(18420) 14/02/19 08:18:19 - INFO: <--(3217) error : 22
(18420) 14/02/19 08:18:19 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-08:18.19" --error="none" --type="recv" --bps="14400" --ecm=1 -
-res="100" --t4="MMR" --txp=0 --rxp=1 --ferrari=0 --sernum=0 --csid=" 00 32 56 775776" --to="" --from=""
(18420) 14/02/19 08:18:19 - INFO: DChannel::OnMsgLine(): job 89739: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-08:18.19" --error="none" --
type="recv" --bps="14400" --ecm=1 --res="100" --t4="MMR" --txp=0 --rxp=1 --ferrari=0 --sernum=0 --csid=" 00 32 56 775776" --to="" --from=""
(18420) 14/02/19 08:18:19 - INFO: <--(3217) FC : <-- B1 08:18:19,782 state=FC_RX
(18420) 14/02/19 08:18:19 - INFO: <--(3217) LAPi: B1 08:18:19,784 write: req=2, size=3, buf: ff 13 8c
(18420) 14/02/19 08:18:19 - INFO: <--(3217) LAPi: B1 08:18:19,784 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 08:18:19 - INFO: <--(3217) LAPi: B1 08:18:19,785 write: req=1, size=1, buf: 02
(18420) 14/02/19 08:18:19 - INFO: <--(3217) LAPi: B1 08:18:19,785 write: req=5, size=0, buf:
(18420) 14/02/19 08:18:19 - INFO: <--(3217) LAPi: B1 08:18:19,785 turned off tx irq
(18420) 14/02/19 08:18:19 - INFO: <--(3217) LAPi: B1 08:18:19,785 setting (sync) tx modem mode 'txidle -a' (session 3)
(18420) 14/02/19 08:18:20 - INFO: <--(3217) :alive
(18420) 14/02/19 08:18:21 - INFO: <--(3217) LAPi: B1 08:18:21,400 txend for session 2
(18420) 14/02/19 08:18:21 - INFO: <--(3217) LAPi: B1 08:18:21,401 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 08:18:21 - INFO: <--(3217) T30 : B1 08:18:21,403 CleanUpT30
(18420) 14/02/19 08:18:21 - INFO: <--(3217) T30 : B1 08:18:21,403 LapiSetMode id=9 mode=6 alaw=1 dir=1 bufsize=0 hdlc=1 t1=1000 t2=100 f=0
(18420) 14/02/19 08:18:21 - INFO: <--(3217) T30 : B1 08:18:21,404 SendT30Command
(18420) 14/02/19 08:18:21 - INFO: <--(3217) T30 : B1 08:18:21,404 start Timer Lapi Timer
(18420) 14/02/19 08:18:21 - INFO: <--(3217) LAPi: B1 08:18:21,405 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 08:18:21 - INFO: <--(3217) LAPi: B1 08:18:21,405 setting (sync) tx modem mode 'txhdlc -n -r | txmdm -v 21 -b 300 -s | txg711 -a -r' (session 2)
(18420) 14/02/19 08:18:21 - INFO: <--(3217) LAPi: B1 08:18:21,406 Sending 38 flags
(18420) 14/02/19 08:18:21 - INFO: <--(3217) LAPi: B1 08:18:21,406 write: req=1, size=1, buf: 26
(18420) 14/02/19 08:18:21 - INFO: <--(3217) LAPi: B1 08:18:21,408 write: req=2, size=3, buf: ff 13 fa
(18420) 14/02/19 08:18:21 - INFO: <--(3217) LAPi: B1 08:18:21,408 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 08:18:21 - INFO: <--(3217) LAPi: B1 08:18:21,409 write: req=1, size=1, buf: 02
(18420) 14/02/19 08:18:21 - INFO: <--(3217) LAPi: B1 08:18:21,409 write: req=5, size=0, buf:
(18420) 14/02/19 08:18:21 - INFO: <--(3217) LAPi: B1 08:18:21,409 turned off tx irq
(18420) 14/02/19 08:18:21 - INFO: <--(3217) LAPi: B1 08:18:21,409 setting (sync) tx modem mode 'txidle -a' (session 3)
(18420) 14/02/19 08:18:22 - INFO: <--(3217) LAPi: B1 08:18:23,024 txend for session 2
(18420) 14/02/19 08:18:22 - INFO: <--(3217) LAPi: B1 08:18:23,025 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 08:18:22 - INFO: <--(3217) T30 : B1 08:18:23,028 stop Timer Lapi Timer
(18420) 14/02/19 08:18:22 - INFO: <--(3217) T30 : B1 08:18:23,028 Kill Lapi
(18420) 14/02/19 08:18:22 - INFO: <--(3217) LAPi: B1 08:18:23,028 killed
(18420) 14/02/19 08:18:22 - INFO: <--(3217) T30 : B1 SendHighLayerKillReq page_count=1
(18420) 14/02/19 08:18:22 - INFO: <--(3217) T30 : B1 Send T4 Abort
(18420) 14/02/19 08:18:22 - INFO: <--(3217) FC : --> B1 08:18:23,030 state=FC_RX, event=T30_KILL_REQ
(18420) 14/02/19 08:18:22 - INFO: <--(3217) FC : Wed Feb 19 08:18:23 2014
(18420) 14/02/19 08:18:22 - INFO: <--(3217) Status Update
(18420) 14/02/19 08:18:22 - INFO: <--(3217) direction : rcv
(18420) 14/02/19 08:18:22 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 08:18:22 - INFO: <--(3217) bps_used : 14400
(18420) 14/02/19 08:18:22 - INFO: <--(3217) own_csid : +43 7563 8041
(18420) 14/02/19 08:18:22 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 08:18:22 - INFO: <--(3217) ecm_used : 1
(18420) 14/02/19 08:18:22 - INFO: <--(3217) dpi_used : 100 dpi
(18420) 14/02/19 08:18:22 - INFO: <--(3217) t4mode_used : MMR
(18420) 14/02/19 08:18:22 - INFO: <--(3217) tx_image_type : unknown
(18420) 14/02/19 08:18:22 - INFO: <--(3217) rx_image_type : BFF
(18420) 14/02/19 08:18:22 - INFO: <--(3217) total_pages : 0
(18420) 14/02/19 08:18:22 - INFO: <--(3217) tx_pages : 0
(18420) 14/02/19 08:18:22 - INFO: <--(3217) rx_pages : 1
(18420) 14/02/19 08:18:22 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 08:18:22 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 08:18:22 - INFO: <--(3217) to_whom_tx :
(18420) 14/02/19 08:18:22 - INFO: <--(3217) from_whom_tx :
(18420) 14/02/19 08:18:22 - INFO: <--(3217) remote_csid : 00 32 56 775776
(18420) 14/02/19 08:18:22 - INFO: <--(3217) remote_sernum : 0
(18420) 14/02/19 08:18:22 - INFO: <--(3217) error : 1
(18420) 14/02/19 08:18:22 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-08:18.23" --error="none" --type="recv" --bps="14400" --ecm=1 -
-res="100" --t4="MMR" --txp=0 --rxp=1 --ferrari=0 --sernum=0 --csid=" 00 32 56 775776" --to="" --from=""
(18420) 14/02/19 08:18:22 - INFO: DChannel::OnMsgLine(): job 89739: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-08:18.23" --error="none" --
type="recv" --bps="14400" --ecm=1 --res="100" --t4="MMR" --txp=0 --rxp=1 --ferrari=0 --sernum=0 --csid=" 00 32 56 775776" --to="" --from=""
(18420) 14/02/19 08:18:22 - INFO: <--(3217) FC : <-- B1 08:18:23,032 state=FC_RX_W4_EOF_CONVERT
(18420) 14/02/19 08:18:22 - INFO: <--(3217) T4 : send CTRL_EOM up
(18420) 14/02/19 08:18:22 - INFO: <--(3217) FC : --> B1 08:18:23,033 state=FC_RX_W4_EOF_CONVERT, event=T30_RX_DATA
(18420) 14/02/19 08:18:22 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4
(18420) 14/02/19 08:18:22 - INFO: <--(3217) BFF : Write EOD
(18420) 14/02/19 08:18:22 - INFO: <--(3217) T30 : B1 08:18:23,036 Kill Function called
(18420) 14/02/19 08:18:22 - INFO: <--(3217) T30 : B1 Send T4 Kill
(18420) 14/02/19 08:18:22 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-08:18.23" --error="none" --type="recv" --bps="14400" --ecm=1 -
-res="100" --t4="MMR" --txp=0 --rxp=1 --ferrari=0 --sernum=0 --csid=" 00 32 56 775776" --to="" --from=""
(18420) 14/02/19 08:18:22 - INFO: DChannel::OnMsgLine(): job 89739: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-08:18.23" --error="none" --
type="recv" --bps="14400" --ecm=1 --res="100" --t4="MMR" --txp=0 --rxp=1 --ferrari=0 --sernum=0 --csid=" 00 32 56 775776" --to="" --from=""
(18420) 14/02/19 08:18:22 - INFO: <--(3217) FC : in FCExit
(18420) 14/02/19 08:18:22 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-08:18.23" --error="end_of_fax" --type="recv" --bps="14400" --
ecm=1 --res="100" --t4="MMR" --txp=0 --rxp=1 --ferrari=0 --sernum=0 --csid=" 00 32 56 775776" --to="" --from=""
(18420) 14/02/19 08:18:22 - INFO: DChannel::OnMsgLine(): job 89739: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-08:18.23" --error="end_of_fax" --
type="recv" --bps="14400" --ecm=1 --res="100" --t4="MMR" --txp=0 --rxp=1 --ferrari=0 --sernum=0 --csid=" 00 32 56 775776" --to="" --from=""

(18420) 14/02/19 08:18:22 - INFO: <--(3217) :bchannel --message="finished" --client_id="89739" --bchannel="1.a/B1/S0/HFC-4S"
(18420) 14/02/19 08:18:23 - INFO: <--(3217) :channel_state --channel_name="1.a/B1/S0/HFC-4S" --status="3256774275 --> 0" --called_party_number="0" --
calling_party_number1="3256774275" --calling_party_number2="" --redirected_party_number="" --destination="fms" --ready
(18420) 14/02/19 08:18:23 - INFO: <--(3217) :dchannel --message="onhook" --channel_id=59 --client_id="89739" --dchannel="jobcontrol_isdn:59" --charges=0 --
cause=10
(18420) 14/02/19 08:18:23 - INFO: Submitting message of type 'Rec' to '0' with status 0 and error code 0.
(18420) 14/02/19 08:18:23 - INFO: fms_write_job(): LogInfo ind= 0.
(18420) 14/02/19 08:18:26 - INFO: <--(3217) :alive
(18420) 14/02/19 08:18:32 - INFO: <--(3217) :alive
(18420) 14/02/19 08:18:38 - INFO: <--(3217) :alive
(18420) 14/02/19 08:18:44 - INFO: <--(3217) :alive
(18420) 14/02/19 08:18:50 - INFO: <--(3217) :alive
(18420) 14/02/19 08:18:56 - INFO: <--(3217) :alive
(18420) 14/02/19 08:19:02 - INFO: <--(3217) :alive
(18420) 14/02/19 08:19:08 - INFO: <--(3217) :alive
(18420) 14/02/19 08:19:14 - INFO: <--(3217) :alive
(18420) 14/02/19 08:19:20 - INFO: <--(3217) :alive
(18420) 14/02/19 08:19:26 - INFO: <--(3217) :alive
(18420) 14/02/19 08:19:32 - INFO: <--(3217) :alive
(18420) 14/02/19 08:19:38 - INFO: <--(3217) :alive
(18420) 14/02/19 08:19:45 - INFO: <--(3217) :alive
(18420) 14/02/19 08:19:51 - INFO: <--(3217) :alive
(18420) 14/02/19 08:19:57 - INFO: <--(3217) :alive
(18420) 14/02/19 08:20:03 - INFO: <--(3217) :alive
(18420) 14/02/19 08:20:09 - INFO: <--(3217) :alive
(18420) 14/02/19 08:20:15 - INFO: <--(3217) :alive
(18420) 14/02/19 08:20:21 - INFO: <--(3217) :alive
(18420) 14/02/19 08:20:27 - INFO: <--(3217) :alive
(18420) 14/02/19 08:20:33 - INFO: <--(3217) :alive
(18420) 14/02/19 08:20:39 - INFO: <--(3217) :alive
(18420) 14/02/19 08:20:45 - INFO: <--(3217) :alive
(18420) 14/02/19 08:20:51 - INFO: <--(3217) :alive
(18420) 14/02/19 08:20:57 - INFO: <--(3217) :alive
(18420) 14/02/19 08:21:03 - INFO: <--(3217) :alive
(18420) 14/02/19 08:21:09 - INFO: <--(3217) :alive
(18420) 14/02/19 08:21:15 - INFO: <--(3217) :alive
(18420) 14/02/19 08:21:21 - INFO: <--(3217) :alive
(18420) 14/02/19 08:21:27 - INFO: <--(3217) :alive
(18420) 14/02/19 08:21:33 - INFO: <--(3217) :alive
(18420) 14/02/19 08:21:39 - INFO: <--(3217) :alive
(18420) 14/02/19 08:21:45 - INFO: <--(3217) :alive
(18420) 14/02/19 08:21:51 - INFO: <--(3217) :alive
(18420) 14/02/19 08:21:57 - INFO: <--(3217) :alive
(18420) 14/02/19 08:22:03 - INFO: <--(3217) :alive
(18420) 14/02/19 08:22:09 - INFO: <--(3217) :alive
(18420) 14/02/19 08:22:15 - INFO: <--(3217) :alive
(18420) 14/02/19 08:22:21 - INFO: <--(3217) :alive
(18420) 14/02/19 08:22:27 - INFO: <--(3217) :alive
(18420) 14/02/19 08:22:33 - INFO: <--(3217) :alive
(18420) 14/02/19 08:22:39 - INFO: <--(3217) :alive
(18420) 14/02/19 08:22:45 - INFO: <--(3217) :alive
(18420) 14/02/19 08:22:52 - INFO: <--(3217) :alive
(18420) 14/02/19 08:22:58 - INFO: <--(3217) :alive
(18420) 14/02/19 08:23:04 - INFO: <--(3217) :alive
(18420) 14/02/19 08:23:10 - INFO: <--(3217) :alive
(18420) 14/02/19 08:23:16 - INFO: <--(3217) :alive
(18420) 14/02/19 08:23:22 - INFO: <--(3217) :alive
(18420) 14/02/19 08:23:28 - INFO: <--(3217) :alive
(18420) 14/02/19 08:23:34 - INFO: <--(3217) :alive
(18420) 14/02/19 08:23:40 - INFO: <--(3217) :alive
(18420) 14/02/19 08:23:46 - INFO: <--(3217) :alive
(18420) 14/02/19 08:23:52 - INFO: <--(3217) :alive
(18420) 14/02/19 08:23:58 - INFO: <--(3217) :alive
(18420) 14/02/19 08:24:04 - INFO: <--(3217) :alive
(18420) 14/02/19 08:24:10 - INFO: <--(3217) :alive
(18420) 14/02/19 08:24:16 - INFO: <--(3217) :alive
(18420) 14/02/19 08:24:22 - INFO: <--(3217) :alive
(18420) 14/02/19 08:24:28 - INFO: <--(3217) :alive
(18420) 14/02/19 08:24:34 - INFO: <--(3217) :alive
(18420) 14/02/19 08:24:40 - INFO: <--(3217) :alive
(18420) 14/02/19 08:24:46 - INFO: <--(3217) :alive
(18420) 14/02/19 08:24:52 - INFO: <--(3217) :alive
(18420) 14/02/19 08:24:58 - INFO: <--(3217) :alive
(18420) 14/02/19 08:25:04 - INFO: <--(3217) :alive
(18420) 14/02/19 08:25:10 - INFO: <--(3217) :alive
(18420) 14/02/19 08:25:16 - INFO: <--(3217) :alive
(18420) 14/02/19 08:25:22 - INFO: <--(3217) :alive
(18420) 14/02/19 08:25:28 - INFO: <--(3217) :alive
(18420) 14/02/19 08:25:35 - INFO: <--(3217) :alive
(18420) 14/02/19 08:25:41 - INFO: <--(3217) :alive
(18420) 14/02/19 08:25:47 - INFO: <--(3217) :alive
(18420) 14/02/19 08:25:53 - INFO: <--(3217) :alive
(18420) 14/02/19 08:25:59 - INFO: <--(3217) :alive
(18420) 14/02/19 08:26:05 - INFO: <--(3217) :alive
(18420) 14/02/19 08:26:11 - INFO: <--(3217) :alive
(18420) 14/02/19 08:26:17 - INFO: <--(3217) :alive
(18420) 14/02/19 08:26:23 - INFO: <--(3217) :alive
(18420) 14/02/19 08:26:29 - INFO: <--(3217) :alive
(18420) 14/02/19 08:26:35 - INFO: <--(3217) :alive
(18420) 14/02/19 08:26:41 - INFO: <--(3217) :alive
(18420) 14/02/19 08:26:47 - INFO: <--(3217) :alive
(18420) 14/02/19 08:26:53 - INFO: <--(3217) :alive
(18420) 14/02/19 08:26:59 - INFO: <--(3217) :alive
(18420) 14/02/19 08:27:05 - INFO: <--(3217) :alive
(18420) 14/02/19 08:27:11 - INFO: <--(3217) :alive


```

(18420) 14/02/19 09:23:23 - INFO: <--(3217) :alive
(18420) 14/02/19 09:23:29 - INFO: <--(3217) :alive
(18420) 14/02/19 09:23:35 - INFO: <--(3217) :alive
(18420) 14/02/19 09:23:41 - INFO: <--(3217) :alive
(18420) 14/02/19 09:23:48 - INFO: <--(3217) :alive
(18420) 14/02/19 09:23:54 - INFO: <--(3217) :alive
(18420) 14/02/19 09:24:00 - INFO: <--(3217) :alive
(18420) 14/02/19 09:24:06 - INFO: <--(3217) :alive
(18420) 14/02/19 09:24:12 - INFO: <--(3217) :alive
(18420) 14/02/19 09:24:18 - INFO: <--(3217) :alive
(18420) 14/02/19 09:24:24 - INFO: <--(3217) :alive
(18420) 14/02/19 09:24:30 - INFO: <--(3217) :alive
(18420) 14/02/19 09:24:36 - INFO: <--(3217) :alive
(18420) 14/02/19 09:24:42 - INFO: <--(3217) :alive
(18420) 14/02/19 09:24:48 - INFO: <--(3217) :alive
(18420) 14/02/19 09:24:54 - INFO: <--(3217) :alive
(18420) 14/02/19 09:25:00 - INFO: <--(3217) :alive
(18420) 14/02/19 09:25:06 - INFO: <--(3217) :alive
(18420) 14/02/19 09:25:12 - INFO: <--(3217) :alive
(18420) 14/02/19 09:25:18 - INFO: <--(3217) :alive
(18420) 14/02/19 09:25:24 - INFO: <--(3217) :alive
(18420) 14/02/19 09:25:30 - INFO: <--(3217) :alive
(18420) 14/02/19 09:25:36 - INFO: <--(3217) :alive
(18420) 14/02/19 09:25:42 - INFO: <--(3217) :alive
(18420) 14/02/19 09:25:48 - INFO: <--(3217) :alive
(18420) 14/02/19 09:25:48 - INFO: DChannel::LogCfg(): current configuration
channels (lic/use/send/rec): 2/2/1/1
FAX recipient address filter:
*
FAX sender address filter:
*
SMS recipient address filter:
*
SMS sender address filter:
*
VOICE recipient address filter:
*
VOICE sender address filter:
*
MW recipient address filter:
*
FAX fallback recipient address filter: none
FAX fallback sender address filter: none
SMS fallback recipient address filter: none
SMS fallback sender address filter: none
VOICE fallback recipient address filter: none
VOICE fallback sender address filter: none
Service selection:
invalid called party FAX .*
invalid calling party SMS 0*1930100
invalid calling party SMS 0*9003266900
invalid calling party SMS 0*19001504
invalid redirecting number FAX .* server=voice0
invalid calling party FAX .*
invalid redirecting number FAX .*

(18420) 14/02/19 09:25:54 - INFO: <--(3217) :alive
(18420) 14/02/19 09:26:00 - INFO: <--(3217) :alive
(18420) 14/02/19 09:26:06 - INFO: <--(3217) :alive
(18420) 14/02/19 09:26:12 - INFO: <--(3217) :alive
(18420) 14/02/19 09:26:18 - INFO: <--(3217) :alive
(18420) 14/02/19 09:26:18 - INFO: DChannel::LogCfg(): current configuration
channels (lic/use/send/rec): 2/2/1/1
FAX recipient address filter:
*
FAX sender address filter:
*
SMS recipient address filter:
*
SMS sender address filter:
*
VOICE recipient address filter:
*
VOICE sender address filter:
*
MW recipient address filter:
*
FAX fallback recipient address filter: none
FAX fallback sender address filter: none
SMS fallback recipient address filter: none
SMS fallback sender address filter: none
VOICE fallback recipient address filter: none
VOICE fallback sender address filter: none
Service selection:
invalid called party FAX .*
invalid calling party SMS 0*1930100
invalid calling party SMS 0*9003266900
invalid calling party SMS 0*19001504
invalid redirecting number FAX .* server=voice0
invalid calling party FAX .*
invalid redirecting number FAX .*

(18420) 14/02/19 09:26:24 - INFO: <--(3217) :alive
(18420) 14/02/19 09:26:25 - INFO: LogNetworkError(): no error associated with event 'close'.
(18420) 14/02/19 09:26:25 - WARNING: OmcSock::WaitSocket(): socket error.
(18420) 14/02/19 09:26:25 - INFO: DChannel::ThreadMethod(): shutting down D channel handler after socket error.
(18420) 14/02/19 09:26:25 - INFO: JobQueue<AppSpec>::RemoveChannel(): removing channel 00999284 from list at 009991B0.

```

(18420) 14/02/19 09:26:25 - INFO: DChannel::ShutDown(): disconnecting from job control while shutting down D channel handler.
(18420) 14/02/19 09:26:25 - INFO: --> :exit

(18420) 14/02/19 09:26:25 - INFO: DChannel::Connect(): connecting to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:26:26 - INFO: OmcSock::Connect(): cannot connect socket.
(18420) 14/02/19 09:26:26 - ERROR: DChannel::Connect(): cannot connect to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:26:26 - WARNING: DChannel::InitJobControl(): could not connect to job control.
(18420) 14/02/19 09:26:36 - INFO: DChannel::Connect(): connecting to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:26:57 - INFO: OmcSock::Connect(): cannot connect socket.
(18420) 14/02/19 09:26:57 - ERROR: DChannel::Connect(): cannot connect to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:26:57 - WARNING: DChannel::InitJobControl(): could not connect to job control.
(18420) 14/02/19 09:27:07 - INFO: DChannel::Connect(): connecting to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:27:16 - INFO: OmcSock::Connect(): cannot connect socket.
(18420) 14/02/19 09:27:16 - ERROR: DChannel::Connect(): cannot connect to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:27:16 - WARNING: DChannel::InitJobControl(): could not connect to job control.
(18420) 14/02/19 09:27:26 - INFO: DChannel::Connect(): connecting to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:27:27 - INFO: OmcSock::Connect(): cannot connect socket.
(18420) 14/02/19 09:27:27 - ERROR: DChannel::Connect(): cannot connect to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:27:27 - WARNING: DChannel::InitJobControl(): could not connect to job control.
(18420) 14/02/19 09:27:37 - INFO: DChannel::Connect(): connecting to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:27:37 - INFO: --> :sh date 021909272014.37

(18420) 14/02/19 09:27:37 - INFO: <--(3217) date is simulated
(18420) 14/02/19 09:27:37 - INFO: <--(3217) :sh --status=0
(18420) 14/02/19 09:27:37 - INFO: --> :c --dchan_param="" --l2-protocol=ppna --l3-protocol=dss1 --dial-mode=block --debug-l1=2 --debug-l2=2 --debug-l3=2 --debug-l4=0 --base-number=075638041 --ddi-length=0333333333 --bchan_param="" --log_level=1 --calling_party_number="" --receive_mask=""
:p

(18420) 14/02/19 09:27:37 - INFO: --> :dstart

(18420) 14/02/19 09:27:37 - INFO: --> :dev

(18420) 14/02/19 09:27:37 - INFO: DChannel::InitJobControl(): watchdog is off.
(18420) 14/02/19 09:27:37 - INFO: <--(3217) jobcontrolPort=3217
(18420) 14/02/19 09:27:37 - INFO: <--(3217) jobcontrolPortFixed=1
(18420) 14/02/19 09:27:37 - INFO: <--(3217) jobcontrolChannels=4
(18420) 14/02/19 09:27:37 - INFO: <--(3217) dchan_exec="/usr/fb/bin/isdn.prc"
(18420) 14/02/19 09:27:37 - INFO: <--(3217) dchan_param="" --l2-protocol=ppna --l3-protocol=dss1 --dial-mode=block --debug-l1=2 --debug-l2=2 --debug-l3=2 --debug-l4=0 --base-number=075638041 --ddi-length=0333333333
(18420) 14/02/19 09:27:37 - INFO: <--(3217) bchan_exec="/usr/fb/bin/fax.prc"
(18420) 14/02/19 09:27:37 - INFO: <--(3217) bchan_param=""
(18420) 14/02/19 09:27:37 - INFO: <--(3217) called_party_number=0455321
(18420) 14/02/19 09:27:37 - INFO: <--(3217) calling_party_number=
(18420) 14/02/19 09:27:37 - INFO: <--(3217) noalive=0
(18420) 14/02/19 09:27:37 - INFO: <--(3217) :jobcontrol --message="D-Channel started"
(18420) 14/02/19 09:27:37 - INFO: <--(3217) :if --channel_name="1.a/B1/S0/HFC-4S"
(18420) 14/02/19 09:27:37 - INFO: JobQueue<AppSpec>::AddChannel(): adding channel 00999284 to list at 009991B0.
(18420) 14/02/19 09:27:37 - INFO: <--(3217) :if --channel_name="1.a/B1/S0/HFC-4S"
(18420) 14/02/19 09:27:37 - INFO: <--(3217) :if --channel_count=2
(18420) 14/02/19 09:27:37 - INFO: DChannel::OnIffMsg(): device reports 2 B channels.
(18420) 14/02/19 09:37:43 - INFO: <--(3217) :channel_state --channel_name="1.a/B1/S0/HFC-4S" --status="38627619729 --> 120" --called_party_number="120" --calling_party_number1="38627619729" --calling_party_number2="" --redirected_party_number="" --destination="fms" --used
(18420) 14/02/19 09:37:43 - INFO: <--(3217) :dchannel --message="alerting" --dchannel="jobcontrol_isdn:4" --channel_id=4 --calling_party_number="38627619729" --calling_party_number2="" --called_party_number="120" --redirecting_number=""
(18420) 14/02/19 09:37:43 - INFO: DChannel::StartSend(): processing incoming call on OMG201806 - D00.
(18420) 14/02/19 09:37:43 - WARNING: DChannel::CheckRecAddr(): no matching service selection filter.
(18420) 14/02/19 09:37:43 - INFO: --> :receive --channel_id=4 --command=hangup --called_party_number="120" --calling_party_number="38627619729"

(18420) 14/02/19 09:37:43 - INFO: <--(3217) :channel_state --channel_name="1.a/B1/S0/HFC-4S" --status="38627619729 --> 120" --called_party_number="120" --calling_party_number1="38627619729" --calling_party_number2="" --redirected_party_number="" --destination="fms" --ready
(18420) 14/02/19 09:37:43 - INFO: <--(3217) :dchannel --message="onhook" --channel_id=4 --client_id="" --dchannel="jobcontrol_isdn:4" --charges=0 --cause=10
(18420) 14/02/19 09:37:43 - WARNING: DChannel::OnDcOnhook(): job with ID " doesn't exist.
(18420) 14/02/19 09:39:17 - INFO: <--(3217) :alive
(18420) 14/02/19 09:39:23 - INFO: <--(3217) :alive
(18420) 14/02/19 09:39:26 - INFO: <--(3217) :channel_state --channel_name="1.a/B1/S0/HFC-4S" --status="38627619729 --> 120" --called_party_number="120" --calling_party_number1="38627619729" --calling_party_number2="" --redirected_party_number="" --destination="fms" --used
(18420) 14/02/19 09:39:26 - INFO: <--(3217) :dchannel --message="alerting" --dchannel="jobcontrol_isdn:6" --channel_id=6 --calling_party_number="38627619729" --calling_party_number2="" --called_party_number="120" --redirecting_number=""
(18420) 14/02/19 09:39:26 - INFO: DChannel::StartSend(): processing incoming call on OMG201806 - D00.
(18420) 14/02/19 09:39:26 - WARNING: DChannel::CheckRecAddr(): no matching service selection filter.
(18420) 14/02/19 09:39:26 - INFO: --> :receive --channel_id=6 --command=hangup --called_party_number="120" --calling_party_number="38627619729"

(18420) 14/02/19 09:39:26 - INFO: <--(3217) :channel_state --channel_name="1.a/B1/S0/HFC-4S" --status="38627619729 --> 120" --called_party_number="120" --calling_party_number1="38627619729" --calling_party_number2="" --redirected_party_number="" --destination="fms" --ready
(18420) 14/02/19 09:39:26 - INFO: <--(3217) :dchannel --message="onhook" --channel_id=6 --client_id="" --dchannel="jobcontrol_isdn:6" --charges=0 --cause=10
(18420) 14/02/19 09:39:26 - WARNING: DChannel::OnDcOnhook(): job with ID " doesn't exist.

(18420) 14/02/19 09:42:30 - INFO: --> :sh builddate

(18420) 14/02/19 09:42:30 - INFO: --> :sh cat /usr/version

(18420) 14/02/19 09:42:30 - INFO: <--(3217) Fri Apr 16 08:10:02 UTC 2010
(18420) 14/02/19 09:42:30 - INFO: <--(3217) :sh --status=0
(18420) 14/02/19 09:42:30 - INFO: <--(3217) OMG 4.0
(18420) 14/02/19 09:42:30 - INFO: <--(3217) :sh --status=0
(18420) 14/02/19 09:42:36 - INFO: <--(3217) :alive
(18420) 14/02/19 09:42:42 - INFO: <--(3217) :alive
(18420) 14/02/19 09:42:48 - INFO: <--(3217) :alive
(18420) 14/02/19 09:42:48 - INFO: <--(3217) :channel_state --channel_name="1.a/B1/S0/HFC-4S" --status="6642522337 --> 190" --called_party_number="190" --calling_party_number1="6642522337" --calling_party_number2="" --redirected_party_number="" --destination="fms" --used
(18420) 14/02/19 09:42:48 - INFO: <--(3217) :dchannel --message="alerting" --dchannel="jobcontrol_isdn:10" --channel_id=10 --calling_party_number="6642522337" --calling_party_number2="" --called_party_number="190" --redirecting_number=""
(18420) 14/02/19 09:42:48 - INFO: DChannel::StartSend(): processing incoming call on OMG201806 - D00.
(18420) 14/02/19 09:42:48 - WARNING: DChannel::CheckRecAddr(): no matching service selection filter.
(18420) 14/02/19 09:42:48 - INFO: --> :receive --channel_id=10 --command=hangup --called_party_number="190" --calling_party_number="6642522337"

(18420) 14/02/19 09:42:48 - INFO: <--(3217) :channel_state --channel_name="1.a/B1/S0/HFC-4S" --status="6642522337 --> 190" --called_party_number="190" --calling_party_number1="6642522337" --calling_party_number2="" --redirected_party_number="" --destination="fms" --ready
(18420) 14/02/19 09:42:48 - INFO: <--(3217) :dchannel --message="onhook" --channel_id=10 --client_id="" --dchannel="jobcontrol_isdn:10" --charges=0 --cause=10
(18420) 14/02/19 09:42:48 - WARNING: DChannel::OnDcOnhook(): job with ID " doesn't exist.
(18420) 14/02/19 09:42:54 - INFO: <--(3217) :alive
(18420) 14/02/19 09:43:00 - INFO: <--(3217) :alive
(18420) 14/02/19 09:43:03 - INFO: LogNetworkError(): no error associated with event 'close'.
(18420) 14/02/19 09:43:03 - WARNING: OmcSock::WaitSocket(): socket error.
(18420) 14/02/19 09:43:03 - INFO: DChannel::ThreadMethod(): shutting down D channel handler after socket error.
(18420) 14/02/19 09:43:03 - INFO: JobQueue<AppSpec>::RemoveChannel(): removing channel 00999284 from list at 009991B0.
(18420) 14/02/19 09:43:03 - INFO: DChannel::ShutDown(): disconnecting from job control while shutting down D channel handler.
(18420) 14/02/19 09:43:03 - INFO: --> :exit

(18420) 14/02/19 09:43:03 - INFO: DChannel::Connect(): connecting to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:43:04 - INFO: OmcSock::Connect(): cannot connect socket.
(18420) 14/02/19 09:43:04 - ERROR: DChannel::Connect(): cannot connect to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:43:04 - WARNING: DChannel::InitJobControl(): could not connect to job control.
(18420) 14/02/19 09:43:14 - INFO: DChannel::Connect(): connecting to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:43:35 - INFO: OmcSock::Connect(): cannot connect socket.
(18420) 14/02/19 09:43:35 - ERROR: DChannel::Connect(): cannot connect to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:43:35 - WARNING: DChannel::InitJobControl(): could not connect to job control.
(18420) 14/02/19 09:43:45 - INFO: DChannel::Connect(): connecting to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:43:54 - INFO: OmcSock::Connect(): cannot connect socket.
(18420) 14/02/19 09:43:54 - ERROR: DChannel::Connect(): cannot connect to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:43:54 - WARNING: DChannel::InitJobControl(): could not connect to job control.
(18420) 14/02/19 09:44:04 - INFO: DChannel::Connect(): connecting to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:44:05 - INFO: OmcSock::Connect(): cannot connect socket.
(18420) 14/02/19 09:44:05 - ERROR: DChannel::Connect(): cannot connect to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:44:05 - WARNING: DChannel::InitJobControl(): could not connect to job control.
(18420) 14/02/19 09:44:15 - INFO: DChannel::Connect(): connecting to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:44:15 - INFO: --> :sh date 021909442014.15

(18420) 14/02/19 09:44:15 - INFO: <--(3217) date is simulated
(18420) 14/02/19 09:44:15 - INFO: <--(3217) :sh --status=0
(18420) 14/02/19 09:44:15 - INFO: --> :c --dchan_param="" --l2-protocol=ppna --l3-protocol=dss1 --dial-mode=block --debug-l1=2 --debug-l2=2 --debug-l3=2 --debug-l4=0 --base-number=075638041 --ddi-length=0333333333 --bchan_param="" --log_level=1 --calling_party_number="" --receive_mask=""
:p

(18420) 14/02/19 09:44:15 - INFO: --> :dstart

(18420) 14/02/19 09:44:15 - INFO: --> :dev

(18420) 14/02/19 09:44:15 - INFO: DChannel::InitJobControl(): watchdog is off.
(18420) 14/02/19 09:44:15 - INFO: <--(3217) jobcontrolPort=3217
(18420) 14/02/19 09:44:15 - INFO: <--(3217) jobcontrolPortFixed=1
(18420) 14/02/19 09:44:15 - INFO: <--(3217) jobcontrolChannels=4
(18420) 14/02/19 09:44:15 - INFO: <--(3217) dchan_exec="/usr/fb/bin/isdn.prc"
(18420) 14/02/19 09:44:15 - INFO: <--(3217) dchan_param="" --l2-protocol=ppna --l3-protocol=dss1 --dial-mode=block --debug-l1=2 --debug-l2=2 --debug-l3=2 --debug-l4=0 --base-number=075638041 --ddi-length=0333333333
(18420) 14/02/19 09:44:15 - INFO: <--(3217) bchan_exec="/usr/fb/bin/fax.prc"
(18420) 14/02/19 09:44:15 - INFO: <--(3217) bchan_param=""
(18420) 14/02/19 09:44:15 - INFO: <--(3217) called_party_number=0455321
(18420) 14/02/19 09:44:15 - INFO: <--(3217) calling_party_number=
(18420) 14/02/19 09:44:15 - INFO: <--(3217) noalive=0
(18420) 14/02/19 09:44:15 - INFO: <--(3217) :jobcontrol --message="D-Channel started"
(18420) 14/02/19 09:44:15 - INFO: <--(3217) :if --channel_name="1.a/B2/S0/HFC-4S"
(18420) 14/02/19 09:44:15 - INFO: JobQueue<AppSpec>::AddChannel(): adding channel 00999284 to list at 009991B0.
(18420) 14/02/19 09:44:15 - INFO: <--(3217) :if --channel_name="1.a/B1/S0/HFC-4S"
(18420) 14/02/19 09:44:15 - INFO: <--(3217) :if --channel_count=2
(18420) 14/02/19 09:44:15 - INFO: DChannel::OnIfMsg(): device reports 2 B channels.
(18420) 14/02/19 09:44:15 - INFO: <--(3217) :channel_state --channel_name="1.a/B1/S0/HFC-4S" --status="499122875821 --> 260" --called_party_number="260" --calling_party_number1="499122875821" --calling_party_number2="" --redirected_party_number="" --destination="fms" --used
(18420) 14/02/19 09:44:16 - INFO: <--(3217) :dchannel --message="alerting" --dchannel="jobcontrol_isdn:2" --channel_id=2 --calling_party_number="499122875821" --calling_party_number2="" --called_party_number="260" --redirecting_number=""
(18420) 14/02/19 09:44:16 - INFO: DChannel::StartSend(): processing incoming call on OMG201806 - D00.
(18420) 14/02/19 09:44:16 - WARNING: DChannel::CheckRecAddr(): no matching service selection filter.
(18420) 14/02/19 09:44:16 - INFO: --> :receive --channel_id=2 --command=hangup --called_party_number="260" --calling_party_number="499122875821"

(18420) 14/02/19 09:44:16 - INFO: <--(3217) :channel_state --channel_name="1.a/B1/S0/HFC-4S" --status="499122875821 --> 260" --called_party_number="260" --calling_party_number1="499122875821" --calling_party_number2="" --redirected_party_number="" --destination="fms" --ready
(18420) 14/02/19 09:44:16 - INFO: <--(3217) :dchannel --message="onhook" --channel_id=2 --client_id="" --dchannel="jobcontrol_isdn:2" --charges=0 --cause=10
(18420) 14/02/19 09:44:16 - WARNING: DChannel::OnDcOnhook(): job with ID " doesn't exist.
(18420) 14/02/19 09:46:11 - INFO: <--(3217) :channel_state --channel_name="1.a/B1/S0/HFC-4S" --status="38627619729 --> 120" --called_party_number="120" --calling_party_number1="38627619729" --calling_party_number2="" --redirected_party_number="" --destination="fms" --used
(18420) 14/02/19 09:46:12 - INFO: <--(3217) :dchannel --message="alerting" --dchannel="jobcontrol_isdn:4" --channel_id=4 --calling_party_number="38627619729" --calling_party_number2="" --called_party_number="120" --redirecting_number=""
(18420) 14/02/19 09:46:12 - INFO: DChannel::StartSend(): processing incoming call on OMG201806 - D00.
(18420) 14/02/19 09:46:12 - WARNING: DChannel::CheckRecAddr(): no matching service selection filter.
(18420) 14/02/19 09:46:12 - INFO: --> :receive --channel_id=4 --command=hangup --called_party_number="120" --calling_party_number="38627619729"

(18420) 14/02/19 09:46:12 - INFO: <--(3217) :channel_state --channel_name="1.a/B1/S0/HFC-4S" --status="38627619729 --> 120" --called_party_number="120" --calling_party_number1="38627619729" --calling_party_number2="" --redirected_party_number="" --destination="fms" --ready
(18420) 14/02/19 09:46:12 - INFO: <--(3217) :dchannel --message="onhook" --channel_id=4 --client_id="" --dchannel="jobcontrol_isdn:4" --charges=0 --cause=10
(18420) 14/02/19 09:46:12 - WARNING: DChannel::OnDcOnhook(): job with ID " doesn't exist.
(18420) 14/02/19 09:47:10 - INFO: DChannel::LogCfg(): current configuration
channels (lic/use/send/rec): 2/2/1/1
FAX recipient address filter:
*
FAX sender address filter:
*
SMS recipient address filter:
*
SMS sender address filter:
*


```

VOICE recipient address filter:
*
VOICE sender address filter:
*
MW recipient address filter:
*
FAX fallback recipient address filter: none
FAX fallback sender address filter: none
SMS fallback recipient address filter: none
SMS fallback sender address filter: none
VOICE fallback recipient address filter: none
VOICE fallback sender address filter: none
Service selection:
    valid    called party    FAX    .*
    valid    calling party    FAX    .*
    valid    redirecting number    FAX    .*
    invalid  calling party    SMS    0*1930100
    invalid  calling party    SMS    0*9003266900
    invalid  calling party    SMS    0*19001504
(18420) 14/02/19 09:47:16 - INFO: <--(3217) :alive
(18420) 14/02/19 09:47:22 - INFO: <--(3217) :alive
(18420) 14/02/19 09:47:28 - INFO: <--(3217) :alive
(18420) 14/02/19 09:47:34 - INFO: <--(3217) :alive
(18420) 14/02/19 09:47:40 - INFO: <--(3217) :alive
(18420) 14/02/19 09:47:40 - INFO: DChannel::LogCfg(): current configuration
channels (lic/use/send/rec): 2/2/1/1
FAX recipient address filter:
*
FAX sender address filter:
*
SMS recipient address filter:
*
SMS sender address filter:
*
VOICE recipient address filter:
*
VOICE sender address filter:
*
MW recipient address filter:
*
FAX fallback recipient address filter: none
FAX fallback sender address filter: none
SMS fallback recipient address filter: none
SMS fallback sender address filter: none
VOICE fallback recipient address filter: none
VOICE fallback sender address filter: none
Service selection:
    valid    called party    FAX    .*
    valid    calling party    FAX    .*
    valid    redirecting number    FAX    .*
    invalid  calling party    SMS    0*1930100
    invalid  calling party    SMS    0*9003266900
    invalid  calling party    SMS    0*19001504
(18420) 14/02/19 09:47:46 - INFO: <--(3217) :alive
(18420) 14/02/19 09:47:46 - INFO: DChannel::LogCfg(): current configuration
channels (lic/use/send/rec): 2/2/1/1
FAX recipient address filter:
*
FAX sender address filter:
*
SMS recipient address filter:
*
SMS sender address filter:
*
VOICE recipient address filter:
*
VOICE sender address filter:
*
MW recipient address filter:
*
FAX fallback recipient address filter: none
FAX fallback sender address filter: none
SMS fallback recipient address filter: none
SMS fallback sender address filter: none
VOICE fallback recipient address filter: none
VOICE fallback sender address filter: none
Service selection:
    valid    called party    FAX    .*
    valid    calling party    FAX    .*
    valid    redirecting number    FAX    .*
    invalid  calling party    SMS    0*1930100
    invalid  calling party    SMS    0*9003266900
    invalid  calling party    SMS    0*19001504
(18420) 14/02/19 09:47:52 - INFO: <--(3217) :alive
(18420) 14/02/19 09:47:58 - INFO: <--(3217) :alive
(18420) 14/02/19 09:48:04 - INFO: <--(3217) :alive
(18420) 14/02/19 09:48:06 - INFO: LogNetworkError(): no error associated with event 'close'.
(18420) 14/02/19 09:48:06 - WARNING: OmcSock::WaitSocket(): socket error.
(18420) 14/02/19 09:48:06 - INFO: DChannel::ThreadMethod(): shutting down D channel handler after socket error.
(18420) 14/02/19 09:48:06 - INFO: JobQueue<AppSpec>::RemoveChannel(): removing channel 00999284 from list at 009991B0.
(18420) 14/02/19 09:48:06 - INFO: DChannel::ShutDown(): disconnecting from job control while shutting down D channel handler.
(18420) 14/02/19 09:48:06 - INFO: --> :exit

(18420) 14/02/19 09:48:06 - INFO: DChannel::Connect(): connecting to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:48:07 - INFO: OmcSock::Connect(): cannot connect socket.

```

(18420) 14/02/19 09:48:07 - ERROR: DChannel::Connect(): cannot connect to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:48:07 - WARNING: DChannel::InitJobControl(): could not connect to job control.
(18420) 14/02/19 09:48:17 - INFO: DChannel::Connect(): connecting to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:48:38 - INFO: OmcSock::Connect(): cannot connect socket.
(18420) 14/02/19 09:48:38 - ERROR: DChannel::Connect(): cannot connect to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:48:38 - WARNING: DChannel::InitJobControl(): could not connect to job control.
(18420) 14/02/19 09:48:48 - INFO: DChannel::Connect(): connecting to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:48:57 - INFO: OmcSock::Connect(): cannot connect socket.
(18420) 14/02/19 09:48:57 - ERROR: DChannel::Connect(): cannot connect to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:48:57 - WARNING: DChannel::InitJobControl(): could not connect to job control.
(18420) 14/02/19 09:49:08 - INFO: DChannel::Connect(): connecting to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:49:09 - INFO: OmcSock::Connect(): cannot connect socket.
(18420) 14/02/19 09:49:09 - ERROR: DChannel::Connect(): cannot connect to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:49:09 - WARNING: DChannel::InitJobControl(): could not connect to job control.
(18420) 14/02/19 09:49:19 - INFO: DChannel::Connect(): connecting to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:49:19 - INFO: --> :sh date 021909492014.19

(18420) 14/02/19 09:49:19 - INFO: <--(3217) date is simulated
(18420) 14/02/19 09:49:19 - INFO: <--(3217) :sh --status=0
(18420) 14/02/19 09:49:19 - INFO: --> :c --dchan_param="" --l2-protocol=ppna --l3-protocol=dss1 --dial-mode=block --debug-l1=2 --debug-l2=2 --debug-l3=2 --debug-l4=0 --base-number=075638041 --ddi-length=0333333333 --bchan_param="" --log_level=1 --calling_party_number="" --receive_mask=""
:p

(18420) 14/02/19 09:49:19 - INFO: --> :dstart

(18420) 14/02/19 09:49:19 - INFO: --> :dev

(18420) 14/02/19 09:49:19 - INFO: DChannel::InitJobControl(): watchdog is off.
(18420) 14/02/19 09:49:19 - INFO: <--(3217) jobcontrolPort=3217
(18420) 14/02/19 09:49:19 - INFO: <--(3217) jobcontrolPortFixed=1
(18420) 14/02/19 09:49:19 - INFO: <--(3217) jobcontrolChannels=4
(18420) 14/02/19 09:49:19 - INFO: <--(3217) dchan_exec="/usr/ft/bin/isdn.prc"
(18420) 14/02/19 09:49:19 - INFO: <--(3217) dchan_param="" --l2-protocol=ppna --l3-protocol=dss1 --dial-mode=block --debug-l1=2 --debug-l2=2 --debug-l3=2 --debug-l4=0 --base-number=075638041 --ddi-length=0333333333
(18420) 14/02/19 09:49:19 - INFO: <--(3217) bchan_exec="/usr/ft/bin/fax.prc"
(18420) 14/02/19 09:49:19 - INFO: <--(3217) bchan_param=""
(18420) 14/02/19 09:49:19 - INFO: <--(3217) called_party_number=0455321
(18420) 14/02/19 09:49:19 - INFO: <--(3217) calling_party_number=
(18420) 14/02/19 09:49:19 - INFO: <--(3217) noalive=0
(18420) 14/02/19 09:49:19 - INFO: <--(3217) :jobcontrol --message="D-Channel started"
(18420) 14/02/19 09:49:19 - INFO: <--(3217) :if --channel_name="1.a/B2/S0/HFC-4S"
(18420) 14/02/19 09:49:19 - INFO: JobQueue<AppSpec>::AddChannel(): adding channel 00999284 to list at 00999160.
(18420) 14/02/19 09:49:19 - INFO: <--(3217) :if --channel_name="1.a/B1/S0/HFC-4S"
(18420) 14/02/19 09:49:19 - INFO: <--(3217) :if --channel_count=2
(18420) 14/02/19 09:49:19 - INFO: DChannel::OnIfMsg(): device reports 2 B channels.
(18420) 14/02/19 09:49:19 - INFO: <--(3217) :channel_state --channel_name="1.a/B1/S0/HFC-4S" --status="38627619729 --> 120" --called_party_number="120" --calling_party_number1="38627619729" --calling_party_number2="" --redirected_party_number="" --destination="fms" --used
(18420) 14/02/19 09:49:19 - INFO: <--(3217) :dchannel --message="alerting" --dchannel="jobcontrol_isdn:2" --channel_id=2 --calling_party_number="38627619729" --calling_party_number2="" --called_party_number="120" --redirecting_number=""
(18420) 14/02/19 09:49:19 - INFO: DChannel::StartSend(): processing incoming call on OMG201806 - D00.
(18420) 14/02/19 09:49:19 - INFO: [phnumcor] MakePhoneNumExt(): automatic phone number correction not available for '120'.
(18420) 14/02/19 09:49:19 - INFO: [libagent] get_component_port(): component 'Poll' not found.
(18420) 14/02/19 09:49:19 - INFO: DChannel::CheckFaxAddr(): no poll definition for 120.
(18420) 14/02/19 09:49:19 - INFO: --> :receive --channel_id=2 --client_id=89748 --command=accept --called_party_number="120" --calling_party_number="38627619729" --bchan_exec=fax.prc --bchan_param="" --type=recv --rx-file=[10.1.1.50:51988]/OMCUMS-EXPORT-50946B2A/work/omcums0/rec/00015e95.bff --csid="+43 7563 8041" --debug-snfs=2 --debug-fc=3 --debug-t30=2 --debug-t4=2 --debug-lapi=2 --debug-modem=2 --bps=14400 --logo=1 --stat-fd=1"

(18420) 14/02/19 09:49:20 - INFO: <--(3217) :dchannel --message="offhook" --channel_id=2 --client_id="89748" --dchannel="jobcontrol_isdn:2"
(18420) 14/02/19 09:49:20 - INFO: <--(3217) :bchannel --message="start" --client_id="89748" --bchannel="1.a/B1/S0/HFC-4S"
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : rx_file=[10.1.1.50:51988]/OMCUMS-EXPORT-50946B2A/work/omcums0/rec/00015e95.bff
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : csid="+43 7563 8041"
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[0]='fax.prc'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[1]='--type=recv'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[2]='--interface=1.a/B1/S0/HFC-4S'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[3]='--stat-fd=1'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[4]='--calling-party-number=38627619729'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[5]='--called-party-number=120'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[6]='--type=recv'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[7]='--rx-file=[10.1.1.50:51988]/OMCUMS-EXPORT-50946B2A/work/omcums0/rec/00015e95.bff'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[8]='--csid="+43 7563 8041"
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[9]='--debug-snfs=2'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[10]='--debug-fc=3'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[11]='--debug-t30=2'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[12]='--debug-t4=2'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[13]='--debug-lapi=2'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[14]='--debug-modem=2'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[15]='--bps=14400'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[16]='--logo=1'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[17]='--stat-fd=1'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[0]='fax.prc'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[1]='--type=recv'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[2]='--interface=1.a/B1/S0/HFC-4S'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[3]='--stat-fd=1'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[4]='--calling-party-number=38627619729'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[5]='--called-party-number=120'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[6]='--type=recv'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[7]='--rx-file=[10.1.1.50:51988]/OMCUMS-EXPORT-50946B2A/work/omcums0/rec/00015e95.bff'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[8]='--csid="+43 7563 8041"
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[9]='--debug-snfs=2'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[10]='--debug-fc=3'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[11]='--debug-t30=2'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[12]='--debug-t4=2'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[13]='--debug-lapi=2'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[14]='--debug-modem=2'

(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[15]='--bps=14400'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[16]='--logo=1'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FAX : argv[17]='--stat-fd=1'
(18420) 14/02/19 09:49:20 - INFO: <--(3217) :event PRC_STARTED
(18420) 14/02/19 09:49:20 - WARNING: DChannel::OnMsgLine(): ignoring unknown command 'event PRC_STARTED'.
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FC : --> B-1 09:49:20,254 state=FC_RESET, event=FC_INIT
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FC : B1 T30 built.
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FC : B1 Sending SETUP_RX to T30
(18420) 14/02/19 09:49:20 - INFO: <--(3217) FC : <-- B1 09:49:20,255 state=FC_W4_T30_SETUP_ACK
(18420) 14/02/19 09:49:21 - INFO: <--(3217) T30 : B1 Wed Feb 19 09:49:20 2014
(18420) 14/02/19 09:49:21 - INFO: <--(3217) SETUP RX 14400 ECM Fax fine MR/MMR NoPoll
(18420) 14/02/19 09:49:21 - INFO: <--(3217) T30 : SETUP more info
(18420) 14/02/19 09:49:21 - INFO: <--(3217) T30 : Lapidx = 0
(18420) 14/02/19 09:49:21 - INFO: <--(3217) T30 : HighLayerIdx = 1
(18420) 14/02/19 09:49:21 - INFO: <--(3217) T30 : min_speed = 0
(18420) 14/02/19 09:49:21 - INFO: <--(3217) T30 : listen_time_dtmf = 0
(18420) 14/02/19 09:49:21 - INFO: <--(3217) T30 : short_dis = 0
(18420) 14/02/19 09:49:21 - INFO: <--(3217) T30 : dis_size = 7
(18420) 14/02/19 09:49:21 - INFO: <--(3217) T30 : own_subs_id = +43 7563 8041
(18420) 14/02/19 09:49:21 - INFO: <--(3217) T30 : own_sernum = 0
(18420) 14/02/19 09:49:21 - INFO: <--(3217) T30 : B1 09:49:20,257 start Timer Timer 1
(18420) 14/02/19 09:49:21 - INFO: <--(3217) LAPi: B1 09:49:20,258 open ISDN Lineinterface 1.a/B1/S0/HFC-4S on /dev/ilid (dbg=0x0002)
(18420) 14/02/19 09:49:21 - INFO: <--(3217) LAPi: B1 09:49:20,258 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 09:49:21 - INFO: <--(3217) LAPi: B1 09:49:20,259 setting rx modem mode 'rxg711 -a -r | rxmdm -v 0 -R'
(18420) 14/02/19 09:49:21 - INFO: <--(3217) LAPi: B1 09:49:20,259 setting rx modem mode "
(18420) 14/02/19 09:49:21 - INFO: <--(3217) LAPi: B1 09:49:20,259 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 09:49:21 - INFO: <--(3217) LAPi: B1 09:49:20,259 turned off tx irq
(18420) 14/02/19 09:49:21 - INFO: <--(3217) T30 : B1 09:49:20,261 Restart Timer Timer 1
(18420) 14/02/19 09:49:21 - INFO: <--(3217) FC : --> B1 09:49:20,423 state=FC_W4_T30_SETUP_ACK, event=FC_DISCONNECT
(18420) 14/02/19 09:49:21 - INFO: <--(3217) T30 : B1 09:49:20,423 Kill Function called
(18420) 14/02/19 09:49:21 - INFO: <--(3217) T30 : B1 Kill Lapi
(18420) 14/02/19 09:49:21 - INFO: <--(3217) LAPi: B1 09:49:20,424 killed
(18420) 14/02/19 09:49:21 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:49:20" --error="none" --type="recv" --bps="?" --ecm=0 --res="?" --t4="?" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid="" --to="" --from=""
(18420) 14/02/19 09:49:21 - INFO: DChannel::OnMsgLine(): job 89748: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:49:20" --error="none" --type="recv" --bps="?" --ecm=0 --res="?" --t4="?" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid="" --to="" --from=""
(18420) 14/02/19 09:49:21 - INFO: <--(3217) FC : in FCExit
(18420) 14/02/19 09:49:21 - INFO: <--(3217) FC : close rxfile
(18420) 14/02/19 09:49:21 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:49:20" --error="disconnect" --type="recv" --bps="?" --ecm=0 --res="?" --t4="?" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid="" --to="" --from=""
(18420) 14/02/19 09:49:21 - INFO: DChannel::OnMsgLine(): job 89748: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:49:20" --error="disconnect" --type="recv" --bps="?" --ecm=0 --res="?" --t4="?" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid="" --to="" --from=""
(18420) 14/02/19 09:49:21 - INFO: <--(3217) :bchannel --message="finished" --client_id="89748" --bchannel="1.a/B1/S0/HFC-4S"
(18420) 14/02/19 09:49:21 - INFO: <--(3217) :dchannel --message="onhook" --channel_id=2 --client_id="89748" --dchannel="jobcontrol_isdn:2" --charges=0 --cause=51
(18420) 14/02/19 09:49:21 - INFO: Discarding message of type 'Rec' to '120' with status 3 and error code 15.
(18420) 14/02/19 09:49:21 - INFO: <--(3217) :channel_state --channel_name="1.a/B1/S0/HFC-4S" --status="38627619729 --> 120" --called_party_number="120" --calling_party_number1="38627619729" --calling_party_number2="" --redirected_party_number="" --destination="fms" --ready
(18420) 14/02/19 09:50:43 - INFO: <--(3217) :channel_state --channel_name="1.a/B1/S0/HFC-4S" --status="38627619729 --> 120" --called_party_number="120" --calling_party_number1="38627619729" --calling_party_number2="" --redirected_party_number="" --destination="fms" --used
(18420) 14/02/19 09:50:43 - INFO: <--(3217) :dchannel --message="alerting" --dchannel="jobcontrol_isdn:5" --channel_id=5 --calling_party_number="38627619729" --calling_party_number2="" --called_party_number="120" --redirecting_number=""
(18420) 14/02/19 09:50:43 - INFO: DChannel::StartSend(): processing incoming call on OMG201806 - D00.
(18420) 14/02/19 09:50:43 - INFO: [phnumcor] MakePhoneNumExt(): automatic phone number correction not available for '120'.
(18420) 14/02/19 09:50:43 - INFO: [libagent] get_component_port(): component 'Poll' not found.
(18420) 14/02/19 09:50:43 - INFO: DChannel::CheckFaxAddr(): no poll definition for 120.
(18420) 14/02/19 09:50:43 - INFO: --> :receive --channel_id=5 --client_id=89750 --command=accept --called_party_number="120" --calling_party_number="38627619729" --bchan_exec=fax.prc --bchan_param="" --type=recv --rx-file=[10.1.1.50:51988]/OMCUMS-EXPORT-50946B2A/work/omcums0/rec/00015e97.bff --csid="+43 7563 8041" --debug-snfs=2 --debug-fc=3 --debug-t30=2 --debug-t4=2 --debug-lapi=2 --debug-modem=2 --bps=14400 --logo=1 --stat-fd=1'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) :dchannel --message="offhook" --channel_id=5 --client_id="89750" --dchannel="jobcontrol_isdn:5"
(18420) 14/02/19 09:50:43 - INFO: <--(3217) :bchannel --message="start" --client_id="89750" --bchannel="1.a/B1/S0/HFC-4S"
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : rx_file=[10.1.1.50:51988]/OMCUMS-EXPORT-50946B2A/work/omcums0/rec/00015e97.bff
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : csid="+43 7563 8041"
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[0]='fax.prc'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[1]='--type=recv'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[2]='--interface=1.a/B1/S0/HFC-4S'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[3]='--stat-fd=1'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[4]='--calling-party-number=38627619729'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[5]='--called-party-number=120'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[6]='--type=recv'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[7]='--rx-file=[10.1.1.50:51988]/OMCUMS-EXPORT-50946B2A/work/omcums0/rec/00015e97.bff'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[8]='--csid="+43 7563 8041"
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[9]='--debug-snfs=2'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[10]='--debug-fc=3'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[11]='--debug-t30=2'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[12]='--debug-t4=2'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[13]='--debug-lapi=2'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[14]='--debug-modem=2'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[15]='--bps=14400'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[16]='--logo=1'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[17]='--stat-fd=1'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[0]='fax.prc'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[1]='--type=recv'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[2]='--interface=1.a/B1/S0/HFC-4S'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[3]='--stat-fd=1'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[4]='--calling-party-number=38627619729'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[5]='--called-party-number=120'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[6]='--type=recv'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[7]='--rx-file=[10.1.1.50:51988]/OMCUMS-EXPORT-50946B2A/work/omcums0/rec/00015e97.bff'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[8]='--csid="+43 7563 8041'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[9]='--debug-snfs=2'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[10]='--debug-fc=3'

(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[11]='--debug-t30=2'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[12]='--debug-t4=2'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[13]='--debug-lapi=2'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[14]='--debug-modem=2'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[15]='--bps=14400'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[16]='--logo=1'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FAX : argv[17]='--stat-fd=1'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) :event PRC_STARTED
(18420) 14/02/19 09:50:43 - WARNING: DChannel::OnMsgLine(): ignoring unknown command 'event PRC_STARTED'.
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FC : --> B-1 09:50:43,567 state=FC_RESET, event=FC_INIT
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FC : B1 T30 built.
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FC : B1 Sending SETUP_RX to T30
(18420) 14/02/19 09:50:43 - INFO: <--(3217) FC : <-- B1 09:50:43,568 state=FC_W4_T30_SETUP_ACK
(18420) 14/02/19 09:50:43 - INFO: <--(3217) T30 : B1 Wed Feb 19 09:50:43 2014
(18420) 14/02/19 09:50:43 - INFO: <--(3217) SETUP RX 14400 ECM Fax fine MR/MMR NoPoll
(18420) 14/02/19 09:50:43 - INFO: <--(3217) T30 : SETUP more info
(18420) 14/02/19 09:50:43 - INFO: <--(3217) T30 : Lapildx = 0
(18420) 14/02/19 09:50:43 - INFO: <--(3217) T30 : HighLayerIdx = 1
(18420) 14/02/19 09:50:43 - INFO: <--(3217) T30 : min_speed = 0
(18420) 14/02/19 09:50:43 - INFO: <--(3217) T30 : listen_time_dtmf = 0
(18420) 14/02/19 09:50:43 - INFO: <--(3217) T30 : short_dis = 0
(18420) 14/02/19 09:50:43 - INFO: <--(3217) T30 : dis_size = 7
(18420) 14/02/19 09:50:43 - INFO: <--(3217) T30 : own_subs_id = +43 7563 8041
(18420) 14/02/19 09:50:43 - INFO: <--(3217) T30 : own_sernum = 0
(18420) 14/02/19 09:50:43 - INFO: <--(3217) T30 : B1 09:50:43,570 start Timer Timer 1
(18420) 14/02/19 09:50:43 - INFO: <--(3217) LAPI: B1 09:50:43,571 open ISDN Lineinterface 1.a/B1/S0/HFC-4S on /dev/iild (dbg=0x0002)
(18420) 14/02/19 09:50:43 - INFO: <--(3217) LAPI: B1 09:50:43,571 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 09:50:43 - INFO: <--(3217) LAPI: B1 09:50:43,572 setting rx modem mode 'rxg711 -a -r | rxmdm -v 0 -R'
(18420) 14/02/19 09:50:43 - INFO: <--(3217) LAPI: B1 09:50:43,572 setting rx modem mode "
(18420) 14/02/19 09:50:43 - INFO: <--(3217) LAPI: B1 09:50:43,572 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 09:50:43 - INFO: <--(3217) LAPI: B1 09:50:43,572 turned off tx irq
(18420) 14/02/19 09:50:43 - INFO: <--(3217) T30 : B1 09:50:43,574 Restart Timer Timer 1
(18420) 14/02/19 09:50:43 - INFO: <--(3217) :alive
(18420) 14/02/19 09:50:45 - INFO: <--(3217) T30 : B1 09:50:45,578 LapiSetMode id=1 mode=2 alaw=1 dir=1 bufsize=0 hdlc=0 t1=3000 t2=0 f=2100
(18420) 14/02/19 09:50:45 - INFO: <--(3217) LAPI: B1 09:50:45,579 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 09:50:45 - INFO: <--(3217) LAPI: B1 09:50:45,579 sending tone 2100 Hz / 0 Hz -15 dB 3000 ms
(18420) 14/02/19 09:50:45 - INFO: <--(3217) LAPI: B1 09:50:45,579 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 09:50:45 - INFO: <--(3217) LAPI: B1 09:50:45,580 setting (sync) tx modem mode 'txtone | txg711 -a -r' (session 2)
(18420) 14/02/19 09:50:45 - INFO: <--(3217) LAPI: B1 09:50:45,580 write: req=2, size=8, buf: 34 08 00 00 b8 0b f1 81
(18420) 14/02/19 09:50:45 - INFO: <--(3217) LAPI: B1 09:50:45,584 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 09:50:45 - INFO: <--(3217) LAPI: B1 09:50:45,584 write: req=5, size=0, buf:
(18420) 14/02/19 09:50:45 - INFO: <--(3217) LAPI: B1 09:50:45,584 turned off tx irq
(18420) 14/02/19 09:50:45 - INFO: <--(3217) LAPI: B1 09:50:45,584 setting (sync) tx modem mode 'txidle -a' (session 3)
(18420) 14/02/19 09:50:48 - INFO: <--(3217) LAPI: B1 09:50:48,604 txend for session 2
(18420) 14/02/19 09:50:48 - INFO: <--(3217) LAPI: B1 09:50:48,605 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 09:50:48 - INFO: <--(3217) T30 : B1 09:50:48,607 LapiSetMode id=2 mode=6 alaw=1 dir=1 bufsize=0 hdlc=1 t1=1000 t2=100 f=0
(18420) 14/02/19 09:50:48 - INFO: <--(3217) T30 : B1 SEND NSF (04 8b 02 01 05 00 00)
(18420) 14/02/19 09:50:48 - INFO: <--(3217) T30 : B1 SEND CSI
(18420) 14/02/19 09:50:48 - INFO: <--(3217) T30 : B1 SEND first DIS
(18420) 14/02/19 09:50:48 - INFO: <--(3217) T30 : B1 SEND DIS V17/V33 14400 ECM Fax fine MR/MMR (00 77 1f 22)
(18420) 14/02/19 09:50:48 - INFO: <--(3217) T30 : DIS line_width=2 min_time_4_line=7
(18420) 14/02/19 09:50:48 - INFO: <--(3217) LAPI: B1 09:50:48,608 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 09:50:48 - INFO: <--(3217) LAPI: B1 09:50:48,608 setting (sync) tx modem mode 'txhdlc -n -r | txmdm -v 21 -b 300 -s | txg711 -a -r' (session 2)
(18420) 14/02/19 09:50:48 - INFO: <--(3217) LAPI: B1 09:50:48,608 Sending 38 flags
(18420) 14/02/19 09:50:48 - INFO: <--(3217) LAPI: B1 09:50:48,609 write: req=1, size=1, buf: 26
(18420) 14/02/19 09:50:48 - INFO: <--(3217) LAPI: B1 09:50:48,610 write: req=2, size=10, buf: ff 03 20 20 d1 40 80 a0 ...
(18420) 14/02/19 09:50:48 - INFO: <--(3217) LAPI: B1 09:50:48,611 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 09:50:48 - INFO: <--(3217) LAPI: B1 09:50:48,613 write: req=2, size=23, buf: ff 03 40 31 34 30 38 20 ...
(18420) 14/02/19 09:50:48 - INFO: <--(3217) LAPI: B1 09:50:48,614 write: req=2, size=7, buf: ff 13 80 00 ee f8 44
(18420) 14/02/19 09:50:48 - INFO: <--(3217) LAPI: B1 09:50:48,615 write: req=1, size=1, buf: 02
(18420) 14/02/19 09:50:48 - INFO: <--(3217) LAPI: B1 09:50:48,615 write: req=5, size=0, buf:
(18420) 14/02/19 09:50:48 - INFO: <--(3217) LAPI: B1 09:50:48,615 turned off tx irq
(18420) 14/02/19 09:50:48 - INFO: <--(3217) LAPI: B1 09:50:48,615 setting (sync) tx modem mode 'txidle -a' (session 3)
(18420) 14/02/19 09:50:49 - INFO: <--(3217) :alive
(18420) 14/02/19 09:50:51 - INFO: <--(3217) LAPI: B1 09:50:51,389 txend for session 2
(18420) 14/02/19 09:50:51 - INFO: <--(3217) LAPI: B1 09:50:51,391 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 09:50:51 - INFO: <--(3217) T30 : B1 09:50:51,394 start Timer Timer 4
(18420) 14/02/19 09:50:51 - INFO: <--(3217) T30 : B1 09:50:51,394 LapiSetMode id=3 mode=6 alaw=1 dir=0 bufsize=264 hdlc=1 t1=0 t2=0 f=0
(18420) 14/02/19 09:50:51 - INFO: <--(3217) LAPI: B1 09:50:51,395 setting rx modem mode 'rxg711 -a -r | rxmdm -v 21 -b 300 | rxhdlc -r'
(18420) 14/02/19 09:50:51 - INFO: <--(3217) LAPI: B1 09:50:52,092 (50.52,09197) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 09:50:52 - INFO: <--(3217) LAPI: B1 09:50:52,188 (50.52,18799) ILID_IND_DETECT ILAPI_DETECT_V21 size=21
(18420) 14/02/19 09:50:52 - INFO: <--(3217) LAPI: B1 09:50:52,268 (50.52,26388) ILID_IND_FLAG size=16
(18420) 14/02/19 09:50:52 - INFO: <--(3217) T30 : B1 09:50:52,269 Restart Timer Timer 4
(18420) 14/02/19 09:50:53 - INFO: <--(3217) LAPI: B1 09:50:53,596 (50.53,59188) ILID_IND_DATA ff 13 83 00 22 f8 44 ea ...
(18420) 14/02/19 09:50:53 - INFO: <--(3217) T30 : B1 09:50:53,597 RCV DCS V17 14400 ECM Fax standard MMR (00 44 1f 22)
(18420) 14/02/19 09:50:53 - INFO: <--(3217) T30 : DCS line_width=2 min_time_4_line=7
(18420) 14/02/19 09:50:53 - INFO: <--(3217) T30 : B1 09:50:53,597 LapiSetMode id=4 mode=24 alaw=1 dir=0 bufsize=100 hdlc=0 t1=3300 t2=500 f=0
(18420) 14/02/19 09:50:53 - INFO: <--(3217) T30 : B1 09:50:53,597 CheckTraining (TCF)
(18420) 14/02/19 09:50:53 - INFO: <--(3217) T30 : B1 09:50:53,598 stop Timer Timer 1
(18420) 14/02/19 09:50:53 - INFO: <--(3217) T30 : B1 09:50:53,598 stop Timer Timer 4
(18420) 14/02/19 09:50:53 - INFO: <--(3217) T30 : B1 09:50:53,598 start Timer Timer 6 RXTCF
(18420) 14/02/19 09:50:53 - INFO: <--(3217) T4 : built
(18420) 14/02/19 09:50:53 - INFO: <--(3217) T30 : B1 Build T4. T4Idx=5
(18420) 14/02/19 09:50:53 - INFO: <--(3217) T30 : B1 09:50:53,599 Send T4 Setup
(18420) 14/02/19 09:50:53 - INFO: <--(3217) LAPI: B1 09:50:53,599 setting rx modem mode "
(18420) 14/02/19 09:50:53 - INFO: <--(3217) T4 : 09:50:53,601 ready for decoding
(18420) 14/02/19 09:50:53 - INFO: <--(3217) line width: 1728
(18420) 14/02/19 09:50:53 - INFO: <--(3217) line repeat: 2
(18420) 14/02/19 09:50:53 - INFO: <--(3217) format : 6
(18420) 14/02/19 09:50:53 - INFO: <--(3217) event: 0x02
(18420) 14/02/19 09:50:53 - INFO: <--(3217) rtc event: 0x50
(18420) 14/02/19 09:50:53 - INFO: <--(3217) eom event: 0x00
(18420) 14/02/19 09:50:53 - INFO: <--(3217) K: 1
(18420) 14/02/19 09:50:53 - INFO: <--(3217) FC : --> B1 09:50:53,601 state=FC_W4_T30_SETUP_ACK, event=T30_SETUP_ACK_RX
(18420) 14/02/19 09:50:53 - INFO: <--(3217) FC : Wed Feb 19 09:50:53 2014

(18420) 14/02/19 09:50:53 - INFO: <--(3217) Status Update
(18420) 14/02/19 09:50:53 - INFO: <--(3217) direction : recv
(18420) 14/02/19 09:50:53 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 09:50:53 - INFO: <--(3217) bps_used : 14400
(18420) 14/02/19 09:50:53 - INFO: <--(3217) own_csid : +43 7563 8041
(18420) 14/02/19 09:50:53 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 09:50:53 - INFO: <--(3217) ecm_used : 1
(18420) 14/02/19 09:50:53 - INFO: <--(3217) dpi_used : 100 dpi
(18420) 14/02/19 09:50:53 - INFO: <--(3217) t4mode_used : MMR
(18420) 14/02/19 09:50:53 - INFO: <--(3217) tx_image_type : unknown
(18420) 14/02/19 09:50:53 - INFO: <--(3217) rx_image_type : BFF
(18420) 14/02/19 09:50:53 - INFO: <--(3217) total_pages : 0
(18420) 14/02/19 09:50:53 - INFO: <--(3217) tx_pages : 0
(18420) 14/02/19 09:50:53 - INFO: <--(3217) rx_pages : 0
(18420) 14/02/19 09:50:53 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 09:50:53 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 09:50:53 - INFO: <--(3217) to_whom_tx :
(18420) 14/02/19 09:50:53 - INFO: <--(3217) from_whom_tx :
(18420) 14/02/19 09:50:53 - INFO: <--(3217) remote_csid :
(18420) 14/02/19 09:50:53 - INFO: <--(3217) remote_sernum : 0
(18420) 14/02/19 09:50:53 - INFO: <--(3217) error : 22
(18420) 14/02/19 09:50:53 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:50:53" --error="none" --type="recv" --bps="14400" --ecm=1 -
-res="100" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid="" --to="" --from=""
(18420) 14/02/19 09:50:53 - INFO: DChannel:OnMsgLine(): job 89750: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:50:53" --error="none" --
type="recv" --bps="14400" --ecm=1 --res="100" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid="" --to="" --from=""
(18420) 14/02/19 09:50:53 - INFO: <--(3217) FC : Init Rx BFF
(18420) 14/02/19 09:50:53 - INFO: <--(3217) BFF : Write SOP
(18420) 14/02/19 09:50:53 - INFO: <--(3217) BFF : Write SEEK Prev
(18420) 14/02/19 09:50:53 - INFO: <--(3217) BFF : Write SEEK Next
(18420) 14/02/19 09:50:53 - INFO: <--(3217) FC : <-- B1 09:50:53,605 state=FC_RX
(18420) 14/02/19 09:50:53 - INFO: <--(3217) LAPi: B1 09:50:53,605 setting rx modem mode 'rxg711 -a -r | rxmdm -v 17 -b 14400 -l -r'
(18420) 14/02/19 09:50:53 - INFO: <--(3217) LAPi: B1 09:50:53,628 (50.53,62804) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 09:50:53 - INFO: <--(3217) LAPi: B1 09:50:53,660 (50.53,66008) ILID_IND_DETECT ILAPI_DETECT_SILENCE size=21
(18420) 14/02/19 09:50:53 - INFO: <--(3217) LAPi: B1 09:50:53,724 (50.53,72405) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 09:50:53 - INFO: <--(3217) LAPi: B1 09:50:53,916 (50.53,91608) ILID_IND_DETECT ILAPI_DETECT_SILENCE size=21
(18420) 14/02/19 09:50:53 - INFO: <--(3217) LAPi: B1 09:50:53,933 (50.53,93206) ILID_IND_DETECT ILAPI_DETECT_V17_14400 size=21
(18420) 14/02/19 09:50:55 - INFO: <--(3217) LAPi: B1 09:50:55,357 (50.55,35614) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:55 - INFO: <--(3217) LAPi: B1 09:50:55,405 (50.55,40413) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:55 - INFO: <--(3217) LAPi: B1 09:50:55,453 (50.55,45214) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:55 - INFO: <--(3217) LAPi: B1 09:50:55,501 (50.55,50015) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:55 - INFO: <--(3217) LAPi: B1 09:50:55,501 (50.55,50015) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:55 - INFO: <--(3217) LAPi: B1 09:50:55,549 (50.55,54814) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:55 - INFO: <--(3217) LAPi: B1 09:50:55,597 (50.55,59614) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:55 - INFO: <--(3217) LAPi: B1 09:50:55,645 (50.55,64414) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:55 - INFO: <--(3217) LAPi: B1 09:50:55,645 (50.55,64414) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:55 - INFO: <--(3217) LAPi: B1 09:50:55,693 (50.55,69213) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:55 - INFO: <--(3217) LAPi: B1 09:50:55,741 (50.55,74013) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:55 - INFO: <--(3217) LAPi: B1 09:50:55,789 (50.55,78814) ILID_IND_DATA 00 00 00 00 ...
(18420) 14/02/19 09:50:55 - INFO: <--(3217) LAPi: B1 09:50:55,789 (50.55,78814) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:55 - INFO: <--(3217) LAPi: B1 09:50:55,837 (50.55,83614) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:55 - INFO: <--(3217) :alive
(18420) 14/02/19 09:50:55 - INFO: <--(3217) LAPi: B1 09:50:55,885 (50.55,88414) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:55 - INFO: <--(3217) LAPi: B1 09:50:55,933 (50.55,93213) ILID_IND_DATA 00
(18420) 14/02/19 09:50:55 - INFO: <--(3217) LAPi: B1 09:50:55,933 (50.55,93213) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:55 - INFO: <--(3217) LAPi: B1 09:50:55,981 (50.55,98014) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:55 - INFO: <--(3217) LAPi: B1 09:50:56,029 (50.56,02814) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:55 - INFO: <--(3217) LAPi: B1 09:50:56,077 (50.56,07614) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,125 (50.56,12414) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,173 (50.56,17214) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,221 (50.56,22013) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,269 (50.56,26813) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,317 (50.56,31615) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,349 (50.56,34814) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,397 (50.56,39614) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,445 (50.56,44413) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,493 (50.56,49214) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,493 (50.56,49214) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,541 (50.56,54014) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,589 (50.56,58813) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,637 (50.56,63614) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,637 (50.56,63614) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,685 (50.56,68414) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,733 (50.56,73213) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,780 (50.56,78013) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,781 (50.56,78013) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,829 (50.56,82813) ILID_IND_DATA 00 00 00 00 00 00 00 00 ...
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,876 (50.56,87613) ILID_IND_DATA ff ff ff ff ff ff ff ...
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,892 (50.56,88440) ILID_IND_DATA 5c f1 df 5c f0 d3 6c f1 ...
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,893 (50.56,88440) ILID_IND_CARRIER_LOST size=16
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,893 setting rx modem mode ""
(18420) 14/02/19 09:50:56 - INFO: <--(3217) T30 : B1 09:50:56,894 stop Timer Timer 6 RXTCF
(18420) 14/02/19 09:50:56 - INFO: <--(3217) T30 : B1 09:50:56,894 stop Timer Timer 9
(18420) 14/02/19 09:50:56 - INFO: <--(3217) T30 : B1 09:50:56,894 start Timer Timer 2
(18420) 14/02/19 09:50:56 - INFO: <--(3217) T30 : B1 09:50:56,894 TCF_OK
(18420) 14/02/19 09:50:56 - INFO: <--(3217) T30 : B1 SendHighLayerStatus
(18420) 14/02/19 09:50:56 - INFO: <--(3217) T30 : B1 Send CFR
(18420) 14/02/19 09:50:56 - INFO: <--(3217) T30 : B1 09:50:56,894 LapiSetMode id=5 mode=6 alaw=1 dir=1 bufsize=0 hdlc=1 t1=1000 t2=100 f=0
(18420) 14/02/19 09:50:56 - INFO: <--(3217) T30 : B1 09:50:56,895 SendT30Command
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,895 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,896 setting (sync) tx modem mode 'txhdlc -n -r | txmdm -v 21 -b 300 -s | txg711 -a -r' (session 2)
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,896 Sending 38 flags
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,896 write: req=1, size=1, buf: 26
(18420) 14/02/19 09:50:56 - INFO: <--(3217) FC : --> B1 09:50:56,897 state=FC_RX, event=T30_STATUS
(18420) 14/02/19 09:50:56 - INFO: <--(3217) FC : Wed Feb 19 09:50:56 2014
(18420) 14/02/19 09:50:56 - INFO: <--(3217) Status Update

(18420) 14/02/19 09:50:56 - INFO: <--(3217) direction : recv
(18420) 14/02/19 09:50:56 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 09:50:56 - INFO: <--(3217) bps_used : 14400
(18420) 14/02/19 09:50:56 - INFO: <--(3217) own_csid : +43 7563 8041
(18420) 14/02/19 09:50:56 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 09:50:56 - INFO: <--(3217) ecm_used : 1
(18420) 14/02/19 09:50:56 - INFO: <--(3217) dpi_used : 100 dpi
(18420) 14/02/19 09:50:56 - INFO: <--(3217) t4mode_used : MMR
(18420) 14/02/19 09:50:56 - INFO: <--(3217) tx_image_type : unknown
(18420) 14/02/19 09:50:56 - INFO: <--(3217) rx_image_type : BFF
(18420) 14/02/19 09:50:56 - INFO: <--(3217) total_pages : 0
(18420) 14/02/19 09:50:56 - INFO: <--(3217) tx_pages : 0
(18420) 14/02/19 09:50:56 - INFO: <--(3217) rx_pages : 0
(18420) 14/02/19 09:50:56 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 09:50:56 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 09:50:56 - INFO: <--(3217) to_whom_tx :
(18420) 14/02/19 09:50:56 - INFO: <--(3217) from_whom_tx :
(18420) 14/02/19 09:50:56 - INFO: <--(3217) remote_csid :
(18420) 14/02/19 09:50:56 - INFO: <--(3217) remote_sernum : 0
(18420) 14/02/19 09:50:56 - INFO: <--(3217) error : 22
(18420) 14/02/19 09:50:56 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:50:56" --error="none" --type="recv" --bps="14400" --ecm=1 -
-res="100" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid="" --to="" --from=""
(18420) 14/02/19 09:50:56 - INFO: DChannel::OnMsgLine(): job 89750: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:50:56" --error="none" --
type="recv" --bps="14400" --ecm=1
-res="100" --t4="MMR" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid="" --to="" --from=""
(18420) 14/02/19 09:50:56 - INFO: <--(3217) FC : <- B1 09:50:56,902 state=FC_RX
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,903 write: req=2, size=3, buf: ff 13 84
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,903 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,904 write: req=1, size=1, buf: 02
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,904 write: req=5, size=0, buf:
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,904 turned off tx irq
(18420) 14/02/19 09:50:56 - INFO: <--(3217) LAPi: B1 09:50:56,904 setting (sync) tx modem mode 'txidle -a' (session 3)
(18420) 14/02/19 09:50:58 - INFO: <--(3217) LAPi: B1 09:50:58,517 txend for session 2
(18420) 14/02/19 09:50:58 - INFO: <--(3217) LAPi: B1 09:50:58,518 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 09:50:58 - INFO: <--(3217) T30 : B1 09:50:58,520 stop Timer Timer 2
(18420) 14/02/19 09:50:58 - INFO: <--(3217) T30 : B1 09:50:58,520 start Timer Timer 2 RXECM
(18420) 14/02/19 09:50:58 - INFO: <--(3217) T30 : B1 09:50:58,520 ReceiveHighSpeedData ECM
(18420) 14/02/19 09:50:58 - INFO: <--(3217) T30 : B1 09:50:58,520 LapiSetMode id=6 mode=24 alaw=1 dir=0 bufsize=264 hdlc=1 t1=0 t2=0 f=0
(18420) 14/02/19 09:50:58 - INFO: <--(3217) LAPi: B1 09:50:58,521 setting rx modem mode 'rxg711 -a -r | rxmdm -v 17 -b 14400 -s | rxhdlc -r -R'
(18420) 14/02/19 09:50:59 - INFO: <--(3217) LAPi: B1 09:50:59,428 (50.59,42799) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 09:50:59 - INFO: <--(3217) LAPi: B1 09:50:59,620 (50.59,62006) ILID_IND_DETECT ILAPI_DETECT_SILENCE size=21
(18420) 14/02/19 09:50:59 - INFO: <--(3217) LAPi: B1 09:50:59,653 (50.59,65199) ILID_IND_DETECT ILAPI_DETECT_V17_14400 size=21
(18420) 14/02/19 09:50:59 - INFO: <--(3217) LAPi: B1 09:50:59,781 (50.59,77518) ILID_IND_BREAK size=16
(18420) 14/02/19 09:50:59 - INFO: <--(3217) LAPi: B1 09:50:59,781 unexpected event ILAPI_IND_BREAK in state L_RX_VXX
(18420) 14/02/19 09:50:59 - INFO: <--(3217) LAPi: B1 09:50:59,829 (50.59,82301) ILID_IND_FLAG size=16
(18420) 14/02/19 09:51:00 - INFO: <--(3217) LAPi: B1 09:51:00,181 (51.00,17759) ILID_IND_DATA ff c0 60 00 f3 b1 0c 90 ...
(18420) 14/02/19 09:51:00 - INFO: <--(3217) T30 : B1 09:51:00,181 Rx ECM FRAME No: 0(frame_count: 0) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:00 - INFO: <--(3217) T30 : B1 09:51:00,182 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:00 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:00 - INFO: <--(3217) LAPi: B1 09:51:00,341 (51.00,33537) ILID_IND_DATA ff c0 60 80 85 86 10 61 ...
(18420) 14/02/19 09:51:00 - INFO: <--(3217) T30 : B1 09:51:00,341 Rx ECM FRAME No: 1(frame_count: 1) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:00 - INFO: <--(3217) T30 : B1 09:51:00,342 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:00 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:00 - INFO: <--(3217) LAPi: B1 09:51:00,485 (51.00,47922) ILID_IND_DATA ff c0 60 40 30 c2 09 d4 ...
(18420) 14/02/19 09:51:00 - INFO: <--(3217) T30 : B1 09:51:00,485 Rx ECM FRAME No: 2(frame_count: 2) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:00 - INFO: <--(3217) T30 : B1 09:51:00,486 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:00 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:00 - INFO: <--(3217) LAPi: B1 09:51:00,645 (51.00,63693) ILID_IND_DATA ff c0 60 c0 bb 0c 44 43 ...
(18420) 14/02/19 09:51:00 - INFO: <--(3217) T30 : B1 09:51:00,645 Rx ECM FRAME No: 3(frame_count: 3) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:00 - INFO: <--(3217) T30 : B1 09:51:00,646 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:00 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:00 - INFO: <--(3217) FC : --> B1 09:51:00,649 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 09:51:00 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4004
(18420) 14/02/19 09:51:00 - INFO: <--(3217) FC : <- B1 09:51:00,650 state=FC_RX
(18420) 14/02/19 09:51:00 - INFO: <--(3217) LAPi: B1 09:51:00,789 (51.00,78597) ILID_IND_DATA ff c0 60 20 89 84 47 46 ...
(18420) 14/02/19 09:51:00 - INFO: <--(3217) T30 : B1 09:51:00,789 Rx ECM FRAME No: 4(frame_count: 4) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:00 - INFO: <--(3217) T30 : B1 09:51:00,790 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:00 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:00 - INFO: <--(3217) LAPi: B1 09:51:00,933 (51.00,92995) ILID_IND_DATA ff c0 60 a0 08 22 b5 38 ...
(18420) 14/02/19 09:51:00 - INFO: <--(3217) T30 : B1 09:51:00,933 Rx ECM FRAME No: 5(frame_count: 5) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:00 - INFO: <--(3217) T30 : B1 09:51:00,934 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:00 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:00 - INFO: <--(3217) LAPi: B1 09:51:01,093 (51.01,08766) ILID_IND_DATA ff c0 60 60 24 7c 58 21 ...
(18420) 14/02/19 09:51:00 - INFO: <--(3217) T30 : B1 09:51:01,093 Rx ECM FRAME No: 6(frame_count: 6) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:00 - INFO: <--(3217) T30 : B1 09:51:01,094 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:00 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:01 - INFO: <--(3217) LAPi: B1 09:51:01,237 (51.01,23157) ILID_IND_DATA ff c0 60 e0 11 11 11 11 ...
(18420) 14/02/19 09:51:01 - INFO: <--(3217) T30 : B1 09:51:01,238 Rx ECM FRAME No: 7(frame_count: 7) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:01 - INFO: <--(3217) T30 : B1 09:51:01,238 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:01 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:01 - INFO: <--(3217) FC : --> B1 09:51:01,241 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 09:51:01 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4004
(18420) 14/02/19 09:51:01 - INFO: <--(3217) FC : <- B1 09:51:01,242 state=FC_RX
(18420) 14/02/19 09:51:01 - INFO: <--(3217) LAPi: B1 09:51:01,397 (51.01,38935) ILID_IND_DATA ff c0 60 10 a2 e8 81 ca ...
(18420) 14/02/19 09:51:01 - INFO: <--(3217) T30 : B1 09:51:01,397 Rx ECM FRAME No: 8(frame_count: 8) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:01 - INFO: <--(3217) T30 : B1 09:51:01,398 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:01 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:01 - INFO: <--(3217) LAPi: B1 09:51:01,541 (51.01,53833) ILID_IND_DATA ff c0 60 90 12 04 09 32 ...
(18420) 14/02/19 09:51:01 - INFO: <--(3217) T30 : B1 09:51:01,541 Rx ECM FRAME No: 9(frame_count: 9) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:01 - INFO: <--(3217) T30 : B1 09:51:01,542 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:01 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:01 - INFO: <--(3217) LAPi: B1 09:51:01,701 (51.01,69603) ILID_IND_DATA ff c0 60 50 22 22 22 22 ...
(18420) 14/02/19 09:51:01 - INFO: <--(3217) T30 : B1 09:51:01,701 Rx ECM FRAME No: 10(frame_count: 10) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:01 - INFO: <--(3217) T30 : B1 09:51:01,702 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:01 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:01 - INFO: <--(3217) LAPi: B1 09:51:01,845 (51.01,83981) ILID_IND_DATA ff c0 60 d0 18 a4 6e 0c ...

(18420) 14/02/19 09:51:13 - INFO: <--(3217) T30 : B1 09:51:13,927 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:13 - INFO: <--(3217) T4 : new G3 block nTeiIndex=4
(18420) 14/02/19 09:51:13 - INFO: <--(3217) FC : --> B1 09:51:13,929 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 09:51:13 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4004
(18420) 14/02/19 09:51:13 - INFO: <--(3217) FC : <-- B1 09:51:13,930 state=FC_RX
(18420) 14/02/19 09:51:13 - INFO: <--(3217) LAPi: B1 09:51:14,069 (51.14,06579) ILID_IND_DATA ff c0 60 3a 4b 8c c0 a5 ...
(18420) 14/02/19 09:51:13 - INFO: <--(3217) T30 : B1 09:51:14,070 Rx ECM FRAME No: 92(frame_count: 92) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:13 - INFO: <--(3217) T30 : B1 09:51:14,071 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:13 - INFO: <--(3217) T4 : new G3 block nTeiIndex=4
(18420) 14/02/19 09:51:13 - INFO: <--(3217) :alive
(18420) 14/02/19 09:51:14 - INFO: <--(3217) LAPi: B1 09:51:14,229 (51.14,22545) ILID_IND_DATA ff c0 60 ba d9 43 82 23 ...
(18420) 14/02/19 09:51:14 - INFO: <--(3217) T30 : B1 09:51:14,230 Rx ECM FRAME No: 93(frame_count: 93) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:14 - INFO: <--(3217) T30 : B1 09:51:14,231 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:14 - INFO: <--(3217) T4 : new G3 block nTeiIndex=4
(18420) 14/02/19 09:51:14 - INFO: <--(3217) LAPi: B1 09:51:14,373 (51.14,36777) ILID_IND_DATA ff c0 60 7a f9 4e 8c 23 ...
(18420) 14/02/19 09:51:14 - INFO: <--(3217) T30 : B1 09:51:14,374 Rx ECM FRAME No: 94(frame_count: 94) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:14 - INFO: <--(3217) T30 : B1 09:51:14,375 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:14 - INFO: <--(3217) T4 : new G3 block nTeiIndex=4
(18420) 14/02/19 09:51:14 - INFO: <--(3217) LAPi: B1 09:51:14,533 (51.14,52568) ILID_IND_DATA ff c0 60 fa 24 87 1a c4 ...
(18420) 14/02/19 09:51:14 - INFO: <--(3217) T30 : B1 09:51:14,534 Rx ECM FRAME No: 95(frame_count: 95) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:14 - INFO: <--(3217) T30 : B1 09:51:14,535 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:14 - INFO: <--(3217) T4 : new G3 block nTeiIndex=4
(18420) 14/02/19 09:51:14 - INFO: <--(3217) LAPi: B1 09:51:14,677 (51.14,66967) ILID_IND_DATA ff c0 60 06 d2 09 cf 24 ...
(18420) 14/02/19 09:51:14 - INFO: <--(3217) T30 : B1 09:51:14,678 Rx ECM FRAME No: 96(frame_count: 96) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:14 - INFO: <--(3217) T30 : B1 09:51:14,679 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:14 - INFO: <--(3217) T4 : new G3 block nTeiIndex=4
(18420) 14/02/19 09:51:14 - INFO: <--(3217) FC : --> B1 09:51:14,680 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 09:51:14 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4004
(18420) 14/02/19 09:51:14 - INFO: <--(3217) FC : <-- B1 09:51:14,681 state=FC_RX
(18420) 14/02/19 09:51:14 - INFO: <--(3217) LAPi: B1 09:51:14,821 (51.14,81857) ILID_IND_DATA ff c0 60 86 28 73 8e 0a ...
(18420) 14/02/19 09:51:14 - INFO: <--(3217) T30 : B1 09:51:14,822 Rx ECM FRAME No: 97(frame_count: 97) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:14 - INFO: <--(3217) T30 : B1 09:51:14,823 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:14 - INFO: <--(3217) T4 : new G3 block nTeiIndex=4
(18420) 14/02/19 09:51:14 - INFO: <--(3217) LAPi: B1 09:51:14,981 (51.14,97656) ILID_IND_DATA ff c0 60 46 ff ff ff ff ...
(18420) 14/02/19 09:51:14 - INFO: <--(3217) T30 : B1 09:51:14,982 Rx ECM FRAME No: 98(frame_count: 98) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:14 - INFO: <--(3217) T30 : B1 09:51:14,983 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:14 - INFO: <--(3217) T4 : new G3 block nTeiIndex=4
(18420) 14/02/19 09:51:14 - INFO: <--(3217) LAPi: B1 09:51:14,997 (51.14,99297) ILID_IND_DATA ff c0 61 96 d3
(18420) 14/02/19 09:51:14 - INFO: <--(3217) LAPi: B1 09:51:14,997 (51.14,99269) ILID_IND_DATA ff c0 61 96 d3
(18420) 14/02/19 09:51:14 - INFO: <--(3217) T30 : B1 09:51:14,998 ECM RCP 1x
(18420) 14/02/19 09:51:14 - INFO: <--(3217) T30 : B1 09:51:14,998 LapiSetMode id=7 mode=6 alaw=1 dir=0 bufsize=264 hdlc=1 t1=0 t2=0 f=0
(18420) 14/02/19 09:51:14 - INFO: <--(3217) T30 : B1 09:51:14,999 stop Timer Timer 2 RXECM
(18420) 14/02/19 09:51:14 - INFO: <--(3217) T30 : B1 09:51:14,999 start Timer Timer 2
(18420) 14/02/19 09:51:14 - INFO: <--(3217) LAPi: B1 09:51:14,999 setting rx modem mode ""
(18420) 14/02/19 09:51:14 - INFO: <--(3217) Error: T30 B1 09:51:15,001 Msg L_RECEIVE_DATA at state T30_PDR_ECM_W4PPS_CTC with old session_id received -> ignore!
(18420) 14/02/19 09:51:14 - INFO: <--(3217) LAPi: B1 09:51:15,002 setting rx modem mode 'rxg711 -a -r | rxmdm -v 21 -b 300 | rxhdlc -r'
(18420) 14/02/19 09:51:14 - INFO: <--(3217) LAPi: B1 09:51:15,013 (51.15,01269) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 09:51:14 - INFO: <--(3217) FC : --> B1 09:51:15,018 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 09:51:14 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4000
(18420) 14/02/19 09:51:14 - INFO: <--(3217) FC : <-- B1 09:51:15,020 state=FC_RX
(18420) 14/02/19 09:51:14 - INFO: <--(3217) T4 : 09:51:15,025 detecting RTC
(18420) 14/02/19 09:51:14 - INFO: <--(3217) T4 : EOL 1 before bufpos=56/64,bitpos=24
(18420) 14/02/19 09:51:14 - INFO: <--(3217) T4 : EOL 2 before bufpos=56/64,bitpos=12
(18420) 14/02/19 09:51:14 - INFO: <--(3217) T4 : lines=1142 errors=0
(18420) 14/02/19 09:51:14 - INFO: <--(3217) T30 : B1 09:51:15,026 ECM T30_RX_RTC RECEIVED 1.x
(18420) 14/02/19 09:51:14 - INFO: <--(3217) FC : --> B1 09:51:15,026 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 09:51:14 - INFO: <--(3217) FC : B1 T30_RX_DATA size=886
(18420) 14/02/19 09:51:14 - INFO: <--(3217) FC : <-- B1 09:51:15,027 state=FC_RX
(18420) 14/02/19 09:51:14 - INFO: <--(3217) FC : --> B1 09:51:15,028 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 09:51:14 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4
(18420) 14/02/19 09:51:14 - INFO: <--(3217) BFF : Write SOP
(18420) 14/02/19 09:51:14 - INFO: <--(3217) BFF : Write SEEK Prev
(18420) 14/02/19 09:51:14 - INFO: <--(3217) FC : <-- B1 09:51:15,030 state=FC_RX
(18420) 14/02/19 09:51:14 - INFO: <--(3217) LAPi: B1 09:51:15,031 (51.15,02868) ILID_IND_DETECT ILAPI_DETECT_SILENCE size=21
(18420) 14/02/19 09:51:14 - INFO: <--(3217) LAPi: B1 09:51:15,045 (51.15,04470) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 09:51:14 - INFO: <--(3217) LAPi: B1 09:51:15,061 (51.15,06070) ILID_IND_DETECT ILAPI_DETECT_SILENCE size=21
(18420) 14/02/19 09:51:15 - INFO: <--(3217) LAPi: B1 09:51:15,189 (51.15,18876) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 09:51:15 - INFO: <--(3217) LAPi: B1 09:51:15,285 (51.15,28476) ILID_IND_DETECT ILAPI_DETECT_V21 size=21
(18420) 14/02/19 09:51:15 - INFO: <--(3217) LAPi: B1 09:51:15,365 (51.15,35999) ILID_IND_FLAG size=16
(18420) 14/02/19 09:51:15 - INFO: <--(3217) T30 : B1 V21 Flags detected
(18420) 14/02/19 09:51:15 - INFO: <--(3217) T30 : B1 09:51:15,366 Restart Timer Timer 2
(18420) 14/02/19 09:51:16 - INFO: <--(3217) LAPi: B1 09:51:16,485 (51.16,48011) ILID_IND_DATA ff 13 bf 4f 00 00 62 3a ...
(18420) 14/02/19 09:51:16 - INFO: <--(3217) T30 : B1 09:51:16,486 RCV PPS (ff 13 bf 4f 00 00 62)
(18420) 14/02/19 09:51:16 - INFO: <--(3217) T30 : B1 09:51:16,486 stop Timer Timer 2
(18420) 14/02/19 09:51:16 - INFO: <--(3217) LAPi: B1 09:51:16,501 (51.16,49758) ILID_IND_CARRIER_LOST size=16
(18420) 14/02/19 09:51:16 - INFO: <--(3217) LAPi: B1 09:51:16,501 setting rx modem mode ""
(18420) 14/02/19 09:51:16 - INFO: <--(3217) T30 : B1 09:51:16,502 Receiver Ready: T4_RX_Backlog: 0 Fapi: ACCEPT_RX_DATA
(18420) 14/02/19 09:51:16 - INFO: <--(3217) T30 : B1 SendHighLayerStatus
(18420) 14/02/19 09:51:16 - INFO: <--(3217) T30 : B1 09:51:16,502 Page OK Pages: 1
(18420) 14/02/19 09:51:16 - INFO: <--(3217) T30 : B1 09:51:16,502 LapiSetMode id=8 mode=6 alaw=1 dir=1 bufsize=0 hdlc=1 t1=1000 t2=100 f=0
(18420) 14/02/19 09:51:16 - INFO: <--(3217) T30 : B1 09:51:16,503 Send MCF:
(18420) 14/02/19 09:51:16 - INFO: <--(3217) LAPi: B1 09:51:16,503 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 09:51:16 - INFO: <--(3217) LAPi: B1 09:51:16,504 setting (sync) tx modem mode 'txhdlc -n -r | txmdm -v 21 -b 300 -s | txg711 -a -r' (session 2)
(18420) 14/02/19 09:51:16 - INFO: <--(3217) LAPi: B1 09:51:16,504 Sending 38 flags
(18420) 14/02/19 09:51:16 - INFO: <--(3217) LAPi: B1 09:51:16,505 write: req=1, size=1, buf: 26
(18420) 14/02/19 09:51:16 - INFO: <--(3217) FC : --> B1 09:51:16,506 state=FC_RX, event=T30_STATUS
(18420) 14/02/19 09:51:16 - INFO: <--(3217) FC : Wed Feb 19 09:51:16 2014
(18420) 14/02/19 09:51:16 - INFO: <--(3217) Status Update
(18420) 14/02/19 09:51:16 - INFO: <--(3217) direction : recv
(18420) 14/02/19 09:51:16 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 09:51:16 - INFO: <--(3217) bps_used : 14400
(18420) 14/02/19 09:51:16 - INFO: <--(3217) own_csid : +43 7563 8041
(18420) 14/02/19 09:51:16 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 09:51:16 - INFO: <--(3217) ecm_used : 1

(18420) 14/02/19 09:51:16 - INFO: <--(3217) dpi_used : 100 dpi
(18420) 14/02/19 09:51:16 - INFO: <--(3217) t4mode_used : MMR
(18420) 14/02/19 09:51:16 - INFO: <--(3217) tx image_type : unknown
(18420) 14/02/19 09:51:16 - INFO: <--(3217) rx image_type : BFF
(18420) 14/02/19 09:51:16 - INFO: <--(3217) total_pages : 0
(18420) 14/02/19 09:51:16 - INFO: <--(3217) tx_pages : 0
(18420) 14/02/19 09:51:16 - INFO: <--(3217) rx_pages : 0
(18420) 14/02/19 09:51:16 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 09:51:16 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 09:51:16 - INFO: <--(3217) to_whom_tx :
(18420) 14/02/19 09:51:16 - INFO: <--(3217) from_whom_tx :
(18420) 14/02/19 09:51:16 - INFO: <--(3217) remote_csid :
(18420) 14/02/19 09:51:16 - INFO: <--(3217) remote_sernum : 0
(18420) 14/02/19 09:51:16 - INFO: <--(3217) error : 22
(18420) 14/02/19 09:51:16 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:51.16" --error="none" --type="recv" --bps="14400" --ecm=1 -
-res="100" --t4="MMR" --txp=0 --rxp=1 --ferrari=0 --sernum=0 --csid="" --to="" --from=""
(18420) 14/02/19 09:51:16 - INFO: DChannel::OnMsgLine(): job 89750: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:51.16" --error="none" --
type="recv" --bps="14400" --ecm=1 --res="100" --t4="MMR" --txp=0 --rxp=1 --ferrari=0 --sernum=0 --csid="" --to="" --from=""
(18420) 14/02/19 09:51:16 - INFO: <--(3217) FC : <-- B1 09:51:16,507 state=FC_RX
(18420) 14/02/19 09:51:16 - INFO: <--(3217) LAPi: B1 09:51:16,508 write: req=2, size=3, buf: ff 13 8c
(18420) 14/02/19 09:51:16 - INFO: <--(3217) LAPi: B1 09:51:16,509 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 09:51:16 - INFO: <--(3217) LAPi: B1 09:51:16,509 write: req=1, size=1, buf: 02
(18420) 14/02/19 09:51:16 - INFO: <--(3217) LAPi: B1 09:51:16,509 write: req=5, size=0, buf:
(18420) 14/02/19 09:51:16 - INFO: <--(3217) LAPi: B1 09:51:16,509 turned off tx irq
(18420) 14/02/19 09:51:16 - INFO: <--(3217) LAPi: B1 09:51:16,509 setting (sync) tx modem mode 'txidle -a' (session 3)
(18420) 14/02/19 09:51:16 - INFO: <--(3217) LAPi: B1 09:51:18,125 txend for session 2
(18420) 14/02/19 09:51:18 - INFO: <--(3217) LAPi: B1 09:51:18,126 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 09:51:18 - INFO: <--(3217) T30 : B1 09:51:18,127 Send T4 Setup
(18420) 14/02/19 09:51:18 - INFO: <--(3217) T30 : B1 09:51:18,127 start Timer Timer 2 RXECM
(18420) 14/02/19 09:51:18 - INFO: <--(3217) T30 : B1 09:51:18,127 ReceiveHighSpeedData ECM
(18420) 14/02/19 09:51:18 - INFO: <--(3217) T30 : B1 09:51:18,127 LapiSetMode id=9 mode=24 alaw=1 dir=0 bufsize=264 hdlc=1 t1=0 t2=0 f=0
(18420) 14/02/19 09:51:18 - INFO: <--(3217) LAPi: B1 09:51:18,131 setting rx modem mode 'rxg711 -a -r | rxmdm -v 17 -b 14400 -s | rxhdlc -r -R'
(18420) 14/02/19 09:51:18 - INFO: <--(3217) T4 : 09:51:18,132 ready for decoding
(18420) 14/02/19 09:51:18 - INFO: <--(3217) line width: 1728
(18420) 14/02/19 09:51:18 - INFO: <--(3217) line repeat: 2
(18420) 14/02/19 09:51:18 - INFO: <--(3217) format : 6
(18420) 14/02/19 09:51:18 - INFO: <--(3217) event: 0x02
(18420) 14/02/19 09:51:18 - INFO: <--(3217) rtc event: 0x50
(18420) 14/02/19 09:51:18 - INFO: <--(3217) eom event: 0x00
(18420) 14/02/19 09:51:18 - INFO: <--(3217) K: 1
(18420) 14/02/19 09:51:18 - INFO: <--(3217) LAPi: B1 09:51:19,020 (51.19,02003) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 09:51:19 - INFO: <--(3217) LAPi: B1 09:51:19,228 (51.19,22799) ILID_IND_DETECT ILAPI_DETECT_SILENCE size=21
(18420) 14/02/19 09:51:19 - INFO: <--(3217) LAPi: B1 09:51:19,245 (51.19,24406) ILID_IND_DETECT ILAPI_DETECT_V17_14400 size=21
(18420) 14/02/19 09:51:19 - INFO: <--(3217) LAPi: B1 09:51:19,389 (51.19,38213) ILID_IND_BREAK size=16
(18420) 14/02/19 09:51:19 - INFO: <--(3217) LAPi: B1 09:51:19,389 unexpected event ILAPI_IND_BREAK in state L_RX_VXX
(18420) 14/02/19 09:51:19 - INFO: <--(3217) LAPi: B1 09:51:19,437 (51.19,43003) ILID_IND_FLAG size=16
(18420) 14/02/19 09:51:19 - INFO: <--(3217) LAPi: B1 09:51:19,789 (51.19,78461) ILID_IND_DATA ff c0 60 00 f3 b1 0c 90 ...
(18420) 14/02/19 09:51:19 - INFO: <--(3217) T30 : B1 09:51:19,789 Rx ECM FRAME No: 0(frame_count: 0) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:19 - INFO: <--(3217) T30 : B1 09:51:19,790 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:19 - INFO: <--(3217) T4 : new G3 block nTeiIndex=4
(18420) 14/02/19 09:51:19 - INFO: <--(3217) LAPi: B1 09:51:19,933 (51.19,92853) ILID_IND_DATA ff c0 60 80 2c 30 a3 c9 ...
(18420) 14/02/19 09:51:19 - INFO: <--(3217) T30 : B1 09:51:19,933 Rx ECM FRAME No: 1(frame_count: 1) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:19 - INFO: <--(3217) T30 : B1 09:51:19,934 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:19 - INFO: <--(3217) T4 : new G3 block nTeiIndex=4
(18420) 14/02/19 09:51:19 - INFO: <--(3217) LAPi: B1 09:51:20,093 (51.20,08700) ILID_IND_DATA ff c0 60 40 c6 13 23 91 ...
(18420) 14/02/19 09:51:19 - INFO: <--(3217) T30 : B1 09:51:20,093 Rx ECM FRAME No: 2(frame_count: 2) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:19 - INFO: <--(3217) T30 : B1 09:51:20,094 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:20 - INFO: <--(3217) T4 : new G3 block nTeiIndex=4
(18420) 14/02/19 09:51:20 - INFO: <--(3217) FC : --> B1 09:51:20,099 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 09:51:20 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4004
(18420) 14/02/19 09:51:20 - INFO: <--(3217) BFF : Write SEEK Next
(18420) 14/02/19 09:51:20 - INFO: <--(3217) FC : <-- B1 09:51:20,102 state=FC_RX
(18420) 14/02/19 09:51:20 - INFO: <--(3217) :alive
(18420) 14/02/19 09:51:20 - INFO: <--(3217) LAPi: B1 09:51:20,253 (51.20,24547) ILID_IND_DATA ff c0 60 c0 d8 49 3c 18 ...
(18420) 14/02/19 09:51:20 - INFO: <--(3217) T30 : B1 09:51:20,253 Rx ECM FRAME No: 3(frame_count: 3) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:20 - INFO: <--(3217) T30 : B1 09:51:20,254 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:20 - INFO: <--(3217) T4 : new G3 block nTeiIndex=4
(18420) 14/02/19 09:51:20 - INFO: <--(3217) LAPi: B1 09:51:20,397 (51.20,39493) ILID_IND_DATA ff c0 60 20 8c 22 04 8c ...
(18420) 14/02/19 09:51:20 - INFO: <--(3217) T30 : B1 09:51:20,397 Rx ECM FRAME No: 4(frame_count: 4) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:20 - INFO: <--(3217) T30 : B1 09:51:20,398 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:20 - INFO: <--(3217) T4 : new G3 block nTeiIndex=4
(18420) 14/02/19 09:51:20 - INFO: <--(3217) LAPi: B1 09:51:20,541 (51.20,53683) ILID_IND_DATA ff c0 60 a0 88 88 88 8f ...
(18420) 14/02/19 09:51:20 - INFO: <--(3217) T30 : B1 09:51:20,541 Rx ECM FRAME No: 5(frame_count: 5) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:20 - INFO: <--(3217) T30 : B1 09:51:20,542 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:20 - INFO: <--(3217) T4 : new G3 block nTeiIndex=4
(18420) 14/02/19 09:51:20 - INFO: <--(3217) FC : --> B1 09:51:20,546 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 09:51:20 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4004
(18420) 14/02/19 09:51:20 - INFO: <--(3217) FC : <-- B1 09:51:20,548 state=FC_RX
(18420) 14/02/19 09:51:20 - INFO: <--(3217) LAPi: B1 09:51:20,685 (51.20,68082) ILID_IND_DATA ff c0 60 60 29 f2 87 08 ...
(18420) 14/02/19 09:51:20 - INFO: <--(3217) T30 : B1 09:51:20,685 Rx ECM FRAME No: 6(frame_count: 6) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:20 - INFO: <--(3217) T30 : B1 09:51:20,686 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:20 - INFO: <--(3217) T4 : new G3 block nTeiIndex=4
(18420) 14/02/19 09:51:20 - INFO: <--(3217) LAPi: B1 09:51:20,845 (51.20,83853) ILID_IND_DATA ff c0 60 e0 82 04 11 79 ...
(18420) 14/02/19 09:51:20 - INFO: <--(3217) T30 : B1 09:51:20,845 Rx ECM FRAME No: 7(frame_count: 7) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:20 - INFO: <--(3217) T30 : B1 09:51:20,846 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:20 - INFO: <--(3217) T4 : new G3 block nTeiIndex=4
(18420) 14/02/19 09:51:20 - INFO: <--(3217) LAPi: B1 09:51:20,989 (51.20,98244) ILID_IND_DATA ff c0 60 10 37 41 06 18 ...
(18420) 14/02/19 09:51:20 - INFO: <--(3217) T30 : B1 09:51:20,989 Rx ECM FRAME No: 8(frame_count: 8) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:20 - INFO: <--(3217) T30 : B1 09:51:20,990 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:20 - INFO: <--(3217) T4 : new G3 block nTeiIndex=4
(18420) 14/02/19 09:51:20 - INFO: <--(3217) FC : --> B1 09:51:20,996 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 09:51:20 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4002
(18420) 14/02/19 09:51:20 - INFO: <--(3217) FC : <-- B1 09:51:20,998 state=FC_RX
(18420) 14/02/19 09:51:21 - INFO: <--(3217) LAPi: B1 09:51:21,149 (51.21,14507) ILID_IND_DATA ff c0 60 90 ae 92 4d ea ...
(18420) 14/02/19 09:51:21 - INFO: <--(3217) T30 : B1 09:51:21,149 Rx ECM FRAME No: 9(frame_count: 9) OK (Size = 260) . Send to HighLayer

(18420) 14/02/19 09:51:24 - INFO: <--(3217) T30 : B1 09:51:24,158 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:24 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:24 - INFO: <--(3217) LAPi: B1 09:51:24,301 (51.24,29725) ILID_IND_DATA ff c0 60 78 df 84 7d e9 ...
(18420) 14/02/19 09:51:24 - INFO: <--(3217) T30 : B1 09:51:24,301 Rx ECM FRAME No: 30(frame_count: 30) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:24 - INFO: <--(3217) T30 : B1 09:51:24,302 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:24 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:24 - INFO: <--(3217) FC : --> B1 09:51:24,305 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 09:51:24 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4004
(18420) 14/02/19 09:51:24 - INFO: <--(3217) FC : <-- B1 09:51:24,306 state=FC_RX
(18420) 14/02/19 09:51:24 - INFO: <--(3217) LAPi: B1 09:51:24,461 (51.24,45496) ILID_IND_DATA ff c0 60 f8 a0 aa ad b4 ...
(18420) 14/02/19 09:51:24 - INFO: <--(3217) T30 : B1 09:51:24,461 Rx ECM FRAME No: 31(frame_count: 31) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:24 - INFO: <--(3217) T30 : B1 09:51:24,462 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:24 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:24 - INFO: <--(3217) LAPi: B1 09:51:24,605 (51.24,59887) ILID_IND_DATA ff c0 60 04 63 96 6f a3 ...
(18420) 14/02/19 09:51:24 - INFO: <--(3217) T30 : B1 09:51:24,605 Rx ECM FRAME No: 32(frame_count: 32) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:24 - INFO: <--(3217) T30 : B1 09:51:24,606 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:24 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:24 - INFO: <--(3217) LAPi: B1 09:51:24,765 (51.24,76157) ILID_IND_DATA ff c0 60 84 6b 57 a0 92 ...
(18420) 14/02/19 09:51:24 - INFO: <--(3217) T30 : B1 09:51:24,765 Rx ECM FRAME No: 33(frame_count: 33) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:24 - INFO: <--(3217) T30 : B1 09:51:24,766 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:24 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:24 - INFO: <--(3217) LAPi: B1 09:51:24,909 (51.24,90542) ILID_IND_DATA ff c0 60 44 04 0d 60 88 ...
(18420) 14/02/19 09:51:24 - INFO: <--(3217) T30 : B1 09:51:24,909 Rx ECM FRAME No: 34(frame_count: 34) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:24 - INFO: <--(3217) T30 : B1 09:51:24,910 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:24 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:24 - INFO: <--(3217) FC : --> B1 09:51:24,912 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 09:51:24 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4004
(18420) 14/02/19 09:51:24 - INFO: <--(3217) FC : <-- B1 09:51:24,914 state=FC_RX
(18420) 14/02/19 09:51:24 - INFO: <--(3217) LAPi: B1 09:51:25,069 (51.25,06493) ILID_IND_DATA ff c0 60 c4 38 8f 46 ba ...
(18420) 14/02/19 09:51:24 - INFO: <--(3217) T30 : B1 09:51:25,069 Rx ECM FRAME No: 35(frame_count: 35) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:24 - INFO: <--(3217) T30 : B1 09:51:25,070 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:24 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:25 - INFO: <--(3217) LAPi: B1 09:51:25,213 (51.25,20787) ILID_IND_DATA ff c0 60 24 10 22 32 68 ...
(18420) 14/02/19 09:51:25 - INFO: <--(3217) T30 : B1 09:51:25,213 Rx ECM FRAME No: 36(frame_count: 36) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:25 - INFO: <--(3217) T30 : B1 09:51:25,214 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:25 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:25 - INFO: <--(3217) LAPi: B1 09:51:25,373 (51.25,36621) ILID_IND_DATA ff c0 60 a4 e5 86 fb 61 ...
(18420) 14/02/19 09:51:25 - INFO: <--(3217) T30 : B1 09:51:25,373 Rx ECM FRAME No: 37(frame_count: 37) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:25 - INFO: <--(3217) T30 : B1 09:51:25,374 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:25 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:25 - INFO: <--(3217) FC : --> B1 09:51:25,383 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 09:51:25 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4004
(18420) 14/02/19 09:51:25 - INFO: <--(3217) FC : <-- B1 09:51:25,384 state=FC_RX
(18420) 14/02/19 09:51:25 - INFO: <--(3217) LAPi: B1 09:51:25,517 (51.25,51372) ILID_IND_DATA ff c0 60 64 95 a7 70 c1 ...
(18420) 14/02/19 09:51:25 - INFO: <--(3217) T30 : B1 09:51:25,517 Rx ECM FRAME No: 38(frame_count: 38) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:25 - INFO: <--(3217) T30 : B1 09:51:25,518 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:25 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:25 - INFO: <--(3217) LAPi: B1 09:51:25,661 (51.25,65764) ILID_IND_DATA ff c0 60 e4 15 02 23 d6 ...
(18420) 14/02/19 09:51:25 - INFO: <--(3217) T30 : B1 09:51:25,661 Rx ECM FRAME No: 39(frame_count: 39) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:25 - INFO: <--(3217) T30 : B1 09:51:25,662 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:25 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:25 - INFO: <--(3217) LAPi: B1 09:51:25,821 (51.25,81548) ILID_IND_DATA ff c0 60 14 58 68 26 c9 ...
(18420) 14/02/19 09:51:25 - INFO: <--(3217) T30 : B1 09:51:25,821 Rx ECM FRAME No: 40(frame_count: 40) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:25 - INFO: <--(3217) T30 : B1 09:51:25,822 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:25 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:25 - INFO: <--(3217) FC : --> B1 09:51:25,840 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 09:51:25 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4004
(18420) 14/02/19 09:51:25 - INFO: <--(3217) FC : <-- B1 09:51:25,841 state=FC_RX
(18420) 14/02/19 09:51:25 - INFO: <--(3217) LAPi: B1 09:51:25,965 (51.25,95933) ILID_IND_DATA ff c0 60 94 61 8c 18 72 ...
(18420) 14/02/19 09:51:25 - INFO: <--(3217) T30 : B1 09:51:25,965 Rx ECM FRAME No: 41(frame_count: 41) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:25 - INFO: <--(3217) T30 : B1 09:51:25,966 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:25 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:26 - INFO: <--(3217) LAPi: B1 09:51:26,125 (51.26,11857) ILID_IND_DATA ff c0 60 54 47 4d 07 40 ...
(18420) 14/02/19 09:51:26 - INFO: <--(3217) T30 : B1 09:51:26,125 Rx ECM FRAME No: 42(frame_count: 42) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:26 - INFO: <--(3217) T30 : B1 09:51:26,126 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:26 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:26 - INFO: <--(3217) :alive
(18420) 14/02/19 09:51:26 - INFO: <--(3217) LAPi: B1 09:51:26,269 (51.26,26629) ILID_IND_DATA ff c0 60 d4 90 49 7d 84 ...
(18420) 14/02/19 09:51:26 - INFO: <--(3217) T30 : B1 09:51:26,269 Rx ECM FRAME No: 43(frame_count: 43) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:26 - INFO: <--(3217) T30 : B1 09:51:26,270 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:26 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:26 - INFO: <--(3217) FC : --> B1 09:51:26,298 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 09:51:26 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4001
(18420) 14/02/19 09:51:26 - INFO: <--(3217) FC : <-- B1 09:51:26,300 state=FC_RX
(18420) 14/02/19 09:51:26 - INFO: <--(3217) LAPi: B1 09:51:26,413 (51.26,41006) ILID_IND_DATA ff c0 60 34 41 45 b2 7c ...
(18420) 14/02/19 09:51:26 - INFO: <--(3217) T30 : B1 09:51:26,413 Rx ECM FRAME No: 44(frame_count: 44) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:26 - INFO: <--(3217) T30 : B1 09:51:26,414 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:26 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:26 - INFO: <--(3217) LAPi: B1 09:51:26,573 (51.26,56833) ILID_IND_DATA ff c0 60 b4 a9 c2 a7 d2 ...
(18420) 14/02/19 09:51:26 - INFO: <--(3217) T30 : B1 09:51:26,573 Rx ECM FRAME No: 45(frame_count: 45) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:26 - INFO: <--(3217) T30 : B1 09:51:26,574 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:26 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:26 - INFO: <--(3217) LAPi: B1 09:51:26,589 (51.26,58468) ILID_IND_DATA ff c0 61 96 d3
(18420) 14/02/19 09:51:26 - INFO: <--(3217) LAPi: B1 09:51:26,589 (51.26,58384) ILID_IND_DATA ff c0 61 96 d3
(18420) 14/02/19 09:51:26 - INFO: <--(3217) LAPi: B1 09:51:26,590 (51.26,58468) ILID_IND_DATA ff c0 61 96 d3
(18420) 14/02/19 09:51:26 - INFO: <--(3217) T30 : B1 09:51:26,590 ECM RCP 1x
(18420) 14/02/19 09:51:26 - INFO: <--(3217) T30 : B1 09:51:26,590 LapiSetMode id=10 mode=6 alaw=1 dir=0 bufsize=264 hdclc=1 t1=0 t2=0 f=0
(18420) 14/02/19 09:51:26 - INFO: <--(3217) T30 : B1 09:51:26,591 stop Timer Timer 2 RXECM
(18420) 14/02/19 09:51:26 - INFO: <--(3217) T30 : B1 09:51:26,591 start Timer Timer 2
(18420) 14/02/19 09:51:26 - INFO: <--(3217) LAPi: B1 09:51:26,592 setting rx modem mode "
(18420) 14/02/19 09:51:26 - INFO: <--(3217) Error: T30 B1 09:51:26,593 Msg L_RECEIVE_DATA at state T30_PDR_ECM_W4PPS_CTC with old session_id received -> ignore!
(18420) 14/02/19 09:51:26 - INFO: <--(3217) LAPi: B1 09:51:26,594 setting rx modem mode rxg711 -a -r | rxmdm -v 21 -b 300 | rxhdlc -r'
(18420) 14/02/19 09:51:26 - INFO: <--(3217) Error: T30 B1 09:51:26,595 Msg L_RECEIVE_DATA at state T30_PDR_ECM_W4PPS_CTC with old session_id received -> ignore!

(18420) 14/02/19 09:51:26 - INFO: <--(3217) LAPi: B1 09:51:26,604 (51.26,60401) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 09:51:26 - INFO: <--(3217) FC : --> B1 09:51:26,608 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 09:51:26 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4000
(18420) 14/02/19 09:51:26 - INFO: <--(3217) FC : <-- B1 09:51:26,609 state=FC_RX
(18420) 14/02/19 09:51:26 - INFO: <--(3217) T4 : 09:51:26,648 detecting RTC
(18420) 14/02/19 09:51:26 - INFO: <--(3217) T4 : EOL 1 before bufpos=45/64,bitpos=25
(18420) 14/02/19 09:51:26 - INFO: <--(3217) T4 : EOL 2 before bufpos=45/64,bitpos=13
(18420) 14/02/19 09:51:26 - INFO: <--(3217) T4 : lines=1138 errors=0
(18420) 14/02/19 09:51:26 - INFO: <--(3217) T30 : B1 09:51:26,649 ECM T30_RX_RTC RECEIVED 2.x
(18420) 14/02/19 09:51:26 - INFO: <--(3217) FC : --> B1 09:51:26,650 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 09:51:26 - INFO: <--(3217) FC : B1 T30_RX_DATA size=2266
(18420) 14/02/19 09:51:26 - INFO: <--(3217) FC : <-- B1 09:51:26,651 state=FC_RX
(18420) 14/02/19 09:51:26 - INFO: <--(3217) LAPi: B1 09:51:26,652 (51.26,65199) ILID_IND_DETECT ILAPI_DETECT_SILENCE size=21
(18420) 14/02/19 09:51:26 - INFO: <--(3217) FC : --> B1 09:51:26,653 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 09:51:26 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4
(18420) 14/02/19 09:51:26 - INFO: <--(3217) BFF : Write SOP
(18420) 14/02/19 09:51:26 - INFO: <--(3217) BFF : Write SEEK Prev
(18420) 14/02/19 09:51:26 - INFO: <--(3217) FC : <-- B1 09:51:26,654 state=FC_RX
(18420) 14/02/19 09:51:26 - INFO: <--(3217) LAPi: B1 09:51:26,684 (51.26,68409) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 09:51:26 - INFO: <--(3217) LAPi: B1 09:51:26,700 (51.26,70002) ILID_IND_DETECT ILAPI_DETECT_SILENCE size=21
(18420) 14/02/19 09:51:26 - INFO: <--(3217) LAPi: B1 09:51:26,780 (51.26,78011) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 09:51:26 - INFO: <--(3217) LAPi: B1 09:51:26,876 (51.26,87610) ILID_IND_DETECT ILAPI_DETECT_V21 size=21
(18420) 14/02/19 09:51:26 - INFO: <--(3217) LAPi: B1 09:51:26,956 (51.26,95197) ILID_IND_FLAG size=16
(18420) 14/02/19 09:51:26 - INFO: <--(3217) T30 : B1 V21 Flags detected
(18420) 14/02/19 09:51:26 - INFO: <--(3217) T30 : B1 09:51:26,957 Restart Timer Timer 2
(18420) 14/02/19 09:51:27 - INFO: <--(3217) LAPi: B1 09:51:28,076 (51.28,07198) ILID_IND_DATA ff 13 bf 4f 01 00 2d 15 ...
(18420) 14/02/19 09:51:27 - INFO: <--(3217) T30 : B1 09:51:28,077 RCV PPS (ff 13 bf 4f 01 00 2d)
(18420) 14/02/19 09:51:27 - INFO: <--(3217) T30 : B1 09:51:28,077 stop Timer Timer 2
(18420) 14/02/19 09:51:28 - INFO: <--(3217) LAPi: B1 09:51:28,092 (51.28,09095) ILID_IND_CARRIER_LOST size=16
(18420) 14/02/19 09:51:28 - INFO: <--(3217) LAPi: B1 09:51:28,092 setting rx modem mode ""
(18420) 14/02/19 09:51:28 - INFO: <--(3217) T30 : B1 09:51:28,093 Receiver Ready: T4_RX_Backlog: 0 Fapi: ACCEPT_RX_DATA
(18420) 14/02/19 09:51:28 - INFO: <--(3217) T30 : B1 SendHighLayerStatus
(18420) 14/02/19 09:51:28 - INFO: <--(3217) T30 : B1 09:51:28,094 Page OK Pages: 2
(18420) 14/02/19 09:51:28 - INFO: <--(3217) T30 : B1 09:51:28,094 LapiSetMode id=11 mode=6 alaw=1 dir=1 bufsize=0 hdlc=1 t1=1000 t2=100 f=0
(18420) 14/02/19 09:51:28 - INFO: <--(3217) T30 : B1 09:51:28,094 Send MCF:
(18420) 14/02/19 09:51:28 - INFO: <--(3217) LAPi: B1 09:51:28,095 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 09:51:28 - INFO: <--(3217) LAPi: B1 09:51:28,095 setting (sync) tx modem mode 'txhdlc -n -r | txmdm -v 21 -b 300 -s | txg711 -a -r' (session 2)
(18420) 14/02/19 09:51:28 - INFO: <--(3217) LAPi: B1 09:51:28,095 Sending 38 flags
(18420) 14/02/19 09:51:28 - INFO: <--(3217) LAPi: B1 09:51:28,096 write: req=1, size=1, buf: 26
(18420) 14/02/19 09:51:28 - INFO: <--(3217) FC : --> B1 09:51:28,097 state=FC_RX, event=T30_STATUS
(18420) 14/02/19 09:51:28 - INFO: <--(3217) FC : Wed Feb 19 09:51:28 2014
(18420) 14/02/19 09:51:28 - INFO: <--(3217) Status Update
(18420) 14/02/19 09:51:28 - INFO: <--(3217) direction : rcv
(18420) 14/02/19 09:51:28 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 09:51:28 - INFO: <--(3217) bps_used : 14400
(18420) 14/02/19 09:51:28 - INFO: <--(3217) own_csid : +43 7563 8041
(18420) 14/02/19 09:51:28 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 09:51:28 - INFO: <--(3217) ecm_used : 1
(18420) 14/02/19 09:51:28 - INFO: <--(3217) dpi_used : 100 dpi
(18420) 14/02/19 09:51:28 - INFO: <--(3217) t4mode_used : MMR
(18420) 14/02/19 09:51:28 - INFO: <--(3217) tx_image_type : unknown
(18420) 14/02/19 09:51:28 - INFO: <--(3217) rx_image_type : BFF
(18420) 14/02/19 09:51:28 - INFO: <--(3217) total_pages : 0
(18420) 14/02/19 09:51:28 - INFO: <--(3217) tx_pages : 0
(18420) 14/02/19 09:51:28 - INFO: <--(3217) rx_pages : 1
(18420) 14/02/19 09:51:28 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 09:51:28 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 09:51:28 - INFO: <--(3217) to_whom_tx :
(18420) 14/02/19 09:51:28 - INFO: <--(3217) from_whom_tx :
(18420) 14/02/19 09:51:28 - INFO: <--(3217) remote_csid :
(18420) 14/02/19 09:51:28 - INFO: <--(3217) remote_sernum : 0
(18420) 14/02/19 09:51:28 - INFO: <--(3217) error : 22
(18420) 14/02/19 09:51:28 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:51:28" --error="none" --type="recv" --bps="14400" --ecm=1 -
-res="100" --t4="MMR" --txp=0 --rxp=2 --ferrari=0 --sernum=0 --csid="" --to="" --from=""
(18420) 14/02/19 09:51:28 - INFO: DChannel:OnMsgLine(): job 89750: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:51:28" --error="none" --
type="recv" --bps="14400" --ecm=1
(18420) 14/02/19 09:51:28 - INFO: <--(3217) FC : <-- B1 09:51:28,105 state=FC_RX
(18420) 14/02/19 09:51:28 - INFO: <--(3217) LAPi: B1 09:51:28,106 write: req=2, size=3, buf: ff 13 8c
(18420) 14/02/19 09:51:28 - INFO: <--(3217) LAPi: B1 09:51:28,107 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 09:51:28 - INFO: <--(3217) LAPi: B1 09:51:28,107 write: req=1, size=1, buf: 02
(18420) 14/02/19 09:51:28 - INFO: <--(3217) LAPi: B1 09:51:28,107 write: req=5, size=0, buf:
(18420) 14/02/19 09:51:28 - INFO: <--(3217) LAPi: B1 09:51:28,107 turned off tx irq
(18420) 14/02/19 09:51:28 - INFO: <--(3217) LAPi: B1 09:51:28,108 setting (sync) tx modem mode 'txidle -a' (session 3)
(18420) 14/02/19 09:51:29 - INFO: <--(3217) LAPi: B1 09:51:29,724 txend for session 2
(18420) 14/02/19 09:51:29 - INFO: <--(3217) LAPi: B1 09:51:29,726 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 09:51:29 - INFO: <--(3217) T30 : B1 09:51:29,728 Send T4 Setup
(18420) 14/02/19 09:51:29 - INFO: <--(3217) T30 : B1 09:51:29,728 start Timer Timer 2 RXECM
(18420) 14/02/19 09:51:29 - INFO: <--(3217) T30 : B1 09:51:29,728 ReceiveHighSpeedData ECM
(18420) 14/02/19 09:51:29 - INFO: <--(3217) T30 : B1 09:51:29,728 LapiSetMode id=12 mode=24 alaw=1 dir=0 bufsize=264 hdlc=1 t1=0 t2=0 f=0
(18420) 14/02/19 09:51:29 - INFO: <--(3217) LAPi: B1 09:51:29,729 setting rx modem mode 'rxg711 -a -r | rxmdm -v 17 -b 14400 -s | rxhdlc -r -R'
(18420) 14/02/19 09:51:29 - INFO: <--(3217) T4 : 09:51:29,730 ready for decoding
(18420) 14/02/19 09:51:29 - INFO: <--(3217) line width: 1728
(18420) 14/02/19 09:51:29 - INFO: <--(3217) line repeat: 2
(18420) 14/02/19 09:51:29 - INFO: <--(3217) format : 6
(18420) 14/02/19 09:51:29 - INFO: <--(3217) event: 0x02
(18420) 14/02/19 09:51:29 - INFO: <--(3217) rtc event: 0x50
(18420) 14/02/19 09:51:29 - INFO: <--(3217) eom event: 0x00
(18420) 14/02/19 09:51:29 - INFO: <--(3217) K: 1
(18420) 14/02/19 09:51:30 - INFO: <--(3217) LAPi: B1 09:51:30,620 (51.30,62003) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 09:51:30 - INFO: <--(3217) LAPi: B1 09:51:30,828 (51.30,82797) ILID_IND_DETECT ILAPI_DETECT_SILENCE size=21
(18420) 14/02/19 09:51:30 - INFO: <--(3217) LAPi: B1 09:51:30,845 (51.30,84405) ILID_IND_DETECT ILAPI_DETECT_V17_14400 size=21
(18420) 14/02/19 09:51:30 - INFO: <--(3217) LAPi: B1 09:51:30,989 (51.30,98212) ILID_IND_BREAK size=16
(18420) 14/02/19 09:51:30 - INFO: <--(3217) LAPi: B1 09:51:30,989 unexpected event ILAPI_IND_BREAK in state L_RX_VXX
(18420) 14/02/19 09:51:30 - INFO: <--(3217) LAPi: B1 09:51:31,037 (51.31,03002) ILID_IND_FLAG size=16
(18420) 14/02/19 09:51:31 - INFO: <--(3217) LAPi: B1 09:51:31,389 (51.31,38467) ILID_IND_DATA ff c0 60 00 f3 b1 0c 90 ...

(18420) 14/02/19 09:51:37 - INFO: <--(3217) LAPI: B1 09:51:37,261 (51.37,25735) ILID_IND_DATA ff c0 60 e4 ff a5 b8 d0 ...
(18420) 14/02/19 09:51:37 - INFO: <--(3217) T30 : B1 09:51:37,261 Rx ECM FRAME No: 39(frame_count: 39) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:37 - INFO: <--(3217) T30 : B1 09:51:37,262 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:37 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:37 - INFO: <--(3217) LAPI: B1 09:51:37,421 (51.37,41673) ILID_IND_DATA ff c0 60 14 2b b7 bb 88 ...
(18420) 14/02/19 09:51:37 - INFO: <--(3217) T30 : B1 09:51:37,421 Rx ECM FRAME No: 40(frame_count: 40) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:37 - INFO: <--(3217) T30 : B1 09:51:37,422 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:37 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:37 - INFO: <--(3217) LAPI: B1 09:51:37,565 (51.37,55898) ILID_IND_DATA ff c0 60 94 1c a6 42 94 ...
(18420) 14/02/19 09:51:37 - INFO: <--(3217) T30 : B1 09:51:37,565 Rx ECM FRAME No: 41(frame_count: 41) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:37 - INFO: <--(3217) T30 : B1 09:51:37,566 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:37 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:37 - INFO: <--(3217) FC : --> B1 09:51:37,581 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 09:51:37 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4004
(18420) 14/02/19 09:51:37 - INFO: <--(3217) FC : <-- B1 09:51:37,591 state=FC_RX
(18420) 14/02/19 09:51:37 - INFO: <--(3217) LAPI: B1 09:51:37,725 (51.37,71807) ILID_IND_DATA ff c0 60 54 10 9e 47 12 ...
(18420) 14/02/19 09:51:37 - INFO: <--(3217) T30 : B1 09:51:37,725 Rx ECM FRAME No: 42(frame_count: 42) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:37 - INFO: <--(3217) T30 : B1 09:51:37,726 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:37 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:37 - INFO: <--(3217) LAPI: B1 09:51:37,869 (51.37,86580) ILID_IND_DATA ff c0 60 d4 f9 74 47 cb ...
(18420) 14/02/19 09:51:37 - INFO: <--(3217) T30 : B1 09:51:37,869 Rx ECM FRAME No: 43(frame_count: 43) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:37 - INFO: <--(3217) T30 : B1 09:51:37,870 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:37 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:37 - INFO: <--(3217) LAPI: B1 09:51:38,013 (51.38,00978) ILID_IND_DATA ff c0 60 34 40 8a 1c 20 ...
(18420) 14/02/19 09:51:37 - INFO: <--(3217) T30 : B1 09:51:38,013 Rx ECM FRAME No: 44(frame_count: 44) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:37 - INFO: <--(3217) T30 : B1 09:51:38,014 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:37 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:37 - INFO: <--(3217) FC : --> B1 09:51:38,040 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 09:51:37 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4002
(18420) 14/02/19 09:51:37 - INFO: <--(3217) FC : <-- B1 09:51:38,041 state=FC_RX
(18420) 14/02/19 09:51:38 - INFO: <--(3217) LAPI: B1 09:51:38,173 (51.38,16770) ILID_IND_DATA ff c0 60 b4 47 8d 11 1d ...
(18420) 14/02/19 09:51:38 - INFO: <--(3217) T30 : B1 09:51:38,173 Rx ECM FRAME No: 45(frame_count: 45) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:38 - INFO: <--(3217) T30 : B1 09:51:38,174 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:38 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:38 - INFO: <--(3217) :alive
(18420) 14/02/19 09:51:38 - INFO: <--(3217) LAPI: B1 09:51:38,333 (51.38,32749) ILID_IND_DATA ff c0 60 74 44 30 42 2c ...
(18420) 14/02/19 09:51:38 - INFO: <--(3217) T30 : B1 09:51:38,333 Rx ECM FRAME No: 46(frame_count: 46) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:38 - INFO: <--(3217) T30 : B1 09:51:38,334 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:38 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:38 - INFO: <--(3217) FC : --> B1 09:51:38,358 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 09:51:38 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4000
(18420) 14/02/19 09:51:38 - INFO: <--(3217) FC : <-- B1 09:51:38,359 state=FC_RX
(18420) 14/02/19 09:51:38 - INFO: <--(3217) LAPI: B1 09:51:38,477 (51.38,46974) ILID_IND_DATA ff c0 60 f4 3a 23 a2 3a ...
(18420) 14/02/19 09:51:38 - INFO: <--(3217) T30 : B1 09:51:38,477 Rx ECM FRAME No: 47(frame_count: 47) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:38 - INFO: <--(3217) T30 : B1 09:51:38,478 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:38 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:38 - INFO: <--(3217) LAPI: B1 09:51:38,621 (51.38,61864) ILID_IND_DATA ff c0 60 0c 47 46 11 1d ...
(18420) 14/02/19 09:51:38 - INFO: <--(3217) T30 : B1 09:51:38,621 Rx ECM FRAME No: 48(frame_count: 48) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:38 - INFO: <--(3217) T30 : B1 09:51:38,622 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:38 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:38 - INFO: <--(3217) LAPI: B1 09:51:38,781 (51.38,77621) ILID_IND_DATA ff c0 60 8c 8c 22 3a 30 ...
(18420) 14/02/19 09:51:38 - INFO: <--(3217) T30 : B1 09:51:38,781 Rx ECM FRAME No: 49(frame_count: 49) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:38 - INFO: <--(3217) T30 : B1 09:51:38,782 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:38 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:38 - INFO: <--(3217) FC : --> B1 09:51:38,784 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 09:51:38 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4004
(18420) 14/02/19 09:51:38 - INFO: <--(3217) FC : <-- B1 09:51:38,785 state=FC_RX
(18420) 14/02/19 09:51:38 - INFO: <--(3217) LAPI: B1 09:51:38,925 (51.38,91992) ILID_IND_DATA ff c0 60 4c 21 04 08 44 ...
(18420) 14/02/19 09:51:38 - INFO: <--(3217) T30 : B1 09:51:38,925 Rx ECM FRAME No: 50(frame_count: 50) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:51:38 - INFO: <--(3217) T30 : B1 09:51:38,926 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:51:38 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:51:38 - INFO: <--(3217) T4 : 09:51:38,927 detecting RTC
(18420) 14/02/19 09:51:38 - INFO: <--(3217) T4 : EOL 1 before bufpos=10/64,bitpos=12
(18420) 14/02/19 09:51:38 - INFO: <--(3217) T4 : EOL 2 before bufpos=10/64,bitpos=0
(18420) 14/02/19 09:51:38 - INFO: <--(3217) T4 : lines=1138 errors=0
(18420) 14/02/19 09:51:38 - INFO: <--(3217) T30 : B1 09:51:38,929 ECM T30_RX_RTC RECEIVED 3.x
(18420) 14/02/19 09:51:38 - INFO: <--(3217) FC : --> B1 09:51:38,929 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 09:51:38 - INFO: <--(3217) FC : B1 T30_RX_DATA size=498
(18420) 14/02/19 09:51:38 - INFO: <--(3217) FC : <-- B1 09:51:38,930 state=FC_RX
(18420) 14/02/19 09:51:38 - INFO: <--(3217) FC : --> B1 09:51:38,931 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 09:51:38 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4
(18420) 14/02/19 09:51:38 - INFO: <--(3217) BFF : Write SOP
(18420) 14/02/19 09:51:38 - INFO: <--(3217) BFF : Write SEEK Prev
(18420) 14/02/19 09:51:38 - INFO: <--(3217) FC : <-- B1 09:51:38,935 state=FC_RX
(18420) 14/02/19 09:51:38 - INFO: <--(3217) LAPI: B1 09:51:38,941 (51.38,93621) ILID_IND_DATA ff c0 61 96 d3
(18420) 14/02/19 09:51:38 - INFO: <--(3217) LAPI: B1 09:51:38,941 (51.38,93572) ILID_IND_DATA ff c0 61 96 d3
(18420) 14/02/19 09:51:38 - INFO: <--(3217) LAPI: B1 09:51:38,941 (51.38,93656) ILID_IND_DATA ff c0 61 96 d3
(18420) 14/02/19 09:51:38 - INFO: <--(3217) T30 : B1 09:51:38,942 ECM RCP 1x
(18420) 14/02/19 09:51:38 - INFO: <--(3217) T30 : B1 09:51:38,942 LapiSetMode id=13 mode=6 alaw=1 dir=0 bufsize=264 hdlc=t1=0 t2=0 f=0
(18420) 14/02/19 09:51:38 - INFO: <--(3217) T30 : B1 09:51:38,942 stop Timer Timer 2 RXECM
(18420) 14/02/19 09:51:38 - INFO: <--(3217) T30 : B1 09:51:38,943 start Timer Timer 2
(18420) 14/02/19 09:51:38 - INFO: <--(3217) LAPI: B1 09:51:38,943 setting rx modem mode "
(18420) 14/02/19 09:51:38 - INFO: <--(3217) Error: T30 B1 09:51:38,944 Msg L_RECEIVE_DATA at state T30_PDR_ECM_W4PPS_CTC with old session_id received -> ignore!
(18420) 14/02/19 09:51:38 - INFO: <--(3217) LAPI: B1 09:51:38,945 setting rx modem mode 'rxg711 -a -r | rxmdm -v 21 -b 300 | rxhdlc -r'
(18420) 14/02/19 09:51:38 - INFO: <--(3217) Error: T30 B1 09:51:38,946 Msg L_RECEIVE_DATA at state T30_PDR_ECM_W4PPS_CTC with old session_id received -> ignore!
(18420) 14/02/19 09:51:38 - INFO: <--(3217) LAPI: B1 09:51:38,973 (51.38,97202) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 09:51:38 - INFO: <--(3217) LAPI: B1 09:51:38,973 (51.38,97216) ILID_IND_DETECT ILAPI_DETECT_SILENCE size=21
(18420) 14/02/19 09:51:38 - INFO: <--(3217) LAPI: B1 09:51:39,020 (51.39,02015) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 09:51:38 - INFO: <--(3217) LAPI: B1 09:51:39,052 (51.39,05195) ILID_IND_DETECT ILAPI_DETECT_SILENCE size=21
(18420) 14/02/19 09:51:39 - INFO: <--(3217) LAPI: B1 09:51:39,132 (51.39,13204) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(18420) 14/02/19 09:51:39 - INFO: <--(3217) LAPI: B1 09:51:39,228 (51.39,22803) ILID_IND_DETECT ILAPI_DETECT_V21 size=21
(18420) 14/02/19 09:51:39 - INFO: <--(3217) LAPI: B1 09:51:39,308 (51.39,30410) ILID_IND_FLAG size=16
(18420) 14/02/19 09:51:39 - INFO: <--(3217) T30 : B1 V21 Flags detected

(18420) 14/02/19 09:51:39 - INFO: <--(3217) T30 : B1 09:51:39,309 Restart Timer Timer 2
(18420) 14/02/19 09:51:40 - INFO: <--(3217) LAPi: B1 09:51:40,428 (51.40,42410) ILID_IND_DATA ff 13 bf 2f 02 00 32 e3 ...
(18420) 14/02/19 09:51:40 - INFO: <--(3217) T30 : B1 09:51:40,429 RCV PPS (ff 13 bf 2f 02 00 32)
(18420) 14/02/19 09:51:40 - INFO: <--(3217) T30 : B1 09:51:40,429 stop Timer Timer 2
(18420) 14/02/19 09:51:40 - INFO: <--(3217) LAPi: B1 09:51:40,444 (51.40,44032) ILID_IND_CARRIER_LOST size=16
(18420) 14/02/19 09:51:40 - INFO: <--(3217) LAPi: B1 09:51:40,444 setting rx modem mode ""
(18420) 14/02/19 09:51:40 - INFO: <--(3217) T30 : B1 09:51:40,445 Receiver Ready: T4_RX_Backlog: 0 Fapi: ACCEPT_RX_DATA
(18420) 14/02/19 09:51:40 - INFO: <--(3217) T30 : B1 SendHighLayerStatus
(18420) 14/02/19 09:51:40 - INFO: <--(3217) T30 : B1 09:51:40,446 Page OK Pages: 3
(18420) 14/02/19 09:51:40 - INFO: <--(3217) T30 : B1 09:51:40,446 LapiSetMode id=14 mode=6 alaw=1 dir=1 bufsize=0 hdlc=1 t1=1000 t2=100 f=0
(18420) 14/02/19 09:51:40 - INFO: <--(3217) T30 : B1 09:51:40,446 Send MCF:
(18420) 14/02/19 09:51:40 - INFO: <--(3217) LAPi: B1 09:51:40,447 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 09:51:40 - INFO: <--(3217) LAPi: B1 09:51:40,447 setting (sync) tx modem mode 'txhdlc -n -r | txmdm -v 21 -b 300 -s | txg711 -a -r' (session 2)
(18420) 14/02/19 09:51:40 - INFO: <--(3217) LAPi: B1 09:51:40,447 Sending 38 flags
(18420) 14/02/19 09:51:40 - INFO: <--(3217) LAPi: B1 09:51:40,448 write: req=1, size=1, buf: 26
(18420) 14/02/19 09:51:40 - INFO: <--(3217) FC : --> B1 09:51:40,448 state=FC_RX, event=T30_STATUS
(18420) 14/02/19 09:51:40 - INFO: <--(3217) FC : Wed Feb 19 09:51:40 2014
(18420) 14/02/19 09:51:40 - INFO: <--(3217) Status Update
(18420) 14/02/19 09:51:40 - INFO: <--(3217) direction : rcv
(18420) 14/02/19 09:51:40 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 09:51:40 - INFO: <--(3217) bps_used : 14400
(18420) 14/02/19 09:51:40 - INFO: <--(3217) own_csid : +43 7563 8041
(18420) 14/02/19 09:51:40 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 09:51:40 - INFO: <--(3217) ecm_used : 1
(18420) 14/02/19 09:51:40 - INFO: <--(3217) dpi_used : 100 dpi
(18420) 14/02/19 09:51:40 - INFO: <--(3217) t4mode_used : MMR
(18420) 14/02/19 09:51:40 - INFO: <--(3217) tx image_type : unknown
(18420) 14/02/19 09:51:40 - INFO: <--(3217) rx image_type : BFF
(18420) 14/02/19 09:51:40 - INFO: <--(3217) total_pages : 0
(18420) 14/02/19 09:51:40 - INFO: <--(3217) tx_pages : 0
(18420) 14/02/19 09:51:40 - INFO: <--(3217) rx_pages : 2
(18420) 14/02/19 09:51:40 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 09:51:40 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 09:51:40 - INFO: <--(3217) to_whom_tx :
(18420) 14/02/19 09:51:40 - INFO: <--(3217) from_whom_tx :
(18420) 14/02/19 09:51:40 - INFO: <--(3217) remote_csid :
(18420) 14/02/19 09:51:40 - INFO: <--(3217) remote_sernum : 0
(18420) 14/02/19 09:51:40 - INFO: <--(3217) error : 22
(18420) 14/02/19 09:51:40 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:51:40" --error="none" --type="rcv" --bps="14400" --ecm=1 -
-res="100" --t4="MMR" --txp=0 --rxp=3 --ferrari=0 --sernum=0 --csid="" --to="" --from=""
(18420) 14/02/19 09:51:40 - INFO: DChannel::OnMsgLine(): job 89750: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:51:40" --error="none" --
type="rcv" --bps="14400" --ecm=1
--res="100" --t4="MMR" --txp=0 --rxp=3 --ferrari=0 --sernum=0 --csid="" --to="" --from=""
(18420) 14/02/19 09:51:40 - INFO: <--(3217) FC : <-- B1 09:51:40,451 state=FC_RX
(18420) 14/02/19 09:51:40 - INFO: <--(3217) LAPi: B1 09:51:40,452 write: req=2, size=3, buf: ff 13 8c
(18420) 14/02/19 09:51:40 - INFO: <--(3217) LAPi: B1 09:51:40,453 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 09:51:40 - INFO: <--(3217) LAPi: B1 09:51:40,453 write: req=1, size=1, buf: 02
(18420) 14/02/19 09:51:40 - INFO: <--(3217) LAPi: B1 09:51:40,453 write: req=5, size=0, buf:
(18420) 14/02/19 09:51:40 - INFO: <--(3217) LAPi: B1 09:51:40,453 turned off tx irq
(18420) 14/02/19 09:51:40 - INFO: <--(3217) LAPi: B1 09:51:40,454 setting (sync) tx modem mode 'txidle -a' (session 3)
(18420) 14/02/19 09:51:41 - INFO: <--(3217) LAPi: B1 09:51:42,069 txend for session 2
(18420) 14/02/19 09:51:41 - INFO: <--(3217) LAPi: B1 09:51:42,070 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 09:51:41 - INFO: <--(3217) T30 : B1 09:51:42,072 CleanUpT30
(18420) 14/02/19 09:51:41 - INFO: <--(3217) T30 : B1 09:51:42,073 LapiSetMode id=15 mode=6 alaw=1 dir=1 bufsize=0 hdlc=1 t1=1000 t2=100 f=0
(18420) 14/02/19 09:51:41 - INFO: <--(3217) T30 : B1 09:51:42,073 SendT30Command
(18420) 14/02/19 09:51:41 - INFO: <--(3217) T30 : B1 09:51:42,074 start Timer Lapi Timer
(18420) 14/02/19 09:51:41 - INFO: <--(3217) LAPi: B1 09:51:42,075 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 09:51:41 - INFO: <--(3217) LAPi: B1 09:51:42,075 setting (sync) tx modem mode 'txhdlc -n -r | txmdm -v 21 -b 300 -s | txg711 -a -r' (session 2)
(18420) 14/02/19 09:51:41 - INFO: <--(3217) LAPi: B1 09:51:42,076 Sending 38 flags
(18420) 14/02/19 09:51:41 - INFO: <--(3217) LAPi: B1 09:51:42,076 write: req=1, size=1, buf: 26
(18420) 14/02/19 09:51:41 - INFO: <--(3217) LAPi: B1 09:51:42,077 write: req=2, size=3, buf: ff 13 fa
(18420) 14/02/19 09:51:41 - INFO: <--(3217) LAPi: B1 09:51:42,078 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 09:51:41 - INFO: <--(3217) LAPi: B1 09:51:42,078 write: req=1, size=1, buf: 02
(18420) 14/02/19 09:51:41 - INFO: <--(3217) LAPi: B1 09:51:42,078 write: req=5, size=0, buf:
(18420) 14/02/19 09:51:41 - INFO: <--(3217) LAPi: B1 09:51:42,079 turned off tx irq
(18420) 14/02/19 09:51:41 - INFO: <--(3217) LAPi: B1 09:51:42,079 setting (sync) tx modem mode 'txidle -a' (session 3)
(18420) 14/02/19 09:51:41 - INFO: <--(3217) LAPi: B1 09:51:43,693 txend for session 2
(18420) 14/02/19 09:51:43 - INFO: <--(3217) LAPi: B1 09:51:43,694 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 09:51:43 - INFO: <--(3217) T30 : B1 09:51:43,696 stop Timer Lapi Timer
(18420) 14/02/19 09:51:43 - INFO: <--(3217) T30 : B1 09:51:43,696 Kill Lapi
(18420) 14/02/19 09:51:43 - INFO: <--(3217) LAPi: B1 09:51:43,696 killed
(18420) 14/02/19 09:51:43 - INFO: <--(3217) T30 : B1 SendHighLayerKillReq page_count=3
(18420) 14/02/19 09:51:43 - INFO: <--(3217) T30 : B1 Send T4 Abort
(18420) 14/02/19 09:51:43 - INFO: <--(3217) FC : --> B1 09:51:43,698 state=FC_RX, event=T30_KILL_REQ
(18420) 14/02/19 09:51:43 - INFO: <--(3217) FC : Wed Feb 19 09:51:43 2014
(18420) 14/02/19 09:51:43 - INFO: <--(3217) Status Update
(18420) 14/02/19 09:51:43 - INFO: <--(3217) direction : rcv
(18420) 14/02/19 09:51:43 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 09:51:43 - INFO: <--(3217) bps_used : 14400
(18420) 14/02/19 09:51:43 - INFO: <--(3217) own_csid : +43 7563 8041
(18420) 14/02/19 09:51:43 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 09:51:43 - INFO: <--(3217) ecm_used : 1
(18420) 14/02/19 09:51:43 - INFO: <--(3217) dpi_used : 100 dpi
(18420) 14/02/19 09:51:43 - INFO: <--(3217) t4mode_used : MMR
(18420) 14/02/19 09:51:43 - INFO: <--(3217) tx image_type : unknown
(18420) 14/02/19 09:51:43 - INFO: <--(3217) rx image_type : BFF
(18420) 14/02/19 09:51:43 - INFO: <--(3217) total_pages : 0
(18420) 14/02/19 09:51:43 - INFO: <--(3217) tx_pages : 0
(18420) 14/02/19 09:51:43 - INFO: <--(3217) rx_pages : 3
(18420) 14/02/19 09:51:43 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 09:51:43 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 09:51:43 - INFO: <--(3217) to_whom_tx :
(18420) 14/02/19 09:51:43 - INFO: <--(3217) from_whom_tx :
(18420) 14/02/19 09:51:43 - INFO: <--(3217) remote_csid :
(18420) 14/02/19 09:51:43 - INFO: <--(3217) remote_sernum : 0
(18420) 14/02/19 09:51:43 - INFO: <--(3217) error : 1

(18420) 14/02/19 09:51:43 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:51.43" --error="none" --type="recv" --bps="14400" --ecm=1 -res="100" --t4="MMR" --txp=0 --rxp=3 --ferrari=0 --sernum=0 --csid="" --to="" --from=""
(18420) 14/02/19 09:51:43 - INFO: DChannel::OnMsgLine(): job 89750: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:51.43" --error="none" --type="recv" --bps="14400" --ecm=1 --res="100" --t4="MMR" --txp=0 --rxp=3 --ferrari=0 --sernum=0 --csid="" --to="" --from=""
(18420) 14/02/19 09:51:43 - INFO: <--(3217) FC : <-- B1 09:51:43,700 state=FC_RX_W4_EOF_CONVERT
(18420) 14/02/19 09:51:43 - INFO: <--(3217) T4 : send CTRL_EOM up
(18420) 14/02/19 09:51:43 - INFO: <--(3217) FC : --> B1 09:51:43,701 state=FC_RX_W4_EOF_CONVERT, event=T30_RX_DATA
(18420) 14/02/19 09:51:43 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4
(18420) 14/02/19 09:51:43 - INFO: <--(3217) BFF : Write EOD
(18420) 14/02/19 09:51:43 - INFO: <--(3217) T30 : B1 09:51:43,704 Kill Function called
(18420) 14/02/19 09:51:43 - INFO: <--(3217) T30 : B1 Send T4 Kill
(18420) 14/02/19 09:51:43 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:51.43" --error="none" --type="recv" --bps="14400" --ecm=1 -res="100" --t4="MMR" --txp=0 --rxp=3 --ferrari=0 --sernum=0 --csid="" --to="" --from=""
(18420) 14/02/19 09:51:43 - INFO: DChannel::OnMsgLine(): job 89750: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:51.43" --error="none" --type="recv" --bps="14400" --ecm=1 --res="100" --t4="MMR" --txp=0 --rxp=3 --ferrari=0 --sernum=0 --csid="" --to="" --from=""
(18420) 14/02/19 09:51:43 - INFO: <--(3217) FC : in FCExit
(18420) 14/02/19 09:51:43 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:51.43" --error="end_of_fax" --type="recv" --bps="14400" --ecm=1 --res="100" --t4="MMR" --txp=0 --rxp=3 --ferrari=0 --sernum=0 --csid="" --to="" --from=""
(18420) 14/02/19 09:51:43 - INFO: DChannel::OnMsgLine(): job 89750: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:51.43" --error="end_of_fax" --type="recv" --bps="14400" --ecm=1 --res="100" --t4="MMR" --txp=0 --rxp=3 --ferrari=0 --sernum=0 --csid="" --to="" --from=""
(18420) 14/02/19 09:51:43 - INFO: <--(3217) :bchannel --message="finished" --client_id="89750" --bchannel="1.a/B1/S0/HFC-4S"
(18420) 14/02/19 09:51:43 - INFO: <--(3217) :channel_state --channel_name="1.a/B1/S0/HFC-4S" --status="38627619729 --> 120" --called_party_number="120" --calling_party_number1="38627619729" --calling_party_number2="" --redirected_party_number="" --destination="fms" --ready
(18420) 14/02/19 09:51:43 - INFO: <--(3217) :dchannel --message="onhook" --channel_id=5 --client_id="89750" --dchannel="jobcontrol_isdn:5" --charges=0 --cause=10
(18420) 14/02/19 09:51:43 - INFO: Submitting message of type 'Rec' to '120' with status 0 and error code 0.
(18420) 14/02/19 09:51:43 - INFO: fms_write_job(): LogInfo ind= 0.
(18420) 14/02/19 09:51:44 - INFO: <--(3217) :alive
(18420) 14/02/19 09:51:50 - INFO: <--(3217) :alive
(18420) 14/02/19 09:51:56 - INFO: <--(3217) :alive
(18420) 14/02/19 09:52:02 - INFO: <--(3217) :alive
(18420) 14/02/19 09:52:08 - INFO: <--(3217) :alive
(18420) 14/02/19 09:52:14 - INFO: <--(3217) :alive
(548) 14/02/19 09:52:16 - INFO: SYSLOG (10.1.1.51/syslogd internal/informational): <46>2014-02-19 09:52:16.31 OMG201806 [origin software="rsyslogd" swVersion="5.10.1" x-pid="2855" x-info="http://www.rsyslog.com"] start
(548) 14/02/19 09:52:16 - INFO: SYSLOG (10.1.1.51/syslogd internal/informational): <46>2014-02-19 09:52:16.32 OMG201806rsyslogd's groupid changed to 103
(548) 14/02/19 09:52:16 - INFO: SYSLOG (10.1.1.51/syslogd internal/informational): <46>2014-02-19 09:52:16.32 OMG201806rsyslogd's userid changed to 101
(548) 14/02/19 09:52:16 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:52:16.62 OMG201806 netconsole: local port 6665
(548) 14/02/19 09:52:16 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:52:16.62 OMG201806 netconsole: local IP 0.0.0.0
(548) 14/02/19 09:52:16 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:52:16.62 OMG201806 netconsole: interface eth0
(548) 14/02/19 09:52:16 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:52:16.62 OMG201806 netconsole: remote port 514
(548) 14/02/19 09:52:16 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:52:16.62 OMG201806 netconsole: remote IP 10.1.1.50
(548) 14/02/19 09:52:16 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:52:16.62 OMG201806 netconsole: remote ethernet address ff:ff:ff:ff:ff:ff
(548) 14/02/19 09:52:16 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:52:16.62 OMG201806 netconsole: local IP 10.1.1.51
(548) 14/02/19 09:52:16 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:52:16.62 OMG201806 console [netcon0] enabled
(548) 14/02/19 09:52:16 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:52:16.62 OMG201806 netconsole: network logging started
(18420) 14/02/19 09:52:20 - INFO: <--(3217) :alive
(548) 14/02/19 09:52:20 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:52:20.50 OMG201806 mux_jobcontrol:5(1) JOBCMD send: (netData:5 t|10.1.1.50|37208) :alive
(548) 14/02/19 09:52:20 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:52:20.50 OMG201806 184: callp: scWrite(833): socket=9 ret=7 len=7
(548) 14/02/19 09:52:21 - INFO: SYSLOG (10.1.1.51/syslogd internal/informational): <46>2014-02-19 09:52:21.82 OMG201806 [origin software="rsyslogd" swVersion="5.10.1" x-pid="2855" x-info="http://www.rsyslog.com"] exiting on signal 15.
(18420) 14/02/19 09:52:22 - INFO: LogNetworkError(): no error associated with event 'close'.
(18420) 14/02/19 09:52:22 - WARNING: OmcSock::WaitSocket(): socket error.
(18420) 14/02/19 09:52:22 - INFO: DChannel::ThreadMethod(): shutting down D channel handler after socket error.
(18420) 14/02/19 09:52:22 - INFO: JobQueue<AppSpec>::RemoveChannel(): removing channel 00999284 from list at 009991B0.
(18420) 14/02/19 09:52:22 - INFO: DChannel::ShutDown(): disconnecting from job control while shutting down D channel handler.
(18420) 14/02/19 09:52:22 - INFO: --> :exit

(18420) 14/02/19 09:52:22 - INFO: DChannel::Connect(): connecting to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:52:23 - INFO: OmcSock::Connect(): cannot connect socket.
(18420) 14/02/19 09:52:23 - ERROR: DChannel::Connect(): cannot connect to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:52:23 - WARNING: DChannel::InitJobControl(): could not connect to job control.
(548) 14/02/19 09:52:26 - INFO: SYSLOG (10.1.1.51): [244.521067] Restarting system.
(548) 14/02/19 09:52:26 - INFO: SYSLOG (10.1.1.51): [244.521067] Restarting system.
(548) 14/02/19 09:52:26 - INFO: SYSLOG (10.1.1.51): [244.521067] Restarting system.
(18420) 14/02/19 09:52:33 - INFO: DChannel::Connect(): connecting to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:52:54 - INFO: OmcSock::Connect(): cannot connect socket.
(18420) 14/02/19 09:52:54 - ERROR: DChannel::Connect(): cannot connect to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:52:54 - WARNING: DChannel::InitJobControl(): could not connect to job control.
(18420) 14/02/19 09:53:04 - INFO: DChannel::Connect(): connecting to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:53:13 - INFO: OmcSock::Connect(): cannot connect socket.
(18420) 14/02/19 09:53:13 - ERROR: DChannel::Connect(): cannot connect to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:53:13 - WARNING: DChannel::InitJobControl(): could not connect to job control.
(548) 14/02/19 09:53:14 - INFO: SYSLOG (10.1.1.51/syslogd internal/informational): <46>2014-02-19 09:53:14.79 OMG201806 [origin software="rsyslogd" swVersion="5.10.1" x-pid="1283" x-info="http://www.rsyslog.com"] start
(548) 14/02/19 09:53:14 - INFO: SYSLOG (10.1.1.51/syslogd internal/informational): <46>2014-02-19 09:53:14.80 OMG201806rsyslogd's groupid changed to 103
(548) 14/02/19 09:53:14 - INFO: SYSLOG (10.1.1.51/syslogd internal/informational): <46>2014-02-19 09:53:14.80 OMG201806rsyslogd's userid changed to 101
(548) 14/02/19 09:53:14 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:14.51 OMG201806 netconsole: local port 6665
(548) 14/02/19 09:53:14 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:14.51 OMG201806 netconsole: local IP 0.0.0.0
(548) 14/02/19 09:53:14 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:14.51 OMG201806 netconsole: interface eth0
(548) 14/02/19 09:53:14 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:14.51 OMG201806 netconsole: remote port 514
(548) 14/02/19 09:53:14 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:14.51 OMG201806 netconsole: remote IP 10.1.1.50
(548) 14/02/19 09:53:14 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:14.51 OMG201806 netconsole: remote ethernet address ff:ff:ff:ff:ff:ff
(548) 14/02/19 09:53:14 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:14.51 OMG201806 netconsole: local IP 10.1.1.51
(548) 14/02/19 09:53:14 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:14.51 OMG201806 console [netcon0] enabled
(548) 14/02/19 09:53:14 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:14.51 OMG201806 netconsole: network logging started
(548) 14/02/19 09:53:15 - INFO: SYSLOG (10.1.1.51/system daemons/informational): <30>2014-02-19 09:53:15.14 OMG201806 started
(548) 14/02/19 09:53:15 - INFO: SYSLOG (10.1.1.51/security/authorization/informational): <38>2014-02-19 09:53:15.31 OMG201806 Server listening on 0.0.0.0 port 22.
(548) 14/02/19 09:53:15 - INFO: SYSLOG (10.1.1.51/security/authorization/informational): <38>2014-02-19 09:53:15.32 OMG201806 Server listening on :: port 22.
(548) 14/02/19 09:53:15 - INFO: SYSLOG (10.1.1.51/security/authorization/informational): <38>2014-02-19 09:53:15.75 OMG201806 Did not receive identification string from 10.1.1.107
(548) 14/02/19 09:53:15 - INFO: SYSLOG (10.1.1.51/system daemons/notice): <29>2014-02-19 09:53:15.96 OMG201806 ntpd exiting on signal 15

(548) 14/02/19 09:53:16 - INFO: SYSLOG (10.1.1.51/system daemons/notice): <29>2014-02-19 09:53:16.59 OMG201806 adjust time server 10.1.1.5 offset 0.000068 sec

(548) 14/02/19 09:53:16 - INFO: SYSLOG (10.1.1.51/security/authorization/informational): <38>2014-02-19 09:53:16.90 OMG201806 Received signal 15; terminating.

(548) 14/02/19 09:53:16 - WARNING: SYSLOG (10.1.1.51/system daemons/warning): <28>2014-02-19 09:53:16.91 OMG201806 ssh main process (1303) terminated with status 255

(548) 14/02/19 09:53:17 - INFO: SYSLOG (10.1.1.51/security/authorization/informational): <38>2014-02-19 09:53:17.21 OMG201806 Server listening on 0.0.0.0 port 22.

(548) 14/02/19 09:53:17 - INFO: SYSLOG (10.1.1.51/security/authorization/informational): <38>2014-02-19 09:53:17.22 OMG201806 Server listening on :: port 22.

(548) 14/02/19 09:53:17 - INFO: SYSLOG (10.1.1.51/system daemons/notice): <29>2014-02-19 09:53:17.25 OMG201806 ntpd 4.2.4p8@1.1612-o Tue Apr 19 07:08:29 UTC 2011 (1)

(548) 14/02/19 09:53:17 - INFO: SYSLOG (10.1.1.51/system daemons/informational): <30>2014-02-19 09:53:17.27 OMG201806 precision = 11.000 usec

(548) 14/02/19 09:53:17 - INFO: SYSLOG (10.1.1.51/system daemons/debug): <31>2014-02-19 09:53:17.27 OMG201806 ntp_io: estimated max descriptors: 1024, initial socket boundary: 16

(548) 14/02/19 09:53:17 - INFO: SYSLOG (10.1.1.51/system daemons/informational): <30>2014-02-19 09:53:17.28 OMG201806 Listening on interface #0 wildcard, 0.0.0.0#123 Disabled

(548) 14/02/19 09:53:17 - INFO: SYSLOG (10.1.1.51/system daemons/informational): <30>2014-02-19 09:53:17.28 OMG201806 Listening on interface #1 wildcard, ::#123 Disabled

(548) 14/02/19 09:53:17 - INFO: SYSLOG (10.1.1.51/system daemons/informational): <30>2014-02-19 09:53:17.28 OMG201806 Listening on interface #2 lo, 127.0.0.1#123 Enabled

(548) 14/02/19 09:53:17 - INFO: SYSLOG (10.1.1.51/system daemons/informational): <30>2014-02-19 09:53:17.29 OMG201806 Listening on interface #3 eth0, 10.1.1.51#123 Enabled

(548) 14/02/19 09:53:17 - INFO: SYSLOG (10.1.1.51/system daemons/informational): <30>2014-02-19 09:53:17.29 OMG201806 Listening on interface #4 lo, ::#123 Enabled

(548) 14/02/19 09:53:17 - INFO: SYSLOG (10.1.1.51/system daemons/informational): <30>2014-02-19 09:53:17.29 OMG201806 Listening on interface #5 eth0, fe80::213:95ff:fe0c:6838#123 Enabled

(548) 14/02/19 09:53:17 - INFO: SYSLOG (10.1.1.51/system daemons/informational): <30>2014-02-19 09:53:17.29 OMG201806 kernel time sync status 2040

(548) 14/02/19 09:53:17 - INFO: SYSLOG (10.1.1.51/system daemons/informational): <30>2014-02-19 09:53:17.29 OMG201806 frequency initialized 40.954 PPM from /var/lib/ntp/ntp.drift

(548) 14/02/19 09:53:18 - INFO: SYSLOG (10.1.1.51/syslogd internal/informational): <46>2014-02-19 09:53:19.03 OMG201806 [origin software="rsyslogd" swVersion="5.10.1" x-pid="1283" x-info="http://www.rsyslog.com"] exiting on signal 15.

(548) 14/02/19 09:53:19 - INFO: SYSLOG (10.1.1.51/syslogd internal/informational): <46>2014-02-19 09:53:19.23 OMG201806 [origin software="rsyslogd" swVersion="5.10.1" x-pid="1491" x-info="http://www.rsyslog.com"] start

(548) 14/02/19 09:53:19 - INFO: SYSLOG (10.1.1.51/syslogd internal/informational): <46>2014-02-19 09:53:19.24 OMG201806rsyslogd's groupid changed to 103

(548) 14/02/19 09:53:19 - INFO: SYSLOG (10.1.1.51/syslogd internal/informational): <46>2014-02-19 09:53:19.24 OMG201806rsyslogd's userid changed to 101

(548) 14/02/19 09:53:19 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:18.51 OMG201806 netconsole: local port 6665

(548) 14/02/19 09:53:19 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:18.51 OMG201806 netconsole: local IP 0.0.0.0

(548) 14/02/19 09:53:19 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:18.51 OMG201806 netconsole: interface eth0

(548) 14/02/19 09:53:19 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:18.51 OMG201806 netconsole: remote port 514

(548) 14/02/19 09:53:19 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:18.51 OMG201806 netconsole: remote IP 10.1.1.50

(548) 14/02/19 09:53:19 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:18.51 OMG201806 netconsole: remote ethernet address ff:ff:ff:ff:ff:ff

(548) 14/02/19 09:53:19 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:18.51 OMG201806 netconsole: local IP 10.1.1.51

(548) 14/02/19 09:53:19 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:18.51 OMG201806 console [netcon0] enabled

(548) 14/02/19 09:53:19 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:18.51 OMG201806 netconsole: network logging started

(548) 14/02/19 09:53:19 - INFO: SYSLOG (10.1.1.51/system daemons/notice): <29>2014-02-19 09:53:19.77 OMG201806 ntpd exiting on signal 15

(548) 14/02/19 09:53:19 - INFO: SYSLOG (10.1.1.51/system daemons/notice): <29>2014-02-19 09:53:19.94 OMG201806 ntpd 4.2.4p8@1.1612-o Tue Apr 19 07:08:29 UTC 2011 (1)

(548) 14/02/19 09:53:19 - INFO: SYSLOG (10.1.1.51/system daemons/informational): <30>2014-02-19 09:53:19.96 OMG201806 precision = 11.000 usec

(548) 14/02/19 09:53:19 - INFO: SYSLOG (10.1.1.51/system daemons/debug): <31>2014-02-19 09:53:19.96 OMG201806 ntp_io: estimated max descriptors: 1024, initial socket boundary: 16

(548) 14/02/19 09:53:19 - INFO: SYSLOG (10.1.1.51/system daemons/informational): <30>2014-02-19 09:53:19.96 OMG201806 Listening on interface #0 wildcard, 0.0.0.0#123 Disabled

(548) 14/02/19 09:53:19 - INFO: SYSLOG (10.1.1.51/system daemons/informational): <30>2014-02-19 09:53:19.96 OMG201806 Listening on interface #1 wildcard, ::#123 Disabled

(548) 14/02/19 09:53:19 - INFO: SYSLOG (10.1.1.51/system daemons/informational): <30>2014-02-19 09:53:19.96 OMG201806 Listening on interface #2 lo, 127.0.0.1#123 Enabled

(548) 14/02/19 09:53:19 - INFO: SYSLOG (10.1.1.51/system daemons/informational): <30>2014-02-19 09:53:19.96 OMG201806 Listening on interface #3 eth0, 10.1.1.51#123 Enabled

(548) 14/02/19 09:53:19 - INFO: SYSLOG (10.1.1.51/system daemons/informational): <30>2014-02-19 09:53:19.96 OMG201806 Listening on interface #4 lo, ::#123 Enabled

(548) 14/02/19 09:53:19 - INFO: SYSLOG (10.1.1.51/system daemons/informational): <30>2014-02-19 09:53:19.96 OMG201806 Listening on interface #5 eth0, fe80::213:95ff:fe0c:6838#123 Enabled

(548) 14/02/19 09:53:19 - INFO: SYSLOG (10.1.1.51/system daemons/informational): <30>2014-02-19 09:53:19.96 OMG201806 kernel time sync status 2040

(548) 14/02/19 09:53:19 - INFO: SYSLOG (10.1.1.51/system daemons/informational): <30>2014-02-19 09:53:19.97 OMG201806 frequency initialized 40.954 PPM from /var/lib/ntp/ntp.drift

(548) 14/02/19 09:53:22 - INFO: SYSLOG (10.1.1.51/user-level/notice): <13>2014-02-19 09:53:22.45 OMG201806 Watchdog activated, time out set to 120 seconds

(548) 14/02/19 09:53:22 - ERROR: SYSLOG (10.1.1.51/user-level/error): <11>2014-02-19 09:53:22.47 OMG201806 Could not lock PID lock file /tmp/wds.pid, exiting

(548) 14/02/19 09:53:23 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:23.51 OMG201806 ip_tables: (C) 2000-2006 Netfilter Core Team

(548) 14/02/19 09:53:23 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:53:23.51 OMG201806 nf_conntrack version 0.5.0 (1514 buckets, 6056 max)

(548) 14/02/19 09:53:23 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:53:23.51 OMG201806 CONFIG_NF_CT_ACCT is deprecated and will be removed soon. Please use

(548) 14/02/19 09:53:23 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:53:23.51 OMG201806 nf_conntrack.acct=1 kernel parameter, acct=1 nf_conntrack module option or

(548) 14/02/19 09:53:23 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:53:23.51 OMG201806 sysctl net.netfilter.nf_conntrack_acct=1 to enable it.

(18420) 14/02/19 09:53:23 - INFO: DChannel::Connect(): connecting to fax device 10.1.1.51/3217.

(548) 14/02/19 09:53:24 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:23.51 OMG201806 ip6_tables: (C) 2000-2006 Netfilter Core Team

(548) 14/02/19 09:53:24 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:53:24.51 OMG201806 iidpci2slot version 1.36.

(548) 14/02/19 09:53:24 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:53:24.51 OMG201806 iidpci2slot: mainboard of type 0 detected.

(548) 14/02/19 09:53:24 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:53:24.51 OMG201806 CFGSPC in cfgspc_init

(548) 14/02/19 09:53:24 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:53:24.51 OMG201806 ILID: loading module ilid - revision 1.231

(548) 14/02/19 09:53:24 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:24.51 OMG201806 HFC4S8S: loading module HFC-4S8S - revision 1.63

(548) 14/02/19 09:53:24 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:24.51 OMG201806 HFC4S8S: in probe.

(548) 14/02/19 09:53:24 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:24.51 OMG201806 Ferrari HFC4S/8S 0000:00:09:0: guessed PCI INT A -> IRQ 10

(548) 14/02/19 09:53:24 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:24.51 OMG201806 Ferrari HFC4S/8S 0000:00:09:0: sharing IRQ 10 with 0000:00:01.1

(548) 14/02/19 09:53:24 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:24.51 OMG201806 Ferrari HFC4S/8S 0000:00:09:0: sharing IRQ 10 with 0000:00:01.2

(548) 14/02/19 09:53:24 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:24.51 OMG201806 HFC4S8S: chip @ phy efc00000 mapped to c732c000

(548) 14/02/19 09:53:24 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:24.51 OMG201806 HFC4S8S: HFC4S on ETX Rev. A3 PCI board (TE) found.

(548) 14/02/19 09:53:29 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:29.51 OMG201806 HFC4S8S: switch HFC1.0 TERMINATION resistor on.
(548) 14/02/19 09:53:29 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:29.51 OMG201806 HFC4S8S: switch HFC1.1 TERMINATION resistor on.
(548) 14/02/19 09:53:29 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:29.51 OMG201806 HFC4S8S: switch HFC1.2 TERMINATION resistor on.
(548) 14/02/19 09:53:29 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:29.51 OMG201806 HFC4S8S: switch HFC1.3 TERMINATION resistor on.
(548) 14/02/19 09:53:29 - INFO: SYSLOG (10.1.1.51/user-level/notice): <13>2014-02-19 09:53:30.03 OMG201806 start: /usr/fb/bin/sipisdn/callp
(548) 14/02/19 09:53:30 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:30.15 OMG201806 Init:0 Hello from Lua 5.0.2 on Wed Feb 19 09:53:30 2014
(548) 14/02/19 09:53:30 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:30.15 OMG201806 Init:0 received msg from: Main:0, to: Init:0, delay: 0, data:
(548) 14/02/19 09:53:30 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:30.15 OMG201806 /usr/fb/bin/sipisdn/callp#015
(548) 14/02/19 09:53:31 - INFO: SYSLOG (10.1.1.51/user-level/notice): <13>2014-02-19 09:53:31.16 OMG201806 Watchdog is now active
(548) 14/02/19 09:53:31 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:31.24 OMG201806 mux_options:0 (1) dbg=0
(548) 14/02/19 09:53:31 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:31.28 OMG201806 mux_sip:0 (1) dbg=1
(548) 14/02/19 09:53:31 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:31.29 OMG201806 mux_isdn:0 (1) dbg=1
(548) 14/02/19 09:53:31 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:31.29 OMG201806 mux_isdn:0 (1) started.
(548) 14/02/19 09:53:31 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:31.29 OMG201806 mux_isdn:0 (1) data='SETINFO|i386|0|0.0|0'
(548) 14/02/19 09:53:31 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:31.30 OMG201806 mux_sip:0 (1) This is the sip muxer running as mux_sip:0.
(548) 14/02/19 09:53:32 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:32.25 OMG201806 mux_jobcontrol:0 (1) dbg=1
(548) 14/02/19 09:53:32 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:32.25 OMG201806 mux_jobcontrol:0 (1) started.
(548) 14/02/19 09:53:32 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:32.25 OMG201806 mux_jobcontrol:0 (1) maxDChannels=1
(548) 14/02/19 09:53:32 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:32.25 OMG201806 mux_jobcontrol:0 (1) a) v.bool_CfgValid=true and offset=1
(548) 14/02/19 09:53:32 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:32.25 OMG201806 mux_jobcontrol:0 (1) a) register
task=mux_jobcontrol:ISDN1
(548) 14/02/19 09:53:32 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:32.26 OMG201806 mux_jobcontrol:0 (1) Trying to open server port 3217 for 'mux_jobcontrol:ISDN1'
(548) 14/02/19 09:53:32 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:32.26 OMG201806 0: callp: scOpenAndBind(270): done bind :: socket=4 family=AF_INET(IPv4), address=0.0.0.0, port=3217, socketType=SOCK_STREAM (stream), protocol=IPPROTO_TCP (TCP), canonical name=(null)
(548) 14/02/19 09:53:32 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:32.26 OMG201806 0: callp: scCreate(609): found socket=4
(548) 14/02/19 09:53:32 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:32.26 OMG201806 mux_jobcontrol:0 (1) msg.from='netControl:0' code='103' handle='0' addr='t|0.0.0.0|3217' text='binding successful'
(548) 14/02/19 09:53:32 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:32.26 OMG201806 mux_jobcontrol:0 (1) listen on 3217
(548) 14/02/19 09:53:32 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:32.26 OMG201806 mux_jobcontrol:0 (1) a) v.bool_CfgValid=NIL and offset=2
(548) 14/02/19 09:53:32 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:32.26 OMG201806 mux_jobcontrol:0 (1) a) register
task=mux_jobcontrol:ISDN2
(548) 14/02/19 09:53:32 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:32.26 OMG201806 mux_jobcontrol:0 (1) Trying to open server port 3218 for 'mux_jobcontrol:ISDN2'
(548) 14/02/19 09:53:32 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:32.26 OMG201806 0: callp: scOpenAndBind(270): done bind :: socket=5 family=AF_INET(IPv4), address=0.0.0.0, port=3218, socketType=SOCK_STREAM (stream), protocol=IPPROTO_TCP (TCP), canonical name=(null)
(548) 14/02/19 09:53:32 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:32.26 OMG201806 0: callp: scCreate(609): found socket=5
(548) 14/02/19 09:53:32 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:32.26 OMG201806 mux_jobcontrol:0 (1) msg.from='netControl:0' code='103' handle='1' addr='t|0.0.0.0|3218' text='binding successful'
(548) 14/02/19 09:53:32 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:32.26 OMG201806 mux_jobcontrol:0 (1) listen on 3218
(548) 14/02/19 09:53:32 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:32.27 OMG201806 mux_jobcontrol:0 (1) a) v.bool_CfgValid=NIL and offset=3
(548) 14/02/19 09:53:32 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:32.27 OMG201806 mux_jobcontrol:0 (1) a) register
task=mux_jobcontrol:ISDN3
(548) 14/02/19 09:53:32 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:32.27 OMG201806 mux_jobcontrol:0 (1) Trying to open server port 3219 for 'mux_jobcontrol:ISDN3'
(548) 14/02/19 09:53:32 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:32.27 OMG201806 0: callp: scOpenAndBind(270): done bind :: socket=6 family=AF_INET(IPv4), address=0.0.0.0, port=3219, socketType=SOCK_STREAM (stream), protocol=IPPROTO_TCP (TCP), canonical name=(null)
(548) 14/02/19 09:53:32 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:32.27 OMG201806 0: callp: scCreate(609): found socket=6
(548) 14/02/19 09:53:32 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:32.27 OMG201806 mux_jobcontrol:0 (1) msg.from='netControl:0' code='103' handle='2' addr='t|0.0.0.0|3219' text='binding successful'
(548) 14/02/19 09:53:32 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:32.27 OMG201806 mux_jobcontrol:0 (1) listen on 3219
(548) 14/02/19 09:53:32 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:32.27 OMG201806 mux_jobcontrol:0 (1) a) v.bool_CfgValid=NIL and offset=4
(548) 14/02/19 09:53:32 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:32.27 OMG201806 mux_jobcontrol:0 (1) a) register
task=mux_jobcontrol:ISDN4
(548) 14/02/19 09:53:32 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:32.27 OMG201806 mux_jobcontrol:0 (1) Trying to open server port 3220 for 'mux_jobcontrol:ISDN4'
(548) 14/02/19 09:53:32 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:32.27 OMG201806 0: callp: scOpenAndBind(270): done bind :: socket=7 family=AF_INET(IPv4), address=0.0.0.0, port=3220, socketType=SOCK_STREAM (stream), protocol=IPPROTO_TCP (TCP), canonical name=(null)
(548) 14/02/19 09:53:32 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:32.27 OMG201806 0: callp: scCreate(609): found socket=7
(548) 14/02/19 09:53:32 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:32.27 OMG201806 mux_jobcontrol:0 (1) msg.from='netControl:0' code='103' handle='3' addr='t|0.0.0.0|3220' text='binding successful'
(548) 14/02/19 09:53:32 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:32.27 OMG201806 mux_jobcontrol:0 (1) listen on 3220
(18420) 14/02/19 09:53:34 - INFO: DChannel::Connect(): connecting to fax device 10.1.1.51/3217.
(18420) 14/02/19 09:53:34 - INFO: -->:sh date 021909532014.34

(548) 14/02/19 09:53:34 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.11 OMG201806 2: callp: scAccept(791): socket=8 len=16 status=0 value=1
(548) 14/02/19 09:53:34 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.11 OMG201806 mux_jobcontrol:ISDN1 (1) handle netControl Msg: msg.from='netControl:0' msg.to='mux_jobcontrol:ISDN1' code='100' handle='4' addr='t|10.1.1.50|37606' text='inbound connected'
(548) 14/02/19 09:53:34 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.11 OMG201806 mux_jobcontrol:4 (1) connection established
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.17 OMG201806 2: callp: scRead(933): socket=8 ret=25
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.18 OMG201806 mux_jobcontrol:4(1) JOBCMD recv: (netData:4 t|10.1.1.50|37606):sh date 021909532014.34
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.18 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) date is simulated
(18420) 14/02/19 09:53:35 - INFO: <--(3217) date is simulated
(18420) 14/02/19 09:53:35 - INFO: <--(3217) :sh --status=0
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.18 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4 t|10.1.1.50|37606):sh --status=0
(18420) 14/02/19 09:53:35 - INFO: -->:c --dchan_param="" --l2-protocol=ppna --l3-protocol=dss1 --dial-mode=block --debug-l1=2 --debug-l2=2 --debug-l3=2 --debug-l4=0 --base-number=075638041 --ddi-length=0333333333 --bchan_param="" --log_level=1 --calling_party_number="" --receive_mask=""
:p

(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.18 OMG201806 2: callp: scWrite(833): socket=8 ret=18 len=15

(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.23 OMG201806 mux_isdn:0 (1) ilidType 'S0' csi '0'
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.23 OMG201806 2: callp: scWrite(833): socket=8 ret=42 len=42
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.25 OMG201806 2: callp: launch: Launch:0 started
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.25 OMG201806 2: callp: launch: pipefds 17,18
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.26 OMG201806 mux_isdn:0 (1) Executing 'irun 1 /usr/fb/bin/isdn.prc --
device=/dev/ilid --slot=1 --slot-index=a -a --read-fd=0 --write-fd=1 --max-b-channels=2 --l2-protocol=ppna --l3-protocol=dss1 --dial-mode=block --debug-l1=2 --debug-
l2=2 --debug-l3=2 --debug-l4=0 --base-number=075638041 --ddi-length=0333333333'
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.27 OMG201806 mux_isdn:0 (1) identifier='1' pid='1826'
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.27 OMG201806 mux_isdn:0 (1) ISDN process state changed
PROCESS100
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.31 OMG201806 mux_isdn:0 (1) ISDN[1](1826): ISDN: d-channel
found '1.a/D/S0/HFC-4S'
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.31 OMG201806 mux_isdn:0 (1) ISDN[1](1826): ISDN: b-channel
found '1.a/B2/S0/HFC-4S'
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.31 OMG201806 mux_isdn:0 (1) ISDN[1](1826): ISDN: b-channel
found '1.a/B1/S0/HFC-4S'
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.31 OMG201806 mux_callstatus:0 (1) dbg=0
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.31 OMG201806 3: callp: scOpenAndBind(270): done bind :: socket=9
family=AF_INET(IPv4), address=0.0.0.0, port=3214, socketType=SOCK_STREAM (stream), protocol=IPPROTO_TCP (TCP), canonical name=(null)
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.32 OMG201806 3: callp: scCreate(609): found socket=9
(548) 14/02/19 09:53:35 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:53:34.51 OMG201806 ilihwdRequestWriteAccess: queue c56b8000
writing to 1.a/D/S0/HFC-4S
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:34.51 OMG201806 HFC4S8S: switch HFC1.0 TERMINATION
resistor off.
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.33 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L1M : 09:53:35,330
ML1_INIT
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:34.51 OMG201806 HFC4S8S: Layer 1 status change (0x01)
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:34.51 OMG201806 HFC4S8S: Layer 1 status change (0x01)
(548) 14/02/19 09:53:35 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:53:34.51 OMG201806 ILID: layer 1 state change for 1.a/D/S0/HFC-4S
(1)!
(548) 14/02/19 09:53:35 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:53:34.51 OMG201806 ILID: layer 1 state change for 1.a/E/S0/HFC-4S
(1)!
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.34 OMG201806 mux_isdn:0 (1) ISDN[1](1826): device:
/dev/ilid
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.34 OMG201806 mux_isdn:0 (1) ISDN[1](1826): D channel
interface: 1.a/D/S0/HFC-4S
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.35 OMG201806 mux_isdn:0 (1) ISDN[1](1826): B channel
interface: 1.a/B1280530771/S0/HFC-4S
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.36 OMG201806 mux_isdn:0 (1) ISDN[1](1826): autoactivate :
0
(548) 14/02/19 09:53:35 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:53:34.51 OMG201806 ILID: MBQ_ERR_DISCONNECT for
1.a/D/S0/HFC-4S
(548) 14/02/19 09:53:35 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:53:34.51 OMG201806 ilihwdReleaseWriteAccess: queue c56b8000 stops
using 1.a/D/S0/HFC-4S
(548) 14/02/19 09:53:35 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:53:34.51 OMG201806 ilihwdRequestWriteAccess: queue c56b8000
writing to 1.a/D/S0/HFC-4S
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:34.51 OMG201806 HFC4S8S: switch HFC1.0 TERMINATION
resistor off.
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:34.51 OMG201806 HFC4S8S: switch HFC1.0 to TE mode.
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:34.51 OMG201806 HFC4S8S: Layer 1 status change (0x01)
(548) 14/02/19 09:53:35 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:53:34.51 OMG201806 ILID: layer 1 state change for 1.a/D/S0/HFC-4S
(0)!
(548) 14/02/19 09:53:35 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:53:34.51 OMG201806 ILID: layer 1 state change for 1.a/E/S0/HFC-4S
(0)!
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:34.51 OMG201806 HFC4S8S: Layer 1 status change (0x01)
(548) 14/02/19 09:53:35 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:53:34.51 OMG201806 ILID: layer 1 state change for 1.a/D/S0/HFC-4S
(1)!
(548) 14/02/19 09:53:35 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:53:34.51 OMG201806 ILID: layer 1 state change for 1.a/E/S0/HFC-4S
(1)!
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.37 OMG201806 mux_isdn:0 (1) ISDN[1](1826): analog :
0
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.37 OMG201806 mux_isdn:0 (1) ISDN[1](1826): codec :
alaw
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.37 OMG201806 mux_isdn:0 (1) ISDN[1](1826): country :
1
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.37 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L1M : opening ISDN
Lineinterface 1.a/D/S0/HFC-4S on /dev/ilid
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.37 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L1M : 09:53:35,335
set termination to 0 on 1.a/D/S0/HFC-4S
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.38 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2M: Init stage 1
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.38 OMG201806 mux_isdn:0 (1) ISDN[1](1826): non automatic
TEL assignment: true
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.38 OMG201806 mux_isdn:0 (1) ISDN[1](1826): layer 1 task
index:
2
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.38 OMG201806 mux_isdn:0 (1) ISDN[1](1826): data link
multiplexer task index: 6
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.39 OMG201806 mux_isdn:0 (1) ISDN[1](1826): boot on layer 2
down
no
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.40 OMG201806 mux_isdn:0 (1) ISDN[1](1826): mode
user mode
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.40 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4
t|10.1.1.50|37606) :if --channel_name="1.a/B2/S0/HFC-4S"
(18420) 14/02/19 09:53:35 - INFO: <--(3217) :if --channel_name="1.a/B2/S0/HFC-4S"
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.41 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4
t|10.1.1.50|37606) :if --channel_name="1.a/B1/S0/HFC-4S"
(18420) 14/02/19 09:53:35 - INFO: JobQueue<AppSpec::AddChannel(): adding channel 00999284 to list at 009991B0.
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.41 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4
t|10.1.1.50|37606) :if --channel_count=2
(18420) 14/02/19 09:53:35 - INFO: <--(3217) :if --channel_name="1.a/B1/S0/HFC-4S"
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.41 OMG201806 3: callp: scWrite(833): socket=8 ret=38 len=38
(18420) 14/02/19 09:53:35 - INFO: <--(3217) :if --channel_count=2
(18420) 14/02/19 09:53:35 - INFO: DChannel::OnIfMsg(): device reports 2 B channels.
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.41 OMG201806 3: callp: scWrite(833): socket=8 ret=38 len=38
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.41 OMG201806 3: callp: scWrite(833): socket=8 ret=22 len=22
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.41 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1M: Init

(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.41 OMG201806 mux_isdn:0 (1) ISDN[1](1826): B channels: 2
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.41 OMG201806 mux_isdn:0 (1) ISDN[1](1826): interface type: S0
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.41 OMG201806 mux_isdn:0 (1) ISDN[1](1826): callref coding rule:
default
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.41 OMG201806 mux_isdn:0 (1) ISDN[1](1826): CHI coding rule:
default
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.41 OMG201806 mux_isdn:0 (1) ISDN[1](1826): bchannel map:
111111111111111111111111111111111111
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.41 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L1M : 09:53:35,339
MPH_REGISTER_L2
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.41 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2M : 09:53:35,346
auto activate L2
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.42 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:53:35,352 (8)
P-P data link --> state=TEI_UNASSIGNED, event=DL_AUTOMATIC_ESTABLISH_REQ
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.42 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:53:35,352 (8)
P-P data link <-- state=ESTABLISH_AWAITING_TEI
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.42 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:53:35,359 (8)
P-P data link --> state=ESTABLISH_AWAITING_TEI, event=MDL_ASSIGN_REQ
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.42 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:53:35,360 (8)
P-P data link <-- state=AWAITING_ESTABLISHMENT
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.42 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L1 : 09:53:35,368
PH_ACTIVATE_REQ
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.42 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L1 : try activate
inactive l1 (l2ldx=6)
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.42 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L1M : closing ISDN
Lineinterface
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.42 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L1M : opening ISDN
Lineinterface 1.a/D/S0/HFC-4S on /dev/ilid
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.42 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L1M : 09:53:35,369
set termination to 0 on 1.a/D/S0/HFC-4S
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.42 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L1 : setting
1.a/D/S0/HFC-4S to TE (was TE)
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.43 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L1 : activate layer 1
on 1.a/D/S0/HFC-4S (was Off)
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.43 OMG201806 3: callp: launch: Launch:1827 started
(548) 14/02/19 09:53:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:35.43 OMG201806 3: callp: launch: exit Launch:1827
(548) 14/02/19 09:53:36 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:36.37 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:53:36,376 (8)
P-P data link --> state=AWAITING_ESTABLISHMENT, event=TIMER_T200_EXPIRY
(548) 14/02/19 09:53:36 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:36.38 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:53:36,376 (8)
P-P data link <-- state=AWAITING_ESTABLISHMENT
(548) 14/02/19 09:53:36 - INFO: SYSLOG (10.1.1.51/security/authorization/informational): <38>2014-02-19 09:53:36.90 OMG201806 Accepted password for root from
10.1.1.107 port 53032 ssh2
(548) 14/02/19 09:53:36 - INFO: SYSLOG (10.1.1.51/security/authorization messages/informational): <86>2014-02-19 09:53:36.91 OMG201806
pam_unix(sshd:session): session opened for user root by (uid=0)
(548) 14/02/19 09:53:37 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:37.39 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:53:37,392 (8)
P-P data link --> state=AWAITING_ESTABLISHMENT, event=TIMER_T200_EXPIRY
(548) 14/02/19 09:53:37 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:37.40 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:53:37,392 (8)
P-P data link <-- state=AWAITING_ESTABLISHMENT
(548) 14/02/19 09:53:38 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:37.51 OMG201806 ILID: io control get_meta_info called.
(548) 14/02/19 09:53:38 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:53:37.51 OMG201806 ILID: MBQ_ERR_DISCONNECT for
1.d/D/S0/HFC-4S
(548) 14/02/19 09:53:38 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:37.51 OMG201806 ILID: io control get_meta_info called.
(548) 14/02/19 09:53:38 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:53:37.51 OMG201806 ILID: MBQ_ERR_DISCONNECT for
1.c/D/S0/HFC-4S
(548) 14/02/19 09:53:38 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:37.51 OMG201806 ILID: io control get_meta_info called.
(548) 14/02/19 09:53:38 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:53:37.51 OMG201806 ILID: MBQ_ERR_DISCONNECT for
1.b/D/S0/HFC-4S
(548) 14/02/19 09:53:38 - INFO: SYSLOG (10.1.1.51/kernel/informational): <6>2014-02-19 09:53:37.51 OMG201806 ILID: io control get_meta_info called.
(548) 14/02/19 09:53:38 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:53:37.51 OMG201806 ILID: MBQ_ERR_DISCONNECT for
1.a/D/S0/HFC-4S
(548) 14/02/19 09:53:38 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:38.41 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:53:38,408 (8)
P-P data link --> state=AWAITING_ESTABLISHMENT, event=TIMER_T200_EXPIRY
(548) 14/02/19 09:53:38 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:38.41 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:53:38,409 (8)
P-P data link <-- state=AWAITING_ESTABLISHMENT
(548) 14/02/19 09:53:39 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:39.42 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:53:39,424 (8)
P-P data link --> state=AWAITING_ESTABLISHMENT, event=TIMER_T200_EXPIRY
(548) 14/02/19 09:53:39 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:39.43 OMG201806 mux_isdn:0 (1) ISDN[1](1826): Layer 2 down
(548) 14/02/19 09:53:39 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:39.44 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:53:39,425 (8)
P-P data link <-- state=TEI_ASSIGNED
(548) 14/02/19 09:53:39 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:39.44 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2M : 09:53:39,426
error indication G
(548) 14/02/19 09:53:39 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:39.45 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DiConn :
09:53:39,427 --> state=LINK_CONNECTION_RELEASED, event=DL_RELEASE_IND
(548) 14/02/19 09:53:39 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:39.47 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DiConn :
09:53:39,427 <-- state=LINK_CONNECTION_RELEASED
(548) 14/02/19 09:53:41 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:41.24 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4
t|10.1.1.50|37606):alive
(18420) 14/02/19 09:53:41 - INFO: <--(3217):alive
(548) 14/02/19 09:53:41 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:41.25 OMG201806 8: callp: scWrite(833): socket=8 ret=7 len=7
(548) 14/02/19 09:53:41 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:41.39 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L1 : 09:53:41,384
L1_TIMEOUT_T3
(548) 14/02/19 09:53:41 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:41.39 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L1 : l1 activated
(l2ldx=6)
(548) 14/02/19 09:53:41 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:41.40 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19
09:53:41,390 T:00 01 7f
(548) 14/02/19 09:53:41 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:41.40 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19
09:53:41,392 T:00 01 7f
(548) 14/02/19 09:53:41 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:41.40 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19
09:53:41,394 T:00 01 7f
(548) 14/02/19 09:53:41 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:41.40 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19
09:53:41,395 T:00 01 7f
(548) 14/02/19 09:53:41 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:41.45 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19
09:53:41,444 R:00 01 73
(548) 14/02/19 09:53:41 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:53:41.45 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:53:41,444 (8)
P-P data link --> state=TEI_ASSIGNED, event=UA

(548) 14/02/19 09:54:05 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:05.38 OMG201806 33: callp: scWrite(833): socket=8 ret=7 len=7
(548) 14/02/19 09:54:05 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:05.96 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19 09:54:05,958 R:02 01 01 01
(548) 14/02/19 09:54:05 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:05.96 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:05,959 (8) P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=RR
(548) 14/02/19 09:54:05 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:05.96 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:05,959 (8) P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED
(548) 14/02/19 09:54:05 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:05.96 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19 09:54:05,960 T:02 01 01 01
(18420) 14/02/19 09:54:11 - INFO: <--(3217):alive
(548) 14/02/19 09:54:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:11.41 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4 t|10.1.1.50|37606):alive
(548) 14/02/19 09:54:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:11.41 OMG201806 39: callp: scWrite(833): socket=8 ret=7 len=7
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.56 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19 09:54:14,563 R:02 ff 03 08 01 01 05 04 03 90 90 a3 18 01 89 29 05 0e 02 13 09 36 6c 0e 11 83 34 39 39 31 32 32 38 37 35 38 32 31 70 04 81 32 36 30 7d 02 91 84 a1
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.57 OMG201806 mux_isdn:0 (1) ISDN[1](1826): app.c:ProcessInstanceInd:1541 CM: L4 channeldump used=0 configured=2
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.57 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:54:14,572 A instance=1 callref=-1
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.58 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:54:14,572 B instance=1 callref=-1
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.58 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: message type is 0x 5
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.59 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:54:14,573 cpn=260 instance=1 callref=1 --> state=DSS1_U0, event=DSS1_SETUP
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.60 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1M: B channel reused early for PCE 12
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.60 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:54:14,573 mode=ALAW
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.60 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:54:14,574 cause=0
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.60 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:54:14,574 cpn=260 instance=1 callref=1 <-- state=DSS1_U6
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.60 OMG201806 mux_isdn:0 (1) ISDN[1](1826): APP : 0 calling_name =""->""
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.60 OMG201806 mux_isdn:0 (1) ISDN[1](1826): APP : 0 called_name =""->""
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.61 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNCMD::CCA_CALL_IND;499122875821;;260;;CCAPI_CIP_ANALOG_VOICE;1.a/B1/S0/HFC-4S;0;0;0;1;65535;1;;;0;;
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.61 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: event=CCA_CALL_IND
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.61 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG:callingPartyNumber1=499122875821
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.61 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG:callingPartyNumber2= calledPartyNumber=260
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.61 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: redirectingNumber=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.61 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: cip=CCAPI_CIP_ANALOG_VOICE
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.61 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: bChannelInterface=1.a/B1/S0/HFC-4S
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.61 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: error=0
(18420) 14/02/19 09:54:14 - INFO: <--(3217):channel_state --channel_name="1.a/B1/S0/HFC-4S" --status="499122875821 --> 260" --called_party_number="260" -- calling_party_number1="499122875821" --calling_party_number2="" --redirected_party_number="" --destination="fms" --used
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.61 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: cause=0
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.61 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: pi=0
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.61 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: bChannel=1
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.61 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: ChannelId=65535
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.61 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: CallControllId=1
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.61 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: callingName=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.62 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: calledName=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.62 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: ulaw=0
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.62 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: userToUser=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.62 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: charge=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.62 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: facility=
(548) 14/02/19 09:54:14 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:14.51 OMG201806 ilihwdRequestWriteAccess: queue c56ba000 writing to 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:54:14 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:14.51 OMG201806 ilihwdReleaseWriteAccess: queue c56ba000 stops using 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.62 OMG201806 mux_jobcontrol:0 (1) 1==1?
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.62 OMG201806 mux_jobcontrol:1(1) JOBCMD send: (netData:4 t|10.1.1.50|37606):channel_state --channel_name="1.a/B1/S0/HFC-4S" --status="499122875821 --> 260" --called_party_number="260" -- calling_party_number1="499122875821" --calling_party_number2="" --redirected_party_number="" --destination="fms" --used
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.62 OMG201806 42: callp: scWrite(833): socket=8 ret=231 len=231
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.62 OMG201806 CCA_CALL_IND
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.62 OMG201806 mux_isdn:0 (1) ISDN1 send to 'jobcontrol_isdn:2'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.63 OMG201806 mux_isdn:0 (1) ISDN[1](1826): APP : 09:54:14,600 96 bytes written ':CCA_CALL_IND;499122875821;;260;;CCAPI_CIP_ANALOG_VOICE;1.a/B1/S0/HFC-4S;0;0;0;1;65535;1;;;0;;
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.63 OMG201806 mux_isdn:0 (1) ISDN[1](1826): APP : 09:54:14,600 (1) 96 bytes written ':CCA_CALL_IND;499122875821;;260;;CCAPI_CIP_ANALOG_VOICE;1.a/B1/S0/HFC-4S;0;0;0;1;65535;1;;;0;;

(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.63 OMG201806 mux_isdn:0 (1) ISDN[1](1826): '
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.67 OMG201806 jobcontrol_isdn:2 (1) dbg=0
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.67 OMG201806 jobcontrol_isdn:2 (1) is my name, I'm new here
(18420) 14/02/19 09:54:14 - INFO: <-(3217):dchannel --message="alerting" --dchannel="jobcontrol_isdn:2" --channel_id=2 --calling_party_number="499122875821" --
--calling_party_number2="" --called_party_number="260" --redirecting_number=""
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.68 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==>
ISDNCMD::CCA_PROCEEDING;499122875821;;260;;CCAPI_CIP_ANALOG_VOICE;1.a/B1/S0/HFC-4S;0;0;0;1;2;1;;0;;;
(18420) 14/02/19 09:54:14 - INFO: DChannel::StartSend(): processing incoming call on OMG201806 - D00.
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.68 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:
event=CCA_PROCEEDING
(18420) 14/02/19 09:54:14 - INFO: [phnumcor] MakePhoneNumExt(): automatic phone number correction not available for '260'.
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.68 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==>
ISDNMSG:callingPartyNumber1=499122875821
(18420) 14/02/19 09:54:14 - INFO: [libagent] get_component_port(): component 'Poll' not found.
(18420) 14/02/19 09:54:14 - INFO: DChannel::CheckFaxAddr(): no poll definition for 260.
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.68 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==>
ISDNMSG:callingPartyNumber2=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.68 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:
calledPartyNumber=260
(18420) 14/02/19 09:54:14 - INFO: --> :receive --channel_id=2 --client_id=89759 --command=accept --called_party_number="260" --
calling_party_number="499122875821" --bchan_exec=fax.prc --bchan_param="" --type=recv --rx-file=[10.1.1.50:51988]/OMCUMS-EXPORT-
50946B2A/work/omcums0/rec/00015ea0.bff --csid="+43 7563 8041" --debug-snfs=2 --debug-fc=3 --debug-t3=2 --debug-t4=2 --debug-lapi=2 --debug-modem=2 --
bps=14400 --logo=1 --stat-fd=1'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.69 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:
redirectingNumber=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.69 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:
cip=CCAPI_CIP_ANALOG_VOICE
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.69 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:
bChannelInterface=1.a/B1/S0/HFC-4S
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.69 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:
error=0
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.69 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:
cause=0
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.69 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:
pi=0
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.69 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:
bChannel=1
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.69 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:
ChannelId=2
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.69 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:
CallControll=1
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.69 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:
callingName=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.69 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:
calledName=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.69 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:
ulaw=0
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.69 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:
userToUser=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.69 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:
charge=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.69 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:
facility=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.70 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==>
ISDNCMD::CCA_ALERTING;499122875821;;260;;CCAPI_CIP_ANALOG_VOICE;1.a/B1/S0/HFC-4S;0;0;0;1;2;1;;0;;;
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.70 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:
event=CCA_ALERTING
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.70 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==>
ISDNMSG:callingPartyNumber1=499122875821
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.70 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==>
ISDNMSG:callingPartyNumber2=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.70 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:
calledPartyNumber=260
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.70 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:
redirectingNumber=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.70 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:
cip=CCAPI_CIP_ANALOG_VOICE
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.70 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:
bChannelInterface=1.a/B1/S0/HFC-4S
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.70 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:
error=0
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.70 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:
cause=0
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.70 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:
pi=0
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.70 OMG201806 42: callp: scWrite(833): socket=8 ret=194 len=194
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.70 OMG201806 42: callp: launch: Launch:1826 started
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.70 OMG201806 42: callp: scRead(933): socket=8 ret=403
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.70 OMG201806 mux_jobcontrol:1(1) JOBCMD send: (netData:4
t|10.1.1.50|37606).dchannel --message="alerting" --dchannel="jobcontrol_isdn:2" --channel_id=2 --calling_party_number="499122875821" --calling_party_number2="" --
--called_party_number="260" --redirecting_number=""
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.71 OMG201806 mux_jobcontrol:4(1) JOBCMD recv: (netData:4
t|10.1.1.50|37606).:receive --channel_id=2 --client_id=89759 --command=accept --called_party_number="260" --calling_party_number="499122875821" --
bchan_exec=fax.prc --bchan_param="" --type=recv --rx-file=[10.1.1.50:51988]/OMCUMS-EXPORT-50946B2A/work/omcums0/rec/00015ea0.bff --csid="+43 7563 8041"
--debug-snfs=2 --debug-fc=3 --debug-t3=2 --debug-t4=2 --debug-lapi=2 --debug-modem=2 --bps=14400 --logo=1 --stat-fd=1"
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.71 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:
bChannel=1
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.71 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:
ChannelId=2
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.71 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:
CallControll=1
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.71 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:
callingName=

(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.71 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: calledName=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.71 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: ulaw=0
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.71 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: userToUser=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.71 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: charge=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.71 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: facility=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.71 OMG201806 mux_isdn:0 (1) ISDN[1](1826): APP : 09:54:14,709 Begin ReadAppPipe 1
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.71 OMG201806 mux_isdn:0 (1) ISDN[1](1826): APP : calling_name =
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.72 OMG201806 mux_isdn:0 (1) ISDN[1](1826): APP : called_name =
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.72 OMG201806 mux_isdn:0 (1) ISDN[1](1826): APP : 09:54:14,720 Begin ReadAppPipe 1
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.72 OMG201806 mux_isdn:0 (1) ISDN[1](1826): APP : calling_name =
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.72 OMG201806 mux_isdn:0 (1) ISDN[1](1826): APP : called_name =
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.72 OMG201806 mux_jobcontrol:4 (1) arglist is: bchan_param=-
-type=recv --rx-file=[10.1.1.50:51988]/OMCUMS-EXPORT-50946B2A/work/omcums0/rec/00015ea0.bff --csid=+43 7563 8041 --debug-sfn=2 --debug-fc=3 --debug-t30=2 --debug-t4=2 --debug-lapi=2 --debug-modem=2 --bps=14400 --logo=1 --stat-fd=1
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.72 OMG201806 called_party_number=260
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.72 OMG201806 calling_party_number=499122875821
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.72 OMG201806 command=accept
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.73 OMG201806 bchan_exec=fax.prc
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.73 OMG201806 channel_id=2
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.73 OMG201806 client_id=89759
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.74 OMG201806 mux_jobcontrol:4 (1) send to jobcontrol_isdn:2
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.74 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:54:14,733 cpn=260 instance=1 callref=1 --> state=DSS1_U6, event=L4L3_PROCEEDING_REQ
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.74 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: progress indicator set to enabled='FALSE' value=0
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.75 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:54:14,734 cause=0
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.75 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:54:14,734 cpn=260 instance=1 callref=1 <-- state=DSS1_U9
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.75 OMG201806 mux_isdn:0 (1) ISDN[1](1826): CC : set PROGRESS to 0
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.75 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DIConn : 09:54:14,735 --> state=LINK_CONNECTION_ESTABLISHED, event=DL_DATA_REQ
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.76 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DIConn : 09:54:14,735 <-- state=LINK_CONNECTION_ESTABLISHED
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.76 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:54:14,736 cpn=260 instance=1 callref=1 --> state=DSS1_U9, event=L4L3_ALERTING_REQ
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.76 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: set PROGRESS to 0
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.76 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: progress indicator set to enabled='FALSE' value=0
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.76 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:54:14,736 CalledNameSize == 0, qsig='false'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.76 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:54:14,736 cause=0
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.76 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:54:14,736 cpn=260 instance=1 callref=1 <-- state=DSS1_U7
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.77 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:14,737 (8) P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=DL_DATA_REQ
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.77 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:14,738 (8) P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.77 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DIConn : 09:54:14,739 --> state=LINK_CONNECTION_ESTABLISHED, event=DL_DATA_REQ
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.77 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DIConn : 09:54:14,746 <-- state=LINK_CONNECTION_ESTABLISHED
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.77 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:14,747 (8) P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=L_FRAME_QUEUED_UP
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.77 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:14,749 (8) P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.77 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19 09:54:14,749 T:00 01 00 00 08 01 81 02 18 01 89
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.77 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:14,750 (8) P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=DL_DATA_REQ
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.77 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:14,750 (8) P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.77 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:14,753 (8) P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=L_FRAME_QUEUED_UP
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.78 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:14,753 (8) P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.78 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNCDMD::CCA_CALL_RESP:499122875821;;260;;CCAPI_CIP_ANALOG_VOICE;1.a/B1/S0/HFC-4S;0;0;0;1;2;1;;0;;
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.78 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: event=CCA_CALL_RESP
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.78 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:callingPartyNumber1=499122875821
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.78 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:callingPartyNumber2=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.78 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: calledPartyNumber=260
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.79 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: redirectingNumber=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.79 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: cip=CCAPI_CIP_ANALOG_VOICE
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.79 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: bChannelInterface=1.a/B1/S0/HFC-4S

(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.79 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: error=0
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.79 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: cause=0
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.79 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: pi=0
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.79 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: bChannel=1
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.79 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: ChannelId=2
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.79 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: CallControll=1
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.79 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: callingName=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.79 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: calledName=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.79 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: ulaw=0
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.79 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: userToUser=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.79 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: charge=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.80 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: facility=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.80 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19 09:54:14,783 R:00 01 01 02
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.80 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:14,784 (8) P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=RR
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.80 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:14,784 (8) P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.80 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:14,785 (8) P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=L_FRAME_QUEUED_UP
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.80 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:14,790 (8) P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.80 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19 09:54:14,790 T:00 01 02 00 08 01 81 01
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.80 OMG201806 mux_isdn:0 (1) ISDN[1](1826): APP : 09:54:14,801 Begin ReadAppPipe 1
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.80 OMG201806 mux_isdn:0 (1) ISDN[1](1826): APP : calling_name ="
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.81 OMG201806 mux_isdn:0 (1) ISDN[1](1826): APP : called_name ="
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.83 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19 09:54:14,823 R:00 01 01 04
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.84 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:14,824 (8) P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=RR
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.84 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:14,824 (8) P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.84 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:54:14,826 cpn=260 instance=1 callref=1 --> state=DSS1_U7, event=L4L3_SETUP_RESP
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.84 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: progress indicator set to enabled=FALSE value=0
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.84 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:54:14,827 cause=0
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.84 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:54:14,827 cpn=260 instance=1 callref=1 <-- state=DSS1_U10
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.84 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DICConn : 09:54:14,828 --> state=LINK_CONNECTION_ESTABLISHED, event=DL_DATA_REQ
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.84 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DICConn : 09:54:14,828 <-- state=LINK_CONNECTION_ESTABLISHED
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.84 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L1M : 09:54:14,828 ML1_ACTIVATE_B_CHANNEL
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.84 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L1M : setting LIU on lineinterface 1.a/B1/S0/HFC-4S to 1
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.85 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:14,829 (8) P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=DL_DATA_REQ
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.85 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:14,830 (8) P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.85 OMG201806 mux_isdn:0 (1) ISDN[1](1826): APP : 0 calling_name ="->"
(18420) 14/02/19 09:54:14 - INFO: <--(3217) :dchannel --message="offhook" --channel_id=2 --client_id="89759" --dchannel="jobcontrol_isdn:2"
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.85 OMG201806 mux_isdn:0 (1) ISDN[1](1826): APP : 0 called_name ="->"
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.85 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG::CCA_CONNECT;499122875821;;260;;CCAPI_CIP_ANALOG_VOICE;1.a/B1/S0/HFC-4S;0;0;0;1;2;1;;0;;
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.85 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: event=CCA_CONNECT
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.85 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG:callingPartyNumber1=499122875821
(18420) 14/02/19 09:54:14 - INFO: <--(3217) :bchannel --message="start" --client_id="89759" --bchannel="1.a/B1/S0/HFC-4S"
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.85 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG:callingPartyNumber2=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.85 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: calledPartyNumber=260
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.85 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: redirectingNumber=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.85 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: cip=CCAPI_CIP_ANALOG_VOICE
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.85 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: bChannelInterface=1.a/B1/S0/HFC-4S
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.85 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: error=0
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.85 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: cause=0
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.85 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: pi=0

(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.85 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: bChannel=1
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.86 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: ChannelId=2
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.86 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: CallControll=1
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.86 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: callingName=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.86 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: calledName=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.86 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: ulaw=0
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.86 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: userToUser=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.86 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: charge=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.86 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: facility=
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.86 OMG201806 CCA_CONNECT
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.86 OMG201806 mux_isdn:0 (1) ISDN1 send to 'jobcontrol_isdn:2'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.86 OMG201806 mux_isdn:0 (1) ISDN[1](1826): APP : 09:54:14,834 91 bytes written ':CCA_CONNECT;499122875821;;260;;CCAPI_CIP_ANALOG_VOICE;1.a/B1/S0/HFC-4S;0;0;0;1;2;1;;0;;
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.86 OMG201806 mux_isdn:0 (1) ISDN[1](1826): '
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.87 OMG201806 mux_isdn:0 (1) ISDN[1](1826): APP : 09:54:14,834 (1) 91 bytes written ':CCA_CONNECT;499122875821;;260;;CCAPI_CIP_ANALOG_VOICE;1.a/B1/S0/HFC-4S;0;0;0;1;2;1;;0;;
(548) 14/02/19 09:54:14 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:14.51 OMG201806 ilihwdRequestWriteAccess: queue c56ba000 writing to 1.a/B1/S0/HFC-4S
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : rx_file=[10.1.1.50:51988]/OMCUMS-EXPORT-50946B2A/work/omcums0/rec/00015ea0.bff
(548) 14/02/19 09:54:14 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:14.51 OMG201806 ilihwdReleaseWriteAccess: queue c56ba000 stops using 1.a/B1/S0/HFC-4S
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : csid='+43 7563 8041'
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[0]='fax.prc'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.88 OMG201806 mux_isdn:0 (1) ISDN[1](1826): '
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[1]='--type=recv'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.88 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:14,834 (8) P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=L_FRAME_QUEUED_UP
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.88 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:14,836 (8) P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[2]='--interface=1.a/B1/S0/HFC-4S'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.89 OMG201806 jobcontrol_isdn:2 (1) call.pid = 2120
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[3]='--stat-fd=1'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.89 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19 09:54:14,837 T:00 01 04 00 08 01 81 07
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[4]='--calling-party-number=499122875821'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.89 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19 09:54:14,877 R:00 01 01 06
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[5]='--called-party-number=260'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.89 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:14,877 (8) P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=RR
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[6]='--type=recv'
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[7]='--rx-file=[10.1.1.50:51988]/OMCUMS-EXPORT-50946B2A/work/omcums0/rec/00015ea0.bff'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.89 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:14,878 (8) P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[8]='--csid='+43 7563 8041'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.90 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4 t|10.1.1.50|37606).dchannel --message="offhook" --channel_id=2 --client_id="89759" --dchannel="jobcontrol_isdn:2"
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[9]='--debug-snfs=2'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.91 OMG201806 42: callp: scWrite(833): socket=8 ret=96 len=96
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[10]='--debug-fc=3'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.91 OMG201806 42: callp: scWrite(833): socket=8 ret=78 len=78
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[11]='--debug-t30=2'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.91 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4 t|10.1.1.50|37606).bchannel --message="start" --client_id="89759" --bchannel="1.a/B1/S0/HFC-4S"
(548) 14/02/19 09:54:14 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:14.51 OMG201806 ilihwdRequestWriteAccess: queue c56ba000 writing to 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:54:14 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:14.51 OMG201806 ILID: MBQ_ERR_DISCONNECT for 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:54:14 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:14.51 OMG201806 ilihwdReleaseWriteAccess: queue c56ba000 stops using 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:54:14 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:14.51 OMG201806 ilihwdRequestWriteAccess: queue c57bb000 writing to 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:54:14 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:14.51 OMG201806 ilihwdReleaseWriteAccess: queue c57bb000 stops using 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:54:14 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:14.51 OMG201806 ilihwdRequestWriteAccess: queue c57bb000 writing to 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.95 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4 t|10.1.1.50|37606) FAX : rx_file=[10.1.1.50:51988]/OMCUMS-EXPORT-50946B2A/work/omcums0/rec/00015ea0.bff
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.95 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4 t|10.1.1.50|37606) FAX : csid='+43 7563 8041'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.95 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4 t|10.1.1.50|37606) FAX : argv[0]='fax.prc'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.95 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4 t|10.1.1.50|37606) FAX : argv[1]='--type=recv'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.95 OMG201806 42: callp: scWrite(833): socket=8 ret=87 len=87
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.95 OMG201806 42: callp: scWrite(833): socket=8 ret=27 len=27
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.95 OMG201806 42: callp: scWrite(833): socket=8 ret=24 len=24
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.95 OMG201806 42: callp: scWrite(833): socket=8 ret=28 len=28
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.96 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4 t|10.1.1.50|37606) FAX : argv[2]='--interface=1.a/B1/S0/HFC-4S'
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[12]='--debug-t4=2'
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[13]='--debug-lapi=2'
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[14]='--debug-modem=2'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.96 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4 t|10.1.1.50|37606) FAX : argv[3]='--stat-fd=1'

(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.96 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[4]='--calling-party-number=499122875821'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.97 OMG201806 42: callp: scWrite(833): socket=8 ret=45 len=45
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.97 OMG201806 42: callp: scWrite(833): socket=8 ret=28 len=28
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[15]='--bps=14400'
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[16]='--logo=1'
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[17]='--stat-fd=1'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.97 OMG201806 42: callp: scWrite(833): socket=8 ret=52 len=52
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[0]='fax.prc'
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[1]='--type=recv'
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[2]='--interface=1.a/B1/S0/HFC-4S'
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[3]='--stat-fd=1'
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[4]='--calling-party-number=499122875821'
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[5]='--called-party-number=260'
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[6]='--type=recv'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.97 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[5]='--called-party-number=260'
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[7]='--rx-file=[10.1.1.50:51988]/OMCUMS-EXPORT-50946B2A/work/omcums0/rec/00015ea0.bff'
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[8]='--csid=+43 7563 8041'
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[9]='--debug-snfs=2'
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[10]='--debug-fc=3'
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[11]='--debug-t30=2'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.97 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[6]='--type=recv'
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[12]='--debug-t4=2'
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[13]='--debug-lapi=2'
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[14]='--debug-modem=2'
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[15]='--bps=14400'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.97 OMG201806 42: callp: scWrite(833): socket=8 ret=42 len=42
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[16]='--logo=1'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.97 OMG201806 42: callp: scWrite(833): socket=8 ret=28 len=28
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.97 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[7]='--rx-file=[10.1.1.50:51988]/OMCUMS-EXPORT-50946B2A/work/omcums0/rec/00015ea0.bff'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.97 OMG201806 42: callp: scWrite(833): socket=8 ret=97 len=97
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.97 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[8]='--csid=+43 7563 8041'
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FAX : argv[17]='--stat-fd=1'
(18420) 14/02/19 09:54:14 - INFO: :event PRC_STARTED
(18420) 14/02/19 09:54:14 - WARNING: DChannel::OnMsgLine(): ignoring unknown command 'event PRC_STARTED'.
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.98 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[9]='--debug-snfs=2'
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FC : --> B-1 09:54:14.930 state=FC_RESET, event=FC_INIT
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FC : B1 T30 built.
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FC : B1 Sending SETUP_RX to T30
(18420) 14/02/19 09:54:14 - INFO: <--(3217) FC : <-- B1 09:54:14.931 state=FC_W4_T30_SETUP_ACK
(18420) 14/02/19 09:54:14 - INFO: <--(3217) T30 : B1 Wed Feb 19 09:54:14 2014
(18420) 14/02/19 09:54:14 - INFO: <--(3217) SETUP RX 14400 ECM Fax fine MR/MMR NoPoll
(18420) 14/02/19 09:54:14 - INFO: <--(3217) T30 : SETUP more info
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.98 OMG201806 42: callp: scWrite(833): socket=8 ret=37 len=37
(18420) 14/02/19 09:54:14 - INFO: <--(3217) T30 : Lapidx = 0
(18420) 14/02/19 09:54:14 - INFO: <--(3217) T30 : HighLayerIdx = 1
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.98 OMG201806 42: callp: scWrite(833): socket=8 ret=31 len=31
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.98 OMG201806 42: callp: scWrite(833): socket=8 ret=30 len=30
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.98 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[10]='--debug-fc=3'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.99 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[11]='--debug-t30=2'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.99 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[12]='--debug-t4=2'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.99 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[13]='--debug-lapi=2'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.99 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[14]='--debug-modem=2'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.99 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[15]='--bps=14400'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:14.99 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[16]='--logo=1'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.00 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[17]='--stat-fd=1'
(18420) 14/02/19 09:54:14 - INFO: <--(3217) T30 : min_speed = 0
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.00 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[0]='fax.prc'
(18420) 14/02/19 09:54:14 - INFO: <--(3217) T30 : listen_time_dtmf = 0
(18420) 14/02/19 09:54:14 - INFO: <--(3217) T30 : short_dis = 0
(18420) 14/02/19 09:54:14 - INFO: <--(3217) T30 : dis_size = 7
(18420) 14/02/19 09:54:14 - INFO: <--(3217) T30 : own_subs_id = +43 7563 8041
(18420) 14/02/19 09:54:14 - INFO: <--(3217) T30 : own_sernum = 0
(18420) 14/02/19 09:54:14 - INFO: <--(3217) T30 : B1 09:54:14.932 start Timer Timer 1
(18420) 14/02/19 09:54:14 - INFO: <--(3217) LAPi: B1 09:54:14.933 open ISDN Lineinterface 1.a/B1/S0/HFC-4S on /dev/iild (dbg=0x0002)
(18420) 14/02/19 09:54:14 - INFO: <--(3217) LAPi: B1 09:54:14.933 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 09:54:14 - INFO: <--(3217) LAPi: B1 09:54:14.934 setting rx modem mode 'rxg711 -a -r | rxmdm -v 0 -R'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.00 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[1]='--type=recv'
(18420) 14/02/19 09:54:14 - INFO: <--(3217) LAPi: B1 09:54:14.934 setting rx modem mode ''
(18420) 14/02/19 09:54:14 - INFO: <--(3217) LAPi: B1 09:54:14.934 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 09:54:14 - INFO: <--(3217) LAPi: B1 09:54:14.934 turned off tx irq
(18420) 14/02/19 09:54:14 - INFO: <--(3217) T30 : B1 09:54:14.939 Restart Timer Timer 1
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.00 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[2]='--interface=1.a/B1/S0/HFC-4S'
(548) 14/02/19 09:54:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.00 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[3]='--stat-fd=1'
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.01 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[4]='--calling-party-number=499122875821'
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.01 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[5]='--called-party-number=260'

(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.02 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19 09:54:15,008 R:02 01 00 06 08 01 01 0f
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.02 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:15,008 (8) P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=L_COMMAND
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.02 OMG201806 42: callp: scWrite(833): socket=8 ret=31 len=31
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.02 OMG201806 42: callp: scWrite(833): socket=8 ret=30 len=30
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.02 OMG201806 42: callp: scWrite(833): socket=8 ret=32 len=32
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.02 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:15,009 (8) P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.02 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: message type is 0x f
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.02 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:54:15,010 cpn=260 instance=1 callref=1 --> state=DSS1_U10, event=DSS1_CONNECT_ACK
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.02 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:54:15,010 cause=0
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.02 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:54:15,010 cpn=260 instance=1 callref=1 <-- state=DSS1_U10
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.02 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:15,011 (8) P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=ACKNOWLEDGE_PENDING
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.02 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:15,011 (8) P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.02 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19 09:54:15,013 T:02 01 01 02
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.03 OMG201806 42: callp: scWrite(833): socket=8 ret=33 len=33
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.03 OMG201806 42: callp: scWrite(833): socket=8 ret=29 len=29
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.03 OMG201806 42: callp: scWrite(833): socket=8 ret=26 len=26
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.03 OMG201806 42: callp: scWrite(833): socket=8 ret=29 len=29
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.03 OMG201806 42: callp: scWrite(833): socket=8 ret=24 len=24
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.03 OMG201806 42: callp: scWrite(833): socket=8 ret=28 len=28
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.03 OMG201806 42: callp: scWrite(833): socket=8 ret=45 len=45
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.03 OMG201806 42: callp: scWrite(833): socket=8 ret=28 len=28
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.03 OMG201806 42: callp: scWrite(833): socket=8 ret=52 len=52
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.03 OMG201806 42: callp: scWrite(833): socket=8 ret=42 len=42
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.03 OMG201806 42: callp: scWrite(833): socket=8 ret=28 len=28
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.03 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[6]='--type=recv'
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.03 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[7]='--rx-file=[10.1.1.50:51988]/OMCUMS-EXPORT-50946B2A/work/omcums0/rec/00015ea0.bff'
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.03 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[8]='--csid=+43 7563 8041'
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.03 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[9]='--debug-snfs=2'
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.03 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[10]='--debug-fc=3'
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.04 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[11]='--debug-t30=2'
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.04 OMG201806 42: callp: scWrite(833): socket=8 ret=97 len=97
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.04 OMG201806 42: callp: scWrite(833): socket=8 ret=37 len=37
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.04 OMG201806 42: callp: scWrite(833): socket=8 ret=31 len=31
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.04 OMG201806 42: callp: scWrite(833): socket=8 ret=30 len=30
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.04 OMG201806 42: callp: scWrite(833): socket=8 ret=31 len=31
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.04 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[12]='--debug-t4=2'
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.04 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[13]='--debug-lapi=2'
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.04 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[14]='--debug-modem=2'
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.04 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[15]='--bps=14400'
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.05 OMG201806 42: callp: scWrite(833): socket=8 ret=30 len=30
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.05 OMG201806 42: callp: scWrite(833): socket=8 ret=32 len=32
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.05 OMG201806 42: callp: scWrite(833): socket=8 ret=33 len=33
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.05 OMG201806 42: callp: scWrite(833): socket=8 ret=29 len=29
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.05 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[16]='--logo=1'
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.05 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FAX : argv[17]='--stat-fd=1'
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.05 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4 t|10.1.1.50|37606) :event PRC_STARTED
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.05 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FC : -- B-1 09:54:14,930 state=FC_RESET, event=FC_INIT
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.05 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FC : B1 T30 built.
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.06 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FC : B1 Sending SETUP_RX to T30
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.06 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FC : <-- B1 09:54:14,931 state=FC_W4_T30_SETUP_ACK
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.06 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 Wed Feb 19 09:54:14 2014
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.06 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) SETUP RX 14400 ECM Fax fine MR/MMR NoPoll
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.06 OMG201806 42: callp: scWrite(833): socket=8 ret=26 len=26
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.06 OMG201806 42: callp: scWrite(833): socket=8 ret=29 len=29
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.07 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : Lapidix = 0
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.08 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:14,932 start Timer Timer 1
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.08 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:14,933 open ISDN Lineinterface 1.a/B1/S0/HFC-4S on /dev/lid (dbg=0x0002)
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.09 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:14,934 setting rx modem mode 'rxg711 -a -r | rxmdm -v 0 -R'
(548) 14/02/19 09:54:15 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:15.09 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:14,934 setting rx modem mode "

(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:19.98 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:19,964 LapiSetMode id=2 mode=6 alaw=1 dir=1 bufsize=0 hdlc=1 t1=1000 t2=100 f=0
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:19.99 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 SEND NSF (04 8b 02 01 05 00 00)
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:19.99 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 SEND CSI
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:19.99 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 SEND first DIS
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:19.99 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 SEND DIS V17/V33 14400 ECM Fax fine MR/MMR (00 77 1f 22)
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:19.99 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : DIS line_width=2 min_time_4_line=7
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:19.99 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:19,965 setting (async) tx modem mode 'txidle -a' (session 1)
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:20.00 OMG201806 47: callp: scWrite(833): socket=8 ret=96 len=96
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:20.00 OMG201806 47: callp: scWrite(833): socket=8 ret=43 len=43
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:20.00 OMG201806 47: callp: scWrite(833): socket=8 ret=19 len=19
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:20.00 OMG201806 47: callp: scWrite(833): socket=8 ret=25 len=25
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:20.00 OMG201806 47: callp: scWrite(833): socket=8 ret=68 len=68
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:20.00 OMG201806 47: callp: scWrite(833): socket=8 ret=46 len=46
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:20.00 OMG201806 47: callp: scWrite(833): socket=8 ret=77 len=77
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:20.00 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:19,965 setting (sync) tx modem mode 'txhdlc -n -r | txmdm -v 21 -b 300 -s | txg711 -a -r' (session 2)
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:20.00 OMG201806 47: callp: scWrite(833): socket=8 ret=119 len=119
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:20.00 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:19,966 Sending 38 flags
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:20.00 OMG201806 47: callp: scWrite(833): socket=8 ret=40 len=40
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:20.01 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:19,966 write: req=1, size=1, buf: 26
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:20.01 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:19,970 write: req=2, size=10, buf: ff 03 20 20 d1 40 80 a0 ...
(18420) 14/02/19 09:54:19 - INFO: <--(3217) T30 : B1 SEND NSF (04 8b 02 01 05 00 00)
(18420) 14/02/19 09:54:19 - INFO: <--(3217) T30 : B1 SEND CSI
(18420) 14/02/19 09:54:19 - INFO: <--(3217) T30 : B1 SEND first DIS
(18420) 14/02/19 09:54:19 - INFO: <--(3217) T30 : B1 SEND DIS V17/V33 14400 ECM Fax fine MR/MMR (00 77 1f 22)
(18420) 14/02/19 09:54:19 - INFO: <--(3217) T30 : DIS line_width=2 min_time_4_line=7
(18420) 14/02/19 09:54:19 - INFO: <--(3217) LAPI: B1 09:54:19,965 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 09:54:19 - INFO: <--(3217) LAPI: B1 09:54:19,965 setting (sync) tx modem mode 'txhdlc -n -r | txmdm -v 21 -b 300 -s | txg711 -a -r' (session 2)
(18420) 14/02/19 09:54:19 - INFO: <--(3217) LAPI: B1 09:54:19,966 Sending 38 flags
(18420) 14/02/19 09:54:19 - INFO: <--(3217) LAPI: B1 09:54:19,966 write: req=1, size=1, buf: 26
(18420) 14/02/19 09:54:19 - INFO: <--(3217) LAPI: B1 09:54:19,970 write: req=2, size=10, buf: ff 03 20 20 d1 40 80 a0 ...
(18420) 14/02/19 09:54:19 - INFO: <--(3217) LAPI: B1 09:54:19,970 dropped tx modem mode 'txidle -a' (session 0)
(18420) 14/02/19 09:54:19 - INFO: <--(3217) LAPI: B1 09:54:19,972 write: req=2, size=23, buf: ff 03 40 31 34 30 38 20 ...
(18420) 14/02/19 09:54:19 - INFO: <--(3217) LAPI: B1 09:54:19,973 write: req=2, size=7, buf: ff 13 80 00 ee f8 44
(18420) 14/02/19 09:54:19 - INFO: <--(3217) LAPI: B1 09:54:19,974 write: req=1, size=1, buf: 02
(18420) 14/02/19 09:54:19 - INFO: <--(3217) LAPI: B1 09:54:19,974 write: req=5, size=0, buf:
(18420) 14/02/19 09:54:19 - INFO: <--(3217) LAPI: B1 09:54:19,974 turned off tx irq
(18420) 14/02/19 09:54:19 - INFO: <--(3217) LAPI: B1 09:54:19,974 setting (sync) tx modem mode 'txidle -a' (session 3)
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:20.01 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:19,970 dropped tx modem mode 'txidle -a' (session 0)
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:20.01 OMG201806 47: callp: scWrite(833): socket=8 ret=54 len=54
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:20.01 OMG201806 47: callp: scWrite(833): socket=8 ret=79 len=79
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:20.01 OMG201806 47: callp: scWrite(833): socket=8 ret=69 len=69
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:20.01 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:19,972 write: req=2, size=23, buf: ff 03 40 31 34 30 38 20 ...
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:20.01 OMG201806 47: callp: scWrite(833): socket=8 ret=79 len=79
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:20.01 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:19,973 write: req=2, size=7, buf: ff 13 80 00 ee f8 44
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:20.02 OMG201806 47: callp: scWrite(833): socket=8 ret=72 len=72
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:20.02 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:19,974 write: req=1, size=1, buf: 02
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:20.02 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:19,974 write: req=5, size=0, buf:
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:20.02 OMG201806 47: callp: scWrite(833): socket=8 ret=54 len=54
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:20.02 OMG201806 47: callp: scWrite(833): socket=8 ret=51 len=51
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:20.02 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:19,974 turned off tx irq
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:20.02 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:19,974 setting (sync) tx modem mode 'txidle -a' (session 3)
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:20.02 OMG201806 47: callp: scWrite(833): socket=8 ret=41 len=41
(548) 14/02/19 09:54:19 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:20.02 OMG201806 47: callp: scWrite(833): socket=8 ret=76 len=76
(548) 14/02/19 09:54:22 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:22.51 OMG201806 ilihwdReleaseWriteAccess: queue c57bb000 stops using 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:54:22 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:22.51 OMG201806 ilihwdReleaseWriteAccess: queue (null) stops using 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:54:22 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:22.51 OMG201806 ilihwdRequestWriteAccess: queue c57bf000 writing to 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:54:22 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:22.51 OMG201806 ilihwdReleaseWriteAccess: queue c57bf000 stops using 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:54:22 - INFO: <--(3217) LAPI: B1 09:54:22,762 txend for session 2
(548) 14/02/19 09:54:22 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:22.77 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:22,762 txend for session 2
(18420) 14/02/19 09:54:22 - INFO: <--(3217) LAPI: B1 09:54:22,764 setting (async) tx modem mode 'txidle -a' (session 1)
(548) 14/02/19 09:54:22 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:22.77 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:22,764 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 09:54:22 - INFO: <--(3217) T30 : B1 09:54:22,767 start Timer Timer 4
(548) 14/02/19 09:54:22 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:22.77 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:22,767 start Timer Timer 4
(18420) 14/02/19 09:54:22 - INFO: <--(3217) T30 : B1 09:54:22,767 LapiSetMode id=3 mode=6 alaw=1 dir=0 bufsize=264 hdlc=1 t1=0 t2=0 f=0
(18420) 14/02/19 09:54:22 - INFO: <--(3217) LAPI: B1 09:54:22,768 setting rx modem mode 'rxg711 -a -r | rxmdm -v 21 -b 300 | rxhdlc -r'
(548) 14/02/19 09:54:22 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:22.77 OMG201806 50: callp: scWrite(833): socket=8 ret=43 len=43
(548) 14/02/19 09:54:22 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:22.77 OMG201806 50: callp: scWrite(833): socket=8 ret=77 len=77
(548) 14/02/19 09:54:22 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:22.77 OMG201806 50: callp: scWrite(833): socket=8 ret=43 len=43

(548) 14/02/19 09:54:22 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:22.77 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:22,767 LapiSetMode id=3 mode=6 alaw=1 dir=0 bufsize=264 hdlc=1 t1=0 t2=0 f=0
(548) 14/02/19 09:54:22 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:22.78 OMG201806 50: callp: scWrite(833): socket=8 ret=93 len=93
(548) 14/02/19 09:54:22 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:22.78 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:22,768 setting rx modem mode 'rxg711 -a -r | rxmdm -v 21 -b 300 | rxhdlc -r'
(548) 14/02/19 09:54:22 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:22.78 OMG201806 50: callp: scWrite(833): socket=8 ret=94 len=94
(18420) 14/02/19 09:54:23 - INFO: <--(3217) LAPI: B1 09:54:23,130 (54.23,12998) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(548) 14/02/19 09:54:23 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:23.13 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:23,130 (54.23,12998) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(548) 14/02/19 09:54:23 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:23.13 OMG201806 50: callp: scWrite(833): socket=8 ret=85 len=85
(18420) 14/02/19 09:54:23 - INFO: <--(3217) LAPI: B1 09:54:23,258 (54.23,25797) ILID_IND_DETECT ILAPI_DETECT_V21 size=21
(548) 14/02/19 09:54:23 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:23.26 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:23,258 (54.23,25797) ILID_IND_DETECT ILAPI_DETECT_V21 size=21
(548) 14/02/19 09:54:23 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:23.26 OMG201806 51: callp: scWrite(833): socket=8 ret=78 len=78
(18420) 14/02/19 09:54:23 - INFO: <--(3217) LAPI: B1 09:54:23,338 (54.23,33383) ILID_IND_FLAG size=16
(548) 14/02/19 09:54:23 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:23.34 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:23,338 (54.23,33383) ILID_IND_FLAG size=16
(18420) 14/02/19 09:54:23 - INFO: <--(3217) T30 : B1 09:54:23,339 Restart Timer Timer 4
(548) 14/02/19 09:54:23 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:23.34 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:23,339 Restart Timer Timer 4
(548) 14/02/19 09:54:23 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:23.34 OMG201806 51: callp: scWrite(833): socket=8 ret=59 len=59
(548) 14/02/19 09:54:23 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:23.34 OMG201806 51: callp: scWrite(833): socket=8 ret=45 len=45
(18420) 14/02/19 09:54:23 - INFO: <--(3217) :alive
(548) 14/02/19 09:54:23 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:23.48 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4 t|10.1.1.50|37606) :alive
(548) 14/02/19 09:54:23 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:23.48 OMG201806 51: callp: scWrite(833): socket=8 ret=7 len=7
(18420) 14/02/19 09:54:24 - INFO: <--(3217) LAPI: B1 09:54:24,890 (54.24,88596) ILID_IND_DATA ff 03 43 20 20 20 20 ...
(548) 14/02/19 09:54:24 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:24.89 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:24,890 (54.24,88596) ILID_IND_DATA ff 03 43 20 20 20 20 ...
(18420) 14/02/19 09:54:24 - INFO: <--(3217) T30 : B1 09:54:24,891 RCV TSI remote_subs_id = "
(548) 14/02/19 09:54:24 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:24.89 OMG201806 52: callp: scWrite(833): socket=8 ret=79 len=79
(548) 14/02/19 09:54:24 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:24.89 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:24,891 RCV TSI remote_subs_id = "
(18420) 14/02/19 09:54:24 - INFO: <--(3217) T30 : B1 09:54:24,891 stop Timer Timer 1
(548) 14/02/19 09:54:24 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:24.90 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:24,891 stop Timer Timer 1
(18420) 14/02/19 09:54:24 - INFO: <--(3217) T30 : B1 09:54:24,891 start Timer Timer 9
(18420) 14/02/19 09:54:24 - INFO: <--(3217) T30 : B1 09:54:24,892 Restart Timer Timer 4
(548) 14/02/19 09:54:24 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:24.90 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:24,891 start Timer Timer 9
(548) 14/02/19 09:54:24 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:24.90 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:24,892 Restart Timer Timer 4
(548) 14/02/19 09:54:24 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:24.90 OMG201806 52: callp: scWrite(833): socket=8 ret=71 len=71
(548) 14/02/19 09:54:24 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:24.90 OMG201806 52: callp: scWrite(833): socket=8 ret=42 len=42
(548) 14/02/19 09:54:24 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:24.90 OMG201806 52: callp: scWrite(833): socket=8 ret=43 len=43
(548) 14/02/19 09:54:24 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:24.90 OMG201806 52: callp: scWrite(833): socket=8 ret=45 len=45
(548) 14/02/19 09:54:24 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.06 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19 09:54:25,060 R:02 01 01 07
(548) 14/02/19 09:54:24 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.06 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:25,061 (8) P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=RR
(548) 14/02/19 09:54:24 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.06 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:25,061 (8) P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED
(548) 14/02/19 09:54:24 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.06 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19 09:54:25,062 T:02 01 01 03
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.18 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:25,162 (54.25,14634) ILID_IND_DATA ff 13 83 00 06 f8 04 b4 ...
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.18 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:25,162 (54.25,14967) ILID_IND_CARRIER_LOST size=17
(18420) 14/02/19 09:54:25 - INFO: <--(3217) LAPI: B1 09:54:25,162 (54.25,14634) ILID_IND_DATA ff 13 83 00 06 f8 04 b4 ...
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.19 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:25,163 setting rx modem mode "
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.19 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:25,163 RCV DCS V29 9600 ECM Fax standard MH (00 60 1f 20)
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.19 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : DCS line_width=2 min_time_4_line=7
(18420) 14/02/19 09:54:25 - INFO: <--(3217) LAPI: B1 09:54:25,162 (54.25,14967) ILID_IND_CARRIER_LOST size=17
(18420) 14/02/19 09:54:25 - INFO: <--(3217) LAPI: B1 09:54:25,163 setting rx modem mode "
(18420) 14/02/19 09:54:25 - INFO: <--(3217) T30 : B1 09:54:25,163 RCV DCS V29 9600 ECM Fax standard MH (00 60 1f 20)
(18420) 14/02/19 09:54:25 - INFO: <--(3217) T30 : DCS line_width=2 min_time_4_line=7
(18420) 14/02/19 09:54:25 - INFO: <--(3217) T30 : B1 09:54:25,163 LapiSetMode id=4 mode=20 alaw=1 dir=0 bufsize=100 hdlc=0 t1=3300 t2=500 f=0
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.19 OMG201806 52: callp: scWrite(833): socket=8 ret=79 len=79
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.19 OMG201806 52: callp: scWrite(833): socket=8 ret=67 len=67
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.19 OMG201806 52: callp: scWrite(833): socket=8 ret=48 len=48
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.19 OMG201806 52: callp: scWrite(833): socket=8 ret=74 len=74
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.19 OMG201806 52: callp: scWrite(833): socket=8 ret=45 len=45
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.20 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:25,163 LapiSetMode id=4 mode=20 alaw=1 dir=0 bufsize=100 hdlc=0 t1=3300 t2=500 f=0
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.20 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:25,164 CheckTraining (TCF)
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.20 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:25,164 stop Timer Timer 1
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.20 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:25,164 stop Timer Timer 4
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.20 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:25,164 start Timer Timer 6 RXTCF
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.20 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T4 : built
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.21 OMG201806 52: callp: scWrite(833): socket=8 ret=99 len=99
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.21 OMG201806 52: callp: scWrite(833): socket=8 ret=43 len=43
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.21 OMG201806 52: callp: scWrite(833): socket=8 ret=42 len=42
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.21 OMG201806 52: callp: scWrite(833): socket=8 ret=42 len=42
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.21 OMG201806 52: callp: scWrite(833): socket=8 ret=49 len=49
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.21 OMG201806 52: callp: scWrite(833): socket=8 ret=12 len=12
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.21 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 Build T4. T4Idx=5

(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.21 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:25,165 Send T4 Setup
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.21 OMG201806 52: callp: scWrite(833): socket=8 ret=29 len=29
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.21 OMG201806 52: callp: scWrite(833): socket=8 ret=37 len=37
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.21 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAP: B1 09:54:25,166 setting rx modem mode 'rxg711 -a -r | rxmdm -v 29 -b 9600 -l -r '
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.21 OMG201806 52: callp: scWrite(833): socket=8 ret=89 len=89
(18420) 14/02/19 09:54:25 - INFO: <--(3217) T30 : B1 09:54:25,164 CheckTraining (TCF)
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.21 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T4 : 09:54:25,166 ready for decoding
(18420) 14/02/19 09:54:25 - INFO: <--(3217) T30 : B1 09:54:25,164 stop Timer Timer 1
(18420) 14/02/19 09:54:25 - INFO: <--(3217) T30 : B1 09:54:25,164 stop Timer Timer 4
(18420) 14/02/19 09:54:25 - INFO: <--(3217) T30 : B1 09:54:25,164 start Timer Timer 6 RXTCF
(18420) 14/02/19 09:54:25 - INFO: <--(3217) T4 : built
(18420) 14/02/19 09:54:25 - INFO: <--(3217) T30 : B1 Build T4. T4Idx=5
(18420) 14/02/19 09:54:25 - INFO: <--(3217) T30 : B1 09:54:25,165 Send T4 Setup
(18420) 14/02/19 09:54:25 - INFO: <--(3217) LAP: B1 09:54:25,166 setting rx modem mode 'rxg711 -a -r | rxmdm -v 29 -b 9600 -l -r '
(18420) 14/02/19 09:54:25 - INFO: <--(3217) T4 : 09:54:25,166 ready for decoding
(18420) 14/02/19 09:54:25 - INFO: <--(3217) line width: 1728
(18420) 14/02/19 09:54:25 - INFO: <--(3217) line repeat: 2
(18420) 14/02/19 09:54:25 - INFO: <--(3217) format : 6
(18420) 14/02/19 09:54:25 - INFO: <--(3217) event: 0x02
(18420) 14/02/19 09:54:25 - INFO: <--(3217) rtc event: 0x50
(18420) 14/02/19 09:54:25 - INFO: <--(3217) eom event: 0x00
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.22 OMG201806 52: callp: scWrite(833): socket=8 ret=38 len=38
(18420) 14/02/19 09:54:25 - INFO: <--(3217) K: 0
(18420) 14/02/19 09:54:25 - INFO: <--(3217) FC : --> B1 09:54:25,167 state=FC_W4_T30_SETUP_ACK, event=T30_SETUP_ACK_RX
(18420) 14/02/19 09:54:25 - INFO: <--(3217) FC : Wed Feb 19 09:54:25 2014
(18420) 14/02/19 09:54:25 - INFO: <--(3217) Status Update
(18420) 14/02/19 09:54:25 - INFO: <--(3217) direction : recv
(18420) 14/02/19 09:54:25 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 09:54:25 - INFO: <--(3217) bps_used : 9600
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.22 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) line width: 1728
(18420) 14/02/19 09:54:25 - INFO: <--(3217) own_csid : +43 7563 8041
(18420) 14/02/19 09:54:25 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 09:54:25 - INFO: <--(3217) ecm_used : 1
(18420) 14/02/19 09:54:25 - INFO: <--(3217) dpi_used : 100 dpi
(18420) 14/02/19 09:54:25 - INFO: <--(3217) t4mode_used : MH
(18420) 14/02/19 09:54:25 - INFO: <--(3217) tx image_type : unknown
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.22 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) line repeat: 2
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.22 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) format : 6
(18420) 14/02/19 09:54:25 - INFO: <--(3217) rx image_type : BFF
(18420) 14/02/19 09:54:25 - INFO: <--(3217) total_pages : 0
(18420) 14/02/19 09:54:25 - INFO: <--(3217) tx_pages : 0
(18420) 14/02/19 09:54:25 - INFO: <--(3217) rx_pages : 0
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.22 OMG201806 52: callp: scWrite(833): socket=8 ret=27 len=27
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.22 OMG201806 52: callp: scWrite(833): socket=8 ret=24 len=24
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.22 OMG201806 52: callp: scWrite(833): socket=8 ret=24 len=24
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.22 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) event: 0x02
(18420) 14/02/19 09:54:25 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 09:54:25 - INFO: <--(3217) from_whom_rx :
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.23 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) rtc event: 0x50
(18420) 14/02/19 09:54:25 - INFO: <--(3217) to_whom_tx :
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.23 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) eom event: 0x00
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.23 OMG201806 52: callp: scWrite(833): socket=8 ret=27 len=27
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.23 OMG201806 last message repeated 2 times
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.23 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) K: 0
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.23 OMG201806 52: callp: scWrite(833): socket=8 ret=24 len=24
(18420) 14/02/19 09:54:25 - INFO: <--(3217) from_whom_tx :
(18420) 14/02/19 09:54:25 - INFO: <--(3217) remote_csid :
(18420) 14/02/19 09:54:25 - INFO: <--(3217) remote_sernum : 0
(18420) 14/02/19 09:54:25 - INFO: <--(3217) error : 22
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.23 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FC : --> B1 09:54:25,167 state=FC_W4_T30_SETUP_ACK, event=T30_SETUP_ACK_RX
(18420) 14/02/19 09:54:25 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:54:25" --error="none" --type="recv" --bps="9600" --ecm=1 --res="100" --t4="MH" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid=" " --to="" --from=""
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.23 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FC : Wed Feb 19 09:54:25 2014
(18420) 14/02/19 09:54:25 - INFO: DChannel:OnMsgLine(): job 89759: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:54:25" --error="none" --type="recv" --bps="9600" --ecm=1 --res="100" --t4="MH" --txp=0 --rxp=0 --ferrari=0 --sernum=0 --csid=" " --to="" --from=""
(18420) 14/02/19 09:54:25 - INFO: <--(3217) FC : Init Rx BFF
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.24 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) Status Update
(18420) 14/02/19 09:54:25 - INFO: <--(3217) BFF : Write SOP
(18420) 14/02/19 09:54:25 - INFO: <--(3217) BFF : Write SEEK Prev
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.24 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) direction : recv
(18420) 14/02/19 09:54:25 - INFO: <--(3217) BFF : Write SEEK Next
(18420) 14/02/19 09:54:25 - INFO: <--(3217) FC : <-- B1 09:54:25,172 state=FC_RX
(18420) 14/02/19 09:54:25 - INFO: <--(3217) Error: T30 B1 09:54:25,172 Msg L_CARRIER_LOST at state T30_PBR_W4TCF with old session_id received -> ignore!
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.24 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) use_bps : 14400
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.24 OMG201806 52: callp: scWrite(833): socket=8 ret=77 len=77
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.24 OMG201806 52: callp: scWrite(833): socket=8 ret=31 len=31
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.24 OMG201806 52: callp: scWrite(833): socket=8 ret=15 len=15
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.24 OMG201806 52: callp: scWrite(833): socket=8 ret=27 len=27
(548) 14/02/19 09:54:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:25.24 OMG201806 52: callp: scWrite(833): socket=8 ret=28 len=28

(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.14 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:27,146 (54.27,14155) ILID_IND_DATA 00 00 00 00 00 00 ...
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.15 OMG201806 54: callp: scWrite(833): socket=8 ret=79 len=79
(548) 14/02/19 09:54:27 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:26.51 OMG201806 ilihwdReleaseWriteAccess: queue c57bf000 stops using 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:54:27 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:26.51 OMG201806 ilihwdRequestWriteAccess: queue c57bf000 writing to 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:54:27 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:26.51 OMG201806 ilihwdReleaseWriteAccess: queue c57bf000 stops using 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:54:27 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:26.51 OMG201806 ilihwdRequestWriteAccess: queue c57be000 writing to 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.19 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:27,162 (54.27,15717) ILID_IND_DATA ff ff ff ff ff 92 ad ...
(18420) 14/02/19 09:54:27 - INFO: <--(3217) LAPI: B1 09:54:27,162 (54.27,15717) ILID_IND_DATA ff ff ff ff ff 92 ad ...
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.19 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:27,162 (54.27,15717) ILID_IND_CARRIER_LOST size=16
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.19 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:27,163 setting rx modem mode "
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.19 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:27,163 stop Timer Timer 6 RXTCF
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.19 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:27,164 stop Timer Timer 9
(18420) 14/02/19 09:54:27 - INFO: <--(3217) LAPI: B1 09:54:27,162 (54.27,15717) ILID_IND_CARRIER_LOST size=16
(18420) 14/02/19 09:54:27 - INFO: <--(3217) LAPI: B1 09:54:27,163 setting rx modem mode "
(18420) 14/02/19 09:54:27 - INFO: <--(3217) T30 : B1 09:54:27,163 stop Timer Timer 6 RXTCF
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.19 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:27,164 start Timer Timer 2
(18420) 14/02/19 09:54:27 - INFO: <--(3217) T30 : B1 09:54:27,164 stop Timer Timer 9
(18420) 14/02/19 09:54:27 - INFO: <--(3217) T30 : B1 09:54:27,164 start Timer Timer 2
(18420) 14/02/19 09:54:27 - INFO: <--(3217) T30 : B1 09:54:27,164 TCF_OK
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.20 OMG201806 54: callp: scWrite(833): socket=8 ret=79 len=79
(18420) 14/02/19 09:54:27 - INFO: <--(3217) T30 : B1 SendHighLayerStatus
(18420) 14/02/19 09:54:27 - INFO: <--(3217) T30 : B1 Send CFR
(18420) 14/02/19 09:54:27 - INFO: <--(3217) T30 : B1 09:54:27,164 LapiSetMode id=5 mode=6 alaw=1 dir=1 bufsize=0 hdlc=1 t1=1000 t2=100 f=0
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.20 OMG201806 54: callp: scWrite(833): socket=8 ret=67 len=67
(18420) 14/02/19 09:54:27 - INFO: <--(3217) T30 : B1 09:54:27,165 SendT30Command
(18420) 14/02/19 09:54:27 - INFO: <--(3217) LAPI: B1 09:54:27,165 setting (async) tx modem mode 'txidle -a' (session 1)
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.20 OMG201806 54: callp: scWrite(833): socket=8 ret=48 len=48
(18420) 14/02/19 09:54:27 - INFO: <--(3217) LAPI: B1 09:54:27,166 setting (sync) tx modem mode 'txhdlc -n -r | txmdm -v 21 -b 300 -s | txg711 -a -r' (session 2)
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.20 OMG201806 54: callp: scWrite(833): socket=8 ret=48 len=48
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.20 OMG201806 54: callp: scWrite(833): socket=8 ret=42 len=42
(18420) 14/02/19 09:54:27 - INFO: <--(3217) LAPI: B1 09:54:27,166 Sending 38 flags
(18420) 14/02/19 09:54:27 - INFO: <--(3217) LAPI: B1 09:54:27,166 write: req=1, size=1, buf: 26
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.20 OMG201806 54: callp: scWrite(833): socket=8 ret=43 len=43
(18420) 14/02/19 09:54:27 - INFO: <--(3217) FC : --> B1 09:54:27,167 state=FC_RX, event=T30_STATUS
(18420) 14/02/19 09:54:27 - INFO: <--(3217) FC : Wed Feb 19 09:54:27 2014
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.20 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:27,164 TCF_OK
(18420) 14/02/19 09:54:27 - INFO: <--(3217) Status Update
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.20 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 SendHighLayerStatus
(18420) 14/02/19 09:54:27 - INFO: <--(3217) direction : rcv
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.20 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 Send CFR
(18420) 14/02/19 09:54:27 - INFO: <--(3217) use_bps : 14400
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.20 OMG201806 54: callp: scWrite(833): socket=8 ret=29 len=29
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.20 OMG201806 54: callp: scWrite(833): socket=8 ret=30 len=30
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.20 OMG201806 54: callp: scWrite(833): socket=8 ret=18 len=18
(18420) 14/02/19 09:54:27 - INFO: <--(3217) bps_used : 9600
(18420) 14/02/19 09:54:27 - INFO: <--(3217) own_csid : +43 7563 8041
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.21 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:27,164 LapiSetMode id=5 mode=6 alaw=1 dir=1 bufsize=0 hdlc=1 t1=1000 t2=100 f=0
(18420) 14/02/19 09:54:27 - INFO: <--(3217) own_sernum : 0
(18420) 14/02/19 09:54:27 - INFO: <--(3217) ecm_used : 1
(18420) 14/02/19 09:54:27 - INFO: <--(3217) dpi_used : 100 dpi
(18420) 14/02/19 09:54:27 - INFO: <--(3217) t4mode_used : MH
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.21 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:27,165 SendT30Command
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.21 OMG201806 54: callp: scWrite(833): socket=8 ret=96 len=96
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.21 OMG201806 54: callp: scWrite(833): socket=8 ret=38 len=38
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.21 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:27,165 setting (async) tx modem mode 'txidle -a' (session 1)
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.21 OMG201806 54: callp: scWrite(833): socket=8 ret=77 len=77
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.21 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:27,166 setting (sync) tx modem mode 'txhdlc -n -r | txmdm -v 21 -b 300 -s | txg711 -a -r' (session 2)
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.21 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:27,166 Sending 38 flags
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.22 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:27,166 write: req=1, size=1, buf: 26
(18420) 14/02/19 09:54:27 - INFO: <--(3217) tx image_type : unknown
(18420) 14/02/19 09:54:27 - INFO: <--(3217) rx image_type : BFF
(18420) 14/02/19 09:54:27 - INFO: <--(3217) total_pages : 0
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.22 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FC : --> B1 09:54:27,167 state=FC_RX, event=T30_STATUS
(18420) 14/02/19 09:54:27 - INFO: <--(3217) tx_pages : 0
(18420) 14/02/19 09:54:27 - INFO: <--(3217) rx_pages : 0
(18420) 14/02/19 09:54:27 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 09:54:27 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 09:54:27 - INFO: <--(3217) to_whom_tx :
(18420) 14/02/19 09:54:27 - INFO: <--(3217) from_whom_tx :
(18420) 14/02/19 09:54:27 - INFO: <--(3217) remote_csid :
(18420) 14/02/19 09:54:27 - INFO: <--(3217) remote_sernum : 0

(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.28 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:27,180 write: req=5, size=0, buf:
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.28 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:27,180 turned off tx irq
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.28 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:27,180 setting (sync) tx modem mode 'txidle -a' (session 3)
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.28 OMG201806 55: callp: scWrite(833): socket=8 ret=51 len=51
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.28 OMG201806 55: callp: scWrite(833): socket=8 ret=41 len=41
(548) 14/02/19 09:54:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:27.28 OMG201806 55: callp: scWrite(833): socket=8 ret=76 len=76
(548) 14/02/19 09:54:28 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:28.51 OMG201806 ilihwdReleaseWriteAccess: queue c57be000 stops using 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:54:28 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:28.51 OMG201806 ilihwdReleaseWriteAccess: queue (null) stops using 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:54:28 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:28.51 OMG201806 ilihwdRequestWriteAccess: queue c57bf000 writing to 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:54:28 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:28.51 OMG201806 ilihwdReleaseWriteAccess: queue c57bf000 stops using 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:54:28 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:28.51 OMG201806 ilihwdRequestWriteAccess: queue c57bf000 writing to 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:54:28 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:28.81 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:28,802 txend for session 2
(18420) 14/02/19 09:54:28 - INFO: <--(3217) LAPI: B1 09:54:28,802 txend for session 2
(548) 14/02/19 09:54:28 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:28.81 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:28,803 setting (async) tx modem mode 'txidle -a' (session 1)
(548) 14/02/19 09:54:28 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:28.81 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:28,806 stop Timer Timer 2
(548) 14/02/19 09:54:28 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:28.81 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:28,806 start Timer Timer 2 RXECM
(18420) 14/02/19 09:54:28 - INFO: <--(3217) LAPI: B1 09:54:28,803 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 09:54:28 - INFO: <--(3217) T30 : B1 09:54:28,806 stop Timer Timer 2
(18420) 14/02/19 09:54:28 - INFO: <--(3217) T30 : B1 09:54:28,806 start Timer Timer 2 RXECM
(18420) 14/02/19 09:54:28 - INFO: <--(3217) T30 : B1 09:54:28,806 ReceiveHighSpeedData ECM
(18420) 14/02/19 09:54:28 - INFO: <--(3217) T30 : B1 09:54:28,806 LapiSetMode id=6 mode=20 alaw=1 dir=0 bufsize=264 hdlc=1 t1=0 t2=0 f=0
(18420) 14/02/19 09:54:28 - INFO: <--(3217) LAPI: B1 09:54:28,807 setting rx modem mode 'rxg711 -a -r | rxmdm -v 29 -b 9600 -s | rxhdlc -r -R'
(548) 14/02/19 09:54:28 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:28.81 OMG201806 56: callp: scWrite(833): socket=8 ret=43 len=43
(548) 14/02/19 09:54:28 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:28.81 OMG201806 56: callp: scWrite(833): socket=8 ret=77 len=77
(548) 14/02/19 09:54:28 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:28.81 OMG201806 56: callp: scWrite(833): socket=8 ret=42 len=42
(548) 14/02/19 09:54:28 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:28.81 OMG201806 56: callp: scWrite(833): socket=8 ret=49 len=49
(548) 14/02/19 09:54:28 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:28.82 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:28,806 ReceiveHighSpeedData ECM
(548) 14/02/19 09:54:28 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:28.82 OMG201806 56: callp: scWrite(833): socket=8 ret=48 len=48
(548) 14/02/19 09:54:28 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:28.82 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:28,806 LapiSetMode id=6 mode=20 alaw=1 dir=0 bufsize=264 hdlc=1 t1=0 t2=0 f=0
(548) 14/02/19 09:54:28 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:28.82 OMG201806 56: callp: scWrite(833): socket=8 ret=94 len=94
(548) 14/02/19 09:54:28 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:28.82 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:28,807 setting rx modem mode 'rxg711 -a -r | rxmdm -v 29 -b 9600 -s | rxhdlc -r -R'
(548) 14/02/19 09:54:28 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:28.82 OMG201806 56: callp: scWrite(833): socket=8 ret=101 len=101
(18420) 14/02/19 09:54:29 - INFO: <--(3217) LAPI: B1 09:54:29,170 (54.29,17005) ILID_IND_DETECT ILAPI_DETECT_V29_9600 size=21
(548) 14/02/19 09:54:29 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:29.17 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:29,170 (54.29,17005) ILID_IND_DETECT ILAPI_DETECT_V29_9600 size=21
(548) 14/02/19 09:54:29 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:29.17 OMG201806 56: callp: scWrite(833): socket=8 ret=83 len=83
(18420) 14/02/19 09:54:29 - INFO: <--(3217) LAPI: B1 09:54:29,395 (54.29,38798) ILID_IND_FLAG size=16
(548) 14/02/19 09:54:29 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:29.39 OMG201806 57: callp: scWrite(833): socket=8 ret=59 len=59
(548) 14/02/19 09:54:29 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:29.39 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:29,395 (54.29,38798) ILID_IND_FLAG size=16
(18420) 14/02/19 09:54:29 - INFO: <--(3217) :alive
(548) 14/02/19 09:54:29 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:29.51 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4 t|10.1.1.50|37606) :alive
(548) 14/02/19 09:54:29 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:29.51 OMG201806 57: callp: scWrite(833): socket=8 ret=7 len=7
(548) 14/02/19 09:54:29 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:29.83 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:29,826 (54.29,82236) ILID_IND_DATA ff c0 60 00 00 01 4d 9a ...
(548) 14/02/19 09:54:29 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:29.83 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:29,827 Rx ECM FRAME No: 0(frame_count: 0) OK (Size = 260) . Send to HighLayer
(548) 14/02/19 09:54:29 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:29.83 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:29,828 Restart Timer Timer 2 RXECM
(548) 14/02/19 09:54:29 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:29.84 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T4 : new G3 block nTeilIndex=4
(548) 14/02/19 09:54:29 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:29.84 OMG201806 57: callp: scWrite(833): socket=8 ret=79 len=79
(548) 14/02/19 09:54:29 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:29.84 OMG201806 57: callp: scWrite(833): socket=8 ret=94 len=94
(548) 14/02/19 09:54:29 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:29.84 OMG201806 57: callp: scWrite(833): socket=8 ret=51 len=51
(548) 14/02/19 09:54:29 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:29.84 OMG201806 57: callp: scWrite(833): socket=8 ret=31 len=31
(18420) 14/02/19 09:54:29 - INFO: <--(3217) LAPI: B1 09:54:29,826 (54.29,82236) ILID_IND_DATA ff c0 60 00 00 01 4d 9a ...
(18420) 14/02/19 09:54:29 - INFO: <--(3217) T30 : B1 09:54:29,827 Rx ECM FRAME No: 0(frame_count: 0) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:54:29 - INFO: <--(3217) T30 : B1 09:54:29,828 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:54:29 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(548) 14/02/19 09:54:29 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:30.06 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:30,050 (54.30,04513) ILID_IND_DATA ff c0 60 80 50 bc 2d 3a ...
(18420) 14/02/19 09:54:29 - INFO: <--(3217) LAPI: B1 09:54:30,050 (54.30,04513) ILID_IND_DATA ff c0 60 80 50 bc 2d 3a ...
(548) 14/02/19 09:54:29 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:30.07 OMG201806 57: callp: scWrite(833): socket=8 ret=79 len=79
(548) 14/02/19 09:54:29 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:30.07 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:30,051 Rx ECM FRAME No: 1(frame_count: 1) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:54:29 - INFO: <--(3217) T30 : B1 09:54:30,051 Rx ECM FRAME No: 1(frame_count: 1) OK (Size = 260) . Send to HighLayer
(548) 14/02/19 09:54:29 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:30.07 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:30,052 Restart Timer Timer 2 RXECM
(548) 14/02/19 09:54:29 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:30.07 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T4 : new G3 block nTeilIndex=4
(548) 14/02/19 09:54:29 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:30.07 OMG201806 57: callp: scWrite(833): socket=8 ret=94 len=94
(548) 14/02/19 09:54:29 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:30.07 OMG201806 57: callp: scWrite(833): socket=8 ret=51 len=51
(548) 14/02/19 09:54:29 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:30.07 OMG201806 57: callp: scWrite(833): socket=8 ret=31 len=31
(18420) 14/02/19 09:54:29 - INFO: <--(3217) T30 : B1 09:54:30,052 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:54:29 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:54:30 - INFO: <--(3217) LAPI: B1 09:54:30,275 (54.30,27303) ILID_IND_DATA ff c0 60 40 00 01 de 06 ...
(548) 14/02/19 09:54:30 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:30.28 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:30,275 (54.30,27303) ILID_IND_DATA ff c0 60 40 00 01 de 06 ...

(18420) 14/02/19 09:54:33 - INFO: <--(3217) T30 : B1 09:54:33,604 Restart Timer Timer 2 RXECM
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.61 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:33,604 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:54:33 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.61 OMG201806 61: callp: scWrite(833): socket=8 ret=96 len=96
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.61 OMG201806 61: callp: scWrite(833): socket=8 ret=51 len=51
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.62 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T4 : new G3 block nTeilIndex=4
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.62 OMG201806 61: callp: scWrite(833): socket=8 ret=31 len=31
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.74 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19 09:54:33,738 R:02 ff 03 08 01 02 05 04 03 80 90 a3 18 01 8a 29 05 0e 02 13 09 36 6c 0d 21 81 37 35 36 33 38 30 30 32 31 39 30 70 04 81 31 39 30 7d 02 91 81
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.74 OMG201806 mux_isdn:0 (1) ISDN[1](1826): app.c:ProcessInstanceInd:1541 CM: L4 channeldump used=1 configured=2
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.75 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:54:33,744 A instance=2 callref=-1
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.76 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:54:33,744 B instance=2 callref=-1
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.77 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: message type is 0x 5
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.77 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:54:33,749 cpn=190 instance=2 callref=2 --> state=DSS1_U0, event=DSS1_SETUP
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.79 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1M: B channel reused early for PCE 14
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.79 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:54:33,749 mode=ALAW
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.79 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:54:33,750 cause=0
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.79 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:54:33,750 cpn=190 instance=2 callref=2 <-- state=DSS1_U6
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.79 OMG201806 mux_isdn:0 (1) ISDN[1](1826): CC : (cc_id=2) ISDN_BASENUM is longer than called party number
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.79 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:54:33,773 cpn=190 instance=2 callref=2 --> state=DSS1_U6, event=L4L3_REJECT_REQ
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.79 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:54:33,773 cause=0
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.79 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:54:33,773 cpn=190 instance=2 callref=2 <-- state=DSS1_U0
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.79 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DIConn : 09:54:33,775 --> state=LINK_CONNECTION_ESTABLISHED, event=DL_DATA_REQ
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.80 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DIConn : 09:54:33,775 <-- state=LINK_CONNECTION_ESTABLISHED
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.80 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:33,777 (8) P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=DL_DATA_REQ
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.80 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:33,780 (8) P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.80 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:33,781 (8) P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=L_FRAME_QUEUE_UP
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.80 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:33,784 (8) P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.80 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19 09:54:33,786 T:00 01 06 02 08 01 82 5a 08 02 80 9c
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.82 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19 09:54:33,818 R:00 01 01 08
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.82 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:33,818 (8) P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=RR
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.84 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:54:33,818 (8) P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED
(18420) 14/02/19 09:54:33 - INFO: <--(3217) LAPi: B1 09:54:33,827 (54.33,82050) ILID_IND_DATA ff c0 60 48 2c 1d 83 f0 ...
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.84 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPi: B1 09:54:33,827 (54.33,82050) ILID_IND_DATA ff c0 60 48 2c 1d 83 f0 ...
(18420) 14/02/19 09:54:33 - INFO: <--(3217) T30 : B1 09:54:33,827 Rx ECM FRAME No: 18(frame_count: 18) OK (Size = 260) . Send to HighLayer
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.84 OMG201806 61: callp: scWrite(833): socket=8 ret=79 len=79
(18420) 14/02/19 09:54:33 - INFO: <--(3217) T30 : B1 09:54:33,828 Restart Timer Timer 2 RXECM
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.84 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:33,827 Rx ECM FRAME No: 18(frame_count: 18) OK (Size = 260) . Send to HighLayer
(18420) 14/02/19 09:54:33 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.85 OMG201806 61: callp: scWrite(833): socket=8 ret=96 len=96
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.85 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:33,828 Restart Timer Timer 2 RXECM
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.85 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T4 : new G3 block nTeilIndex=4
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.85 OMG201806 61: callp: scWrite(833): socket=8 ret=51 len=51
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:33.85 OMG201806 61: callp: scWrite(833): socket=8 ret=31 len=31
(18420) 14/02/19 09:54:33 - INFO: <--(3217) LAPi: B1 09:54:34,034 (54.34,03209) ILID_IND_DATA ff c0 60 c8 00 01 4d 9a ...
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:34.05 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPi: B1 09:54:34,034 (54.34,03209) ILID_IND_DATA ff c0 60 c8 00 01 4d 9a ...
(18420) 14/02/19 09:54:33 - INFO: <--(3217) T30 : B1 09:54:34,035 Rx ECM FRAME No: 19(frame_count: 19) OK (Size = 260) . Send to HighLayer
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:34.05 OMG201806 61: callp: scWrite(833): socket=8 ret=79 len=79
(18420) 14/02/19 09:54:33 - INFO: <--(3217) T30 : B1 09:54:34,036 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:54:33 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:34.05 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:34,035 Rx ECM FRAME No: 19(frame_count: 19) OK (Size = 260) . Send to HighLayer
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:34.05 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:34,036 Restart Timer Timer 2 RXECM
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:34.05 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T4 : new G3 block nTeilIndex=4
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:34.05 OMG201806 61: callp: scWrite(833): socket=8 ret=96 len=96
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:34.05 OMG201806 61: callp: scWrite(833): socket=8 ret=51 len=51
(548) 14/02/19 09:54:33 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:34.05 OMG201806 61: callp: scWrite(833): socket=8 ret=31 len=31
(548) 14/02/19 09:54:34 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:34.27 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPi: B1 09:54:34,258 (54.34,25413) ILID_IND_DATA ff c0 60 28 01 4d 9a 80 ...
(18420) 14/02/19 09:54:34 - INFO: <--(3217) LAPi: B1 09:54:34,258 (54.34,25413) ILID_IND_DATA ff c0 60 28 01 4d 9a 80 ...
(18420) 14/02/19 09:54:34 - INFO: <--(3217) T30 : B1 09:54:34,259 Rx ECM FRAME No: 20(frame_count: 20) OK (Size = 260) . Send to HighLayer
(548) 14/02/19 09:54:34 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:34.27 OMG201806 62: callp: scWrite(833): socket=8 ret=79 len=79

(18420) 14/02/19 09:54:49 - INFO: <--(3217) LAPI: B1 09:54:49,738 (54.49,73806) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(548) 14/02/19 09:54:49 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:49.74 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:49,738 (54.49,73806) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(548) 14/02/19 09:54:49 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:49.74 OMG201806 77: callp: scWrite(833); socket=8 ret=85 len=85
(18420) 14/02/19 09:54:49 - INFO: <--(3217) LAPI: B1 09:54:49,866 (54.49,86605) ILID_IND_DETECT ILAPI_DETECT_V21 size=21
(548) 14/02/19 09:54:49 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:49.86 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:49,866 (54.49,86605) ILID_IND_DETECT ILAPI_DETECT_V21 size=21
(548) 14/02/19 09:54:49 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:49.86 OMG201806 77: callp: scWrite(833); socket=8 ret=78 len=78
(18420) 14/02/19 09:54:49 - INFO: <--(3217) LAPI: B1 09:54:49,946 (54.49,94198) ILID_IND_FLAG size=16
(548) 14/02/19 09:54:49 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:49.95 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:49,946 (54.49,94198) ILID_IND_FLAG size=16
(548) 14/02/19 09:54:49 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:49.95 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 V21 Flags detected
(548) 14/02/19 09:54:49 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:49.95 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:49,947 Restart Timer Timer 2
(548) 14/02/19 09:54:49 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:49.95 OMG201806 77: callp: scWrite(833); socket=8 ret=59 len=59
(548) 14/02/19 09:54:49 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:49.95 OMG201806 77: callp: scWrite(833); socket=8 ret=28 len=28
(548) 14/02/19 09:54:49 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:49.95 OMG201806 77: callp: scWrite(833); socket=8 ret=45 len=45
(18420) 14/02/19 09:54:49 - INFO: <--(3217) T30 : B1 V21 Flags detected
(18420) 14/02/19 09:54:49 - INFO: <--(3217) T30 : B1 09:54:49,947 Restart Timer Timer 2
(18420) 14/02/19 09:54:50 - INFO: <--(3217) LAPI: B1 09:54:51,066 (54.51,06198) ILID_IND_DATA ff 13 bf 4f 00 00 58 e3 ...
(548) 14/02/19 09:54:50 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.07 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:51,066 (54.51,06198) ILID_IND_DATA ff 13 bf 4f 00 00 58 e3 ...
(548) 14/02/19 09:54:50 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.07 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:51,067 RCV PPS (ff 13 bf 4f 00 00 58)
(548) 14/02/19 09:54:50 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.07 OMG201806 78: callp: scWrite(833); socket=8 ret=79 len=79
(548) 14/02/19 09:54:50 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.07 OMG201806 78: callp: scWrite(833); socket=8 ret=55 len=55
(548) 14/02/19 09:54:50 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.07 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:51,067 stop Timer Timer 2
(548) 14/02/19 09:54:50 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.07 OMG201806 78: callp: scWrite(833); socket=8 ret=42 len=42
(18420) 14/02/19 09:54:50 - INFO: <--(3217) T30 : B1 09:54:51,067 RCV PPS (ff 13 bf 4f 00 00 58)
(18420) 14/02/19 09:54:50 - INFO: <--(3217) T30 : B1 09:54:51,067 stop Timer Timer 2
(548) 14/02/19 09:54:50 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:50.51 OMG201806 ilihwdReleaseWriteAccess: queue c57bf000 stops using 1.a/B1/SO/HFC-4S
(548) 14/02/19 09:54:50 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:50.51 OMG201806 ilihwdRequestWriteAccess: queue c57bf000 writing to 1.a/B1/SO/HFC-4S
(548) 14/02/19 09:54:50 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:50.51 OMG201806 ilihwdReleaseWriteAccess: queue c57bf000 stops using 1.a/B1/SO/HFC-4S
(548) 14/02/19 09:54:50 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:50.51 OMG201806 ilihwdRequestWriteAccess: queue c57be000 writing to 1.a/B1/SO/HFC-4S
(548) 14/02/19 09:54:50 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.10 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:51,082 (54.51,06633) ILID_IND_CARRIER_LOST size=17
(548) 14/02/19 09:54:50 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.10 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:51,082 setting rx modem mode "
(548) 14/02/19 09:54:50 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.11 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:51,083 Receiver Ready: T4_RX_Backlog: 0 Fapi: ACCEPT_RX_DATA
(18420) 14/02/19 09:54:50 - INFO: <--(3217) LAPI: B1 09:54:51,082 (54.51,06633) ILID_IND_CARRIER_LOST size=17
(548) 14/02/19 09:54:50 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.11 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 SendHighLayerStatus
(548) 14/02/19 09:54:50 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.11 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:51,084 Page OK Pages: 1
(548) 14/02/19 09:54:50 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.11 OMG201806 78: callp: scWrite(833); socket=8 ret=67 len=67
(548) 14/02/19 09:54:50 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.11 OMG201806 78: callp: scWrite(833); socket=8 ret=48 len=48
(548) 14/02/19 09:54:50 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.11 OMG201806 78: callp: scWrite(833); socket=8 ret=78 len=78
(548) 14/02/19 09:54:50 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.11 OMG201806 78: callp: scWrite(833); socket=8 ret=30 len=30
(548) 14/02/19 09:54:50 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.11 OMG201806 78: callp: scWrite(833); socket=8 ret=41 len=41
(548) 14/02/19 09:54:50 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.11 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:51,084 LapiSetMode id=8 mode=6 alaw=1 dir=1 bufsz=0 hdlc=1 t1=1000 t2=100 f=0
(548) 14/02/19 09:54:50 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.12 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:51,084 Send MCF:
(548) 14/02/19 09:54:50 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.12 OMG201806 78: callp: scWrite(833); socket=8 ret=96 len=96
(18420) 14/02/19 09:54:51 - INFO: <--(3217) LAPI: B1 09:54:51,082 setting rx modem mode "
(18420) 14/02/19 09:54:51 - INFO: <--(3217) T30 : B1 09:54:51,083 Receiver Ready: T4_RX_Backlog: 0 Fapi: ACCEPT_RX_DATA
(548) 14/02/19 09:54:51 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.12 OMG201806 78: callp: scWrite(833); socket=8 ret=34 len=34
(18420) 14/02/19 09:54:51 - INFO: <--(3217) T30 : B1 SendHighLayerStatus
(18420) 14/02/19 09:54:51 - INFO: <--(3217) T30 : B1 09:54:51,084 Page OK Pages: 1
(548) 14/02/19 09:54:51 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.12 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:51,085 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 09:54:51 - INFO: <--(3217) T30 : B1 09:54:51,084 LapiSetMode id=8 mode=6 alaw=1 dir=1 bufsz=0 hdlc=1 t1=1000 t2=100 f=0
(18420) 14/02/19 09:54:51 - INFO: <--(3217) T30 : B1 09:54:51,084 Send MCF:
(18420) 14/02/19 09:54:51 - INFO: <--(3217) LAPI: B1 09:54:51,085 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 09:54:51 - INFO: <--(3217) LAPI: B1 09:54:51,085 setting (sync) tx modem mode 'txhdlc -n -r | txmdm -v 21 -b 300 -s | txg711 -a -r' (session 2)
(18420) 14/02/19 09:54:51 - INFO: <--(3217) LAPI: B1 09:54:51,085 Sending 38 flags
(18420) 14/02/19 09:54:51 - INFO: <--(3217) LAPI: B1 09:54:51,086 write: req=1, size=1, buf: 26
(18420) 14/02/19 09:54:51 - INFO: <--(3217) FC : --> B1 09:54:51,086 state=FC_RX, event=T30_STATUS
(18420) 14/02/19 09:54:51 - INFO: <--(3217) FC : Wed Feb 19 09:54:51 2014
(18420) 14/02/19 09:54:51 - INFO: <--(3217) Status Update
(548) 14/02/19 09:54:51 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.12 OMG201806 78: callp: scWrite(833); socket=8 ret=77 len=77
(18420) 14/02/19 09:54:51 - INFO: <--(3217) direction : rcv
(18420) 14/02/19 09:54:51 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 09:54:51 - INFO: <--(3217) bps_used : 9600
(18420) 14/02/19 09:54:51 - INFO: <--(3217) own_csid : +43 7563 8041
(18420) 14/02/19 09:54:51 - INFO: <--(3217) own_sernum : 0
(548) 14/02/19 09:54:51 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.12 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:51,085 setting (sync) tx modem mode 'txhdlc -n -r | txmdm -v 21 -b 300 -s | txg711 -a -r' (session 2)
(18420) 14/02/19 09:54:51 - INFO: <--(3217) ecm_used : 1
(548) 14/02/19 09:54:51 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.12 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:51,085 Sending 38 flags
(548) 14/02/19 09:54:51 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.13 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:51,086 write: req=1, size=1, buf: 26
(548) 14/02/19 09:54:51 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.13 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FC : --> B1 09:54:51,086 state=FC_RX, event=T30_STATUS
(18420) 14/02/19 09:54:51 - INFO: <--(3217) dpi_used : 100 dpi

(548) 14/02/19 09:54:51 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.18 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4 t|10.1.1.50|37606) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19 09:54:51" --error="none" --type="recv" --bps="9600" --ecm=1 --res="100" --t4="MH" --txp=0 --rxp=1 --ferrari=0 --sernum=0 --csid="" " --to="" --from=""

(548) 14/02/19 09:54:51 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.18 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FC : <- B1 09:54:51,091 state=FC_RX

(548) 14/02/19 09:54:51 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.18 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:51,092 write: req=2, size=3, buf: ff 13 8c

(548) 14/02/19 09:54:51 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.18 OMG201806 78: callp: scWrite(833): socket=8 ret=224 len=224

(548) 14/02/19 09:54:51 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.18 OMG201806 78: callp: scWrite(833): socket=8 ret=39 len=39

(548) 14/02/19 09:54:51 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.18 OMG201806 78: callp: scWrite(833): socket=8 ret=60 len=60

(548) 14/02/19 09:54:51 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.18 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:51,093 dropped tx modem mode 'txidle -a' (session 0)

(548) 14/02/19 09:54:51 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.19 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:51,093 write: req=1, size=1, buf: 02

(548) 14/02/19 09:54:51 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.19 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:51,093 write: req=5, size=0, buf:

(548) 14/02/19 09:54:51 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.19 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:51,093 turned off tx irq

(548) 14/02/19 09:54:51 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.19 OMG201806 78: callp: scWrite(833): socket=8 ret=69 len=69

(548) 14/02/19 09:54:51 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.19 OMG201806 78: callp: scWrite(833): socket=8 ret=54 len=54

(548) 14/02/19 09:54:51 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.19 OMG201806 78: callp: scWrite(833): socket=8 ret=51 len=51

(548) 14/02/19 09:54:51 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.19 OMG201806 78: callp: scWrite(833): socket=8 ret=41 len=41

(548) 14/02/19 09:54:51 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.19 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:51,093 setting (sync) tx modem mode 'txidle -a' (session 3)

(548) 14/02/19 09:54:51 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:51.19 OMG201806 78: callp: scWrite(833): socket=8 ret=76 len=76

(548) 14/02/19 09:54:52 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:52.51 OMG201806 ilihwdReleaseWriteAccess: queue c57be000 stops using 1.a/B1/S0/HFC-4S

(548) 14/02/19 09:54:52 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:52.51 OMG201806 ilihwdReleaseWriteAccess: queue (null) stops using 1.a/B1/S0/HFC-4S

(548) 14/02/19 09:54:52 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:52.51 OMG201806 ilihwdRequestWriteAccess: queue c57bf000 writing to 1.a/B1/S0/HFC-4S

(548) 14/02/19 09:54:52 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:52.51 OMG201806 ilihwdRequestWriteAccess: queue c57bf000 stops using 1.a/B1/S0/HFC-4S

(548) 14/02/19 09:54:52 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:54:52.51 OMG201806 ilihwdRequestWriteAccess: queue c54cc000 writing to 1.a/B1/S0/HFC-4S

(548) 14/02/19 09:54:52 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:52.72 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:52,714 txend for session 2

(18420) 14/02/19 09:54:52 - INFO: <--(3217) LAPI: B1 09:54:52,714 txend for session 2

(548) 14/02/19 09:54:52 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:52.72 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:52,716 setting (async) tx modem mode 'txidle -a' (session 1)

(18420) 14/02/19 09:54:52 - INFO: <--(3217) LAPI: B1 09:54:52,716 setting (async) tx modem mode 'txidle -a' (session 1)

(548) 14/02/19 09:54:52 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:52.73 OMG201806 80: callp: scWrite(833): socket=8 ret=43 len=43

(18420) 14/02/19 09:54:52 - INFO: <--(3217) T30 : B1 09:54:52,717 Send T4 Setup

(548) 14/02/19 09:54:52 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:52.73 OMG201806 80: callp: scWrite(833): socket=8 ret=77 len=77

(18420) 14/02/19 09:54:52 - INFO: <--(3217) T30 : B1 09:54:52,718 start Timer Timer 2 RXECM

(18420) 14/02/19 09:54:52 - INFO: <--(3217) T30 : B1 09:54:52,718 ReceiveHighSpeedData ECM

(548) 14/02/19 09:54:52 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:52.73 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:52,717 Send T4 Setup

(18420) 14/02/19 09:54:52 - INFO: <--(3217) T30 : B1 09:54:52,718 LapiSetMode id=9 mode=20 alaw=1 dir=0 bufsize=264 hdlc=1 t1=0 t2=0 f=0

(548) 14/02/19 09:54:52 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:52.73 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:52,718 start Timer Timer 2 RXECM

(18420) 14/02/19 09:54:52 - INFO: <--(3217) LAPI: B1 09:54:52,718 setting rx modem mode 'rxg711 -a -r | rxmdm -v 29 -b 9600 -s | rxhdlc -r -R'

(548) 14/02/19 09:54:52 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:52.73 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:52,718 ReceiveHighSpeedData ECM

(548) 14/02/19 09:54:52 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:52.73 OMG201806 80: callp: scWrite(833): socket=8 ret=37 len=37

(18420) 14/02/19 09:54:52 - INFO: <--(3217) T4 : 09:54:52,719 ready for decoding

(18420) 14/02/19 09:54:52 - INFO: <--(3217) line width: 1728

(548) 14/02/19 09:54:52 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:52.73 OMG201806 80: callp: scWrite(833): socket=8 ret=49 len=49

(18420) 14/02/19 09:54:52 - INFO: <--(3217) line repeat: 2

(18420) 14/02/19 09:54:52 - INFO: <--(3217) format : 6

(548) 14/02/19 09:54:52 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:52.73 OMG201806 80: callp: scWrite(833): socket=8 ret=48 len=48

(18420) 14/02/19 09:54:52 - INFO: <--(3217) event: 0x02

(18420) 14/02/19 09:54:52 - INFO: <--(3217) rtc event: 0x50

(548) 14/02/19 09:54:52 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:52.73 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:54:52,718 LapiSetMode id=9 mode=20 alaw=1 dir=0 bufsize=264 hdlc=1 t1=0 t2=0 f=0

(18420) 14/02/19 09:54:52 - INFO: <--(3217) eom event: 0x08

(18420) 14/02/19 09:54:52 - INFO: <--(3217) K: 0

(548) 14/02/19 09:54:52 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:52.74 OMG201806 80: callp: scWrite(833): socket=8 ret=94 len=94

(548) 14/02/19 09:54:52 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:52.74 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:54:52,718 setting rx modem mode 'rxg711 -a -r | rxmdm -v 29 -b 9600 -s | rxhdlc -r -R'

(548) 14/02/19 09:54:52 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:52.74 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T4 : 09:54:52,719 ready for decoding

(548) 14/02/19 09:54:52 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:52.74 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) line width: 1728

(548) 14/02/19 09:54:52 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:52.74 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) line repeat: 2

(548) 14/02/19 09:54:52 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:52.74 OMG201806 80: callp: scWrite(833): socket=8 ret=101 len=101

(548) 14/02/19 09:54:52 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:52.74 OMG201806 80: callp: scWrite(833): socket=8 ret=38 len=38

(548) 14/02/19 09:54:52 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:52.74 OMG201806 80: callp: scWrite(833): socket=8 ret=27 len=27

(548) 14/02/19 09:54:52 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:52.74 OMG201806 80: callp: scWrite(833): socket=8 ret=24 len=24

(548) 14/02/19 09:54:52 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:52.74 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) format : 6

(548) 14/02/19 09:54:52 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:52.75 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) event: 0x02

(548) 14/02/19 09:54:52 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:52.75 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) rtc event: 0x50

(548) 14/02/19 09:54:52 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:52.75 OMG201806 80: callp: scWrite(833): socket=8 ret=24 len=24

(548) 14/02/19 09:54:52 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:52.75 OMG201806 80: callp: scWrite(833): socket=8 ret=27 len=27

(548) 14/02/19 09:54:52 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:52.75 OMG201806 80: callp: scWrite(833): socket=8 ret=27 len=27

(548) 14/02/19 09:54:52 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:52.75 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) eom event: 0x08

(548) 14/02/19 09:54:52 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:52.75 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) K: 0

(548) 14/02/19 09:54:52 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:52.75 OMG201806 80: callp: scWrite(833): socket=8 ret=27 len=27

(548) 14/02/19 09:54:52 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:54:52.75 OMG201806 80: callp: scWrite(833): socket=8 ret=24 len=24

(548) 14/02/19 09:55:09 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:09.85 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T4 : EOL 2 before bufpos=29/64,bitpos=11
(548) 14/02/19 09:55:09 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:09.85 OMG201806 97: callp: scWrite(833): socket=8 ret=45 len=45
(548) 14/02/19 09:55:09 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:09.85 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T4 : EOL 3 before bufpos=30/64,bitpos=31
(548) 14/02/19 09:55:09 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:09.85 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T4 : lines=1159 errors=0
(548) 14/02/19 09:55:09 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:09.85 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:55:09,797 ECM T30_RX_RTC RECEIVED 2.x
(548) 14/02/19 09:55:09 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:09.85 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FC : --> B1 09:55:09,798 state=FC_RX, event=T30_RX_DATA
(548) 14/02/19 09:55:09 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:09.86 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FC : B1 T30_RX_DATA size=3468
(548) 14/02/19 09:55:09 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:09.86 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FC : <-- B1 09:55:09,801 state=FC_RX
(548) 14/02/19 09:55:09 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:09.86 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FC : --> B1 09:55:09,802 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 09:55:09 - INFO: <--(3217) T30 : B1 09:55:09,789 Restart Timer Timer 2 RXECM
(18420) 14/02/19 09:55:09 - INFO: <--(3217) T4 : new G3 block nTeilIndex=4
(18420) 14/02/19 09:55:09 - INFO: <--(3217) T30 : B1 09:55:09,790 ECM RCP 1x
(18420) 14/02/19 09:55:09 - INFO: <--(3217) T30 : B1 09:55:09,790 LapiSetMode id=10 mode=6 alaw=1 dir=0 bufsz=264 hdlc=1 t1=0 t2=0 f=0
(18420) 14/02/19 09:55:09 - INFO: <--(3217) T30 : B1 09:55:09,791 stop Timer Timer 2 RXECM
(18420) 14/02/19 09:55:09 - INFO: <--(3217) T30 : B1 09:55:09,791 start Timer Timer 2
(18420) 14/02/19 09:55:09 - INFO: <--(3217) LAPi: B1 09:55:09,791 setting rx modem mode "
(18420) 14/02/19 09:55:09 - INFO: <--(3217) Error: T30 B1 09:55:09,795 Msg L_RECEIVE_DATA at state T30_PDR_ECM_W4PPS_CTC with old session_id received -> ignore!
(18420) 14/02/19 09:55:09 - INFO: <--(3217) LAPi: B1 09:55:09,795 setting rx modem mode 'rxg711 -a -r | rxmdm -v 21 -b 300 | rxhdlc -r'
(18420) 14/02/19 09:55:09 - INFO: <--(3217) T4 : 09:55:09,796 detecting RTC
(18420) 14/02/19 09:55:09 - INFO: <--(3217) T4 : EOL 1 before bufpos=29/64,bitpos=23
(18420) 14/02/19 09:55:09 - INFO: <--(3217) T4 : EOL 2 before bufpos=29/64,bitpos=11
(18420) 14/02/19 09:55:09 - INFO: <--(3217) T4 : EOL 3 before bufpos=30/64,bitpos=31
(18420) 14/02/19 09:55:09 - INFO: <--(3217) T4 : lines=1159 errors=0
(18420) 14/02/19 09:55:09 - INFO: <--(3217) T30 : B1 09:55:09,797 ECM T30_RX_RTC RECEIVED 2.x
(18420) 14/02/19 09:55:09 - INFO: <--(3217) FC : --> B1 09:55:09,798 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 09:55:09 - INFO: <--(3217) FC : B1 T30_RX_DATA size=3468
(18420) 14/02/19 09:55:09 - INFO: <--(3217) FC : <-- B1 09:55:09,801 state=FC_RX
(18420) 14/02/19 09:55:09 - INFO: <--(3217) FC : --> B1 09:55:09,802 state=FC_RX, event=T30_RX_DATA
(18420) 14/02/19 09:55:09 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4
(18420) 14/02/19 09:55:09 - INFO: <--(3217) BFF : Write SOP
(18420) 14/02/19 09:55:09 - INFO: <--(3217) BFF : Write SEEK Prev
(18420) 14/02/19 09:55:09 - INFO: <--(3217) FC : <-- B1 09:55:09,803 state=FC_RX
(548) 14/02/19 09:55:09 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:09.86 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FC : B1 T30_RX_DATA size=4
(548) 14/02/19 09:55:09 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:09.86 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) BFF : Write SOP
(548) 14/02/19 09:55:09 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:09.86 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) BFF : Write SEEK Prev
(548) 14/02/19 09:55:09 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:09.87 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FC : <-- B1 09:55:09,803 state=FC_RX
(548) 14/02/19 09:55:09 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:09.87 OMG201806 97: callp: scWrite(833): socket=8 ret=45 len=45
(548) 14/02/19 09:55:09 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:09.87 OMG201806 97: callp: scWrite(833): socket=8 ret=26 len=26
(548) 14/02/19 09:55:09 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:09.87 OMG201806 97: callp: scWrite(833): socket=8 ret=50 len=50
(548) 14/02/19 09:55:09 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:09.87 OMG201806 97: callp: scWrite(833): socket=8 ret=58 len=58
(548) 14/02/19 09:55:09 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:09.87 OMG201806 97: callp: scWrite(833): socket=8 ret=32 len=32
(548) 14/02/19 09:55:09 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:09.87 OMG201806 97: callp: scWrite(833): socket=8 ret=39 len=39
(548) 14/02/19 09:55:09 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:09.87 OMG201806 97: callp: scWrite(833): socket=8 ret=58 len=58
(548) 14/02/19 09:55:09 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:09.87 OMG201806 97: callp: scWrite(833): socket=8 ret=29 len=29
(548) 14/02/19 09:55:09 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:09.87 OMG201806 97: callp: scWrite(833): socket=8 ret=17 len=17
(548) 14/02/19 09:55:09 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:09.87 OMG201806 97: callp: scWrite(833): socket=8 ret=23 len=23
(548) 14/02/19 09:55:09 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:09.87 OMG201806 97: callp: scWrite(833): socket=8 ret=39 len=39
(18420) 14/02/19 09:55:09 - INFO: <--(3217) LAPi: B1 09:55:10,106 (55.10,10599) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(548) 14/02/19 09:55:09 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:10.10 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPi: B1 09:55:10,106 (55.10,10599) ILID_IND_DETECT ILAPI_DETECT_ANY_SIGNAL size=21
(548) 14/02/19 09:55:09 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:10.10 OMG201806 97: callp: scWrite(833): socket=8 ret=85 len=85
(18420) 14/02/19 09:55:10 - INFO: <--(3217) LAPi: B1 09:55:10,234 (55.10,23397) ILID_IND_DETECT ILAPI_DETECT_V21 size=21
(548) 14/02/19 09:55:10 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:10.23 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPi: B1 09:55:10,234 (55.10,23397) ILID_IND_DETECT ILAPI_DETECT_V21 size=21
(548) 14/02/19 09:55:10 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:10.23 OMG201806 97: callp: scWrite(833): socket=8 ret=78 len=78
(18420) 14/02/19 09:55:10 - INFO: <--(3217) LAPi: B1 09:55:10,314 (55.10,30224) ILID_IND_FLAG size=16
(548) 14/02/19 09:55:10 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:10.31 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPi: B1 09:55:10,314 (55.10,30224) ILID_IND_FLAG size=16
(18420) 14/02/19 09:55:10 - INFO: <--(3217) T30 : B1 V21 Flags detected
(548) 14/02/19 09:55:10 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:10.32 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 V21 Flags detected
(18420) 14/02/19 09:55:10 - INFO: <--(3217) T30 : B1 09:55:10,315 Restart Timer Timer 2
(548) 14/02/19 09:55:10 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:10.32 OMG201806 98: callp: scWrite(833): socket=8 ret=59 len=59
(548) 14/02/19 09:55:10 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:10.32 OMG201806 98: callp: scWrite(833): socket=8 ret=28 len=28
(548) 14/02/19 09:55:10 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:10.32 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:55:10,315 Restart Timer Timer 2
(548) 14/02/19 09:55:10 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:10.32 OMG201806 98: callp: scWrite(833): socket=8 ret=45 len=45
(548) 14/02/19 09:55:11 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:55:10.51 OMG201806 ilihwdReleaseWriteAccess: queue c54cc000 stops using 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:55:11 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:55:10.51 OMG201806 ilihwdRequestWriteAccess: queue c57be000 writing to 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:55:11 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:55:10.51 OMG201806 ilihwdReleaseWriteAccess: queue c57be000 stops using 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:55:11 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:55:10.51 OMG201806 ilihwdReleaseWriteAccess: queue (null) stops using 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:55:11 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:55:10.51 OMG201806 ilihwdRequestWriteAccess: queue c57bc000 writing to 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.46 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPi: B1 09:55:11,434 (55.11,42225) ILID_IND_DATA ff 13 bf 2f 01 00 48 5a ...
(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.46 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPi: B1 09:55:11,435 (55.11,42604) ILID_IND_CARRIER_LOST size=17
(18420) 14/02/19 09:55:11 - INFO: <--(3217) LAPi: B1 09:55:11,434 (55.11,42225) ILID_IND_DATA ff 13 bf 2f 01 00 48 5a ...

(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.46 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:55:11,435 setting rx modem mode "

(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.47 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:55:11,435 RCV PPS (ff 13 bf 2f 01 00 48)

(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.47 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:55:11,436 stop Timer Timer 2

(18420) 14/02/19 09:55:11 - INFO: <--(3217) LAPI: B1 09:55:11,435 (55.11,42604) ILID_IND_CARRIER_LOST size=17

(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.47 OMG201806 99: callp: scWrite(833): socket=8 ret=79 len=79

(18420) 14/02/19 09:55:11 - INFO: <--(3217) LAPI: B1 09:55:11,435 setting rx modem mode "

(18420) 14/02/19 09:55:11 - INFO: <--(3217) T30 : B1 09:55:11,435 RCV PPS (ff 13 bf 2f 01 00 48)

(18420) 14/02/19 09:55:11 - INFO: <--(3217) T30 : B1 09:55:11,436 stop Timer Timer 2

(18420) 14/02/19 09:55:11 - INFO: <--(3217) T30 : B1 09:55:11,437 Receiver Ready: T4_RX_Backlog: 0 Fapi: ACCEPT_RX_DATA

(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.47 OMG201806 99: callp: scWrite(833): socket=8 ret=67 len=67

(18420) 14/02/19 09:55:11 - INFO: <--(3217) T30 : B1 SendHighLayerStatus

(18420) 14/02/19 09:55:11 - INFO: <--(3217) T30 : B1 09:55:11,437 Page OK Pages: 2

(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.47 OMG201806 99: callp: scWrite(833): socket=8 ret=48 len=48

(18420) 14/02/19 09:55:11 - INFO: <--(3217) T30 : B1 09:55:11,437 LapiSetMode id=11 mode=6 alaw=1 dir=1 bufsz=0 hdlc=1 t1=1000 t2=100 f=0

(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.47 OMG201806 99: callp: scWrite(833): socket=8 ret=55 len=55

(18420) 14/02/19 09:55:11 - INFO: <--(3217) T30 : B1 09:55:11,437 Send MCF:

(18420) 14/02/19 09:55:11 - INFO: <--(3217) LAPI: B1 09:55:11,438 setting (async) tx modem mode 'txidle -a' (session 1)

(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.47 OMG201806 99: callp: scWrite(833): socket=8 ret=42 len=42

(18420) 14/02/19 09:55:11 - INFO: <--(3217) LAPI: B1 09:55:11,438 setting (sync) tx modem mode 'txhdlc -n -r | txmdm -v 21 -b 300 -s | txg711 -a -r' (session 2)

(18420) 14/02/19 09:55:11 - INFO: <--(3217) LAPI: B1 09:55:11,438 Sending 38 flags

(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.47 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:55:11,437 Receiver Ready: T4_RX_Backlog: 0 Fapi: ACCEPT_RX_DATA

(18420) 14/02/19 09:55:11 - INFO: <--(3217) LAPI: B1 09:55:11,439 write: req=1, size=1, buf: 26

(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.47 OMG201806 99: callp: scWrite(833): socket=8 ret=78 len=78

(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.47 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 SendHighLayerStatus

(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.48 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:55:11,437 Page OK Pages: 2

(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.48 OMG201806 99: callp: scWrite(833): socket=8 ret=30 len=30

(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.48 OMG201806 99: callp: scWrite(833): socket=8 ret=41 len=41

(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.48 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:55:11,437 LapiSetMode id=11 mode=6 alaw=1 dir=1 bufsz=0 hdlc=1 t1=1000 t2=100 f=0

(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.48 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:55:11,437 Send MCF:

(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.48 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:55:11,438 setting (async) tx modem mode 'txidle -a' (session 1)

(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.48 OMG201806 99: callp: scWrite(833): socket=8 ret=97 len=97

(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.48 OMG201806 99: callp: scWrite(833): socket=8 ret=34 len=34

(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.48 OMG201806 99: callp: scWrite(833): socket=8 ret=77 len=77

(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.49 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:55:11,438 setting (sync) tx modem mode 'txhdlc -n -r | txmdm -v 21 -b 300 -s | txg711 -a -r' (session 2)

(18420) 14/02/19 09:55:11 - INFO: <--(3217) FC : --> B1 09:55:11,440 state=FC_RX, event=T30_STATUS

(18420) 14/02/19 09:55:11 - INFO: <--(3217) FC : Wed Feb 19 09:55:11 2014

(18420) 14/02/19 09:55:11 - INFO: <--(3217) Status Update

(18420) 14/02/19 09:55:11 - INFO: <--(3217) direction : recv

(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.49 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:55:11,438 Sending 38 flags

(18420) 14/02/19 09:55:11 - INFO: <--(3217) use_bps : 14400

(18420) 14/02/19 09:55:11 - INFO: <--(3217) bps_used : 9600

(18420) 14/02/19 09:55:11 - INFO: <--(3217) own_csid : +43 7563 8041

(18420) 14/02/19 09:55:11 - INFO: <--(3217) own_sernum : 0

(18420) 14/02/19 09:55:11 - INFO: <--(3217) ecm_used : 1

(18420) 14/02/19 09:55:11 - INFO: <--(3217) dpi_used : 100 dpi

(18420) 14/02/19 09:55:11 - INFO: <--(3217) t4mode_used : MH

(18420) 14/02/19 09:55:11 - INFO: <--(3217) tx_image_type : unknown

(18420) 14/02/19 09:55:11 - INFO: <--(3217) rx_image_type : BFF

(18420) 14/02/19 09:55:11 - INFO: <--(3217) total_pages : 0

(18420) 14/02/19 09:55:11 - INFO: <--(3217) tx_pages : 0

(18420) 14/02/19 09:55:11 - INFO: <--(3217) rx_pages : 1

(18420) 14/02/19 09:55:11 - INFO: <--(3217) to_whom_rx :

(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.49 OMG201806 99: callp: scWrite(833): socket=8 ret=119 len=119

(18420) 14/02/19 09:55:11 - INFO: <--(3217) from_whom_rx :

(18420) 14/02/19 09:55:11 - INFO: <--(3217) to_whom_tx :

(18420) 14/02/19 09:55:11 - INFO: <--(3217) from_whom_tx :

(18420) 14/02/19 09:55:11 - INFO: <--(3217) remote_csid :

(18420) 14/02/19 09:55:11 - INFO: <--(3217) remote_sernum : 0

(18420) 14/02/19 09:55:11 - INFO: <--(3217) error : 22

(18420) 14/02/19 09:55:11 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:55:11" --error="none" --type="recv" --bps="9600" --ecm=1 --res="100" --t4="MH" --txp=0 --rxp=2 --ferrari=0 --sernum=0 --csid=" " --to=" " --from=" "

(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.49 OMG201806 99: callp: scWrite(833): socket=8 ret=40 len=40

(18420) 14/02/19 09:55:11 - INFO: DChannel:OnMsgLine(): job 89759: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:55:11" --error="none" --type="recv" --bps="9600" --ecm=1 --res="100" --t4="MH" --txp=0 --rxp=2 --ferrari=0 --sernum=0 --csid=" " --to=" " --from=" "

(18420) 14/02/19 09:55:11 - INFO: <--(3217) FC : <-- B1 09:55:11,446 state=FC_RX

(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.49 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:55:11,439 write: req=1, size=1, buf: 26

(18420) 14/02/19 09:55:11 - INFO: <--(3217) LAPI: B1 09:55:11,447 write: req=2, size=3, buf: ff 13 8c

(18420) 14/02/19 09:55:11 - INFO: <--(3217) LAPI: B1 09:55:11,447 dropped tx modem mode 'txidle -a' (session 0)

(18420) 14/02/19 09:55:11 - INFO: <--(3217) LAPI: B1 09:55:11,448 write: req=1, size=1, buf: 02

(18420) 14/02/19 09:55:11 - INFO: <--(3217) LAPI: B1 09:55:11,448 write: req=5, size=0, buf:

(18420) 14/02/19 09:55:11 - INFO: <--(3217) LAPI: B1 09:55:11,448 turned off tx irq

(18420) 14/02/19 09:55:11 - INFO: <--(3217) LAPI: B1 09:55:11,448 setting (sync) tx modem mode 'txidle -a' (session 3)

(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.49 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FC : --> B1 09:55:11,440 state=FC_RX, event=T30_STATUS

(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.49 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FC : Wed Feb 19 09:55:11 2014

(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.49 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) Status Update

(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.50 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) direction : recv

(548) 14/02/19 09:55:11 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:11.50 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) use_bps : 14400

(548) 14/02/19 09:55:14 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:55:14.51 OMG201806 ilihwdReleaseWriteAccess: queue c57be000 stops using 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:55:14 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:55:14.51 OMG201806 ilihwdReleaseWriteAccess: queue (null) stops using 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:55:14 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:55:14.51 OMG201806 ilihwdReleaseWriteAccess: queue (null) stops using 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:55:14 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:55:14.51 OMG201806 ilihwdRequestWriteAccess: queue c56ba000 writing to 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:55:14 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:55:14.51 OMG201806 ILID: MBQ_ERR_DISCONNECT for 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:55:14 - WARNING: SYSLOG (10.1.1.51/kernel/warning): <4>2014-02-19 09:55:14.51 OMG201806 ilihwdReleaseWriteAccess: queue c56ba000 stops using 1.a/B1/S0/HFC-4S
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.72 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:55:14,690 txend for session 2
(18420) 14/02/19 09:55:14 - INFO: <--(3217) LAPI: B1 09:55:14,690 txend for session 2
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.72 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:55:14,691 setting (async) tx modem mode 'txidle -a' (session 1)
(18420) 14/02/19 09:55:14 - INFO: <--(3217) LAPI: B1 09:55:14,691 setting (async) tx modem mode 'txidle -a' (session 1)
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.72 OMG201806 102: callp: scWrite(833): socket=8 ret=43 len=43
(18420) 14/02/19 09:55:14 - INFO: <--(3217) T30 : B1 09:55:14,692 stop Timer Lapi Timer
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.72 OMG201806 102: callp: scWrite(833): socket=8 ret=77 len=77
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.72 OMG201806 102: callp: launch: Launch:2120 started
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.72 OMG201806 102: callp: launch: exit Launch:2120
(18420) 14/02/19 09:55:14 - INFO: <--(3217) T30 : B1 09:55:14,692 Kill Lapi
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.72 OMG201806 102: callp: scWrite(833): socket=8 ret=45 len=45
(18420) 14/02/19 09:55:14 - INFO: <--(3217) LAPI: B1 09:55:14,693 killed
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.73 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:55:14,692 stop Timer Lapi Timer
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.73 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:55:14,692 Kill Lapi
(18420) 14/02/19 09:55:14 - INFO: <--(3217) T30 : B1 SendHighLayerKillReq page_count=2
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.73 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) LAPI: B1 09:55:14,693 killed
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.73 OMG201806 102: callp: scWrite(833): socket=8 ret=32 len=32
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.73 OMG201806 102: callp: scWrite(833): socket=8 ret=30 len=30
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.74 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 SendHighLayerKillReq page_count=2
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.74 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 Send T4 Abort
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.74 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FC : --> B1 09:55:14,695 state=FC_RX, event=T30_KILL_REQ
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.74 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FC : Wed Feb 19 09:55:14 2014
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.74 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) Status Update
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.75 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) direction : rcv
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.75 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) use_bps : 14400
(18420) 14/02/19 09:55:14 - INFO: <--(3217) T30 : B1 Send T4 Abort
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.75 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) bps_used : 9600
(18420) 14/02/19 09:55:14 - INFO: <--(3217) FC : --> B1 09:55:14,695 state=FC_RX, event=T30_KILL_REQ
(18420) 14/02/19 09:55:14 - INFO: <--(3217) FC : Wed Feb 19 09:55:14 2014
(18420) 14/02/19 09:55:14 - INFO: <--(3217) Status Update
(18420) 14/02/19 09:55:14 - INFO: <--(3217) direction : rcv
(18420) 14/02/19 09:55:14 - INFO: <--(3217) use_bps : 14400
(18420) 14/02/19 09:55:14 - INFO: <--(3217) bps_used : 9600
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.75 OMG201806 102: callp: scWrite(833): socket=8 ret=46 len=46
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.75 OMG201806 102: callp: scWrite(833): socket=8 ret=24 len=24
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.75 OMG201806 102: callp: scWrite(833): socket=8 ret=59 len=59
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.75 OMG201806 102: callp: scWrite(833): socket=8 ret=31 len=31
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.75 OMG201806 102: callp: scWrite(833): socket=8 ret=15 len=15
(18420) 14/02/19 09:55:14 - INFO: <--(3217) own_csid : +43 7563 8041
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.75 OMG201806 102: callp: scWrite(833): socket=8 ret=27 len=27
(18420) 14/02/19 09:55:14 - INFO: <--(3217) own_sernum : 0
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.75 OMG201806 102: callp: scWrite(833): socket=8 ret=28 len=28
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.75 OMG201806 102: callp: scWrite(833): socket=8 ret=27 len=27
(18420) 14/02/19 09:55:14 - INFO: <--(3217) ecm_used : 1
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.75 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNCMD::CCA_RELEASE_REQ;499122875821;;260;;CCAPI_CIP_ANALOG_VOICE;1.a/B1/S0/HFC-4S;0;0;1;2;1;;0;;;
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.75 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: event=CCA_RELEASE_REQ
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.75 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:callingPartyNumber1=499122875821
(18420) 14/02/19 09:55:14 - INFO: <--(3217) dpi_used : 100 dpi
(18420) 14/02/19 09:55:14 - INFO: <--(3217) t4mode_used : MH
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.76 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG:callingPartyNumber2=260
(18420) 14/02/19 09:55:14 - INFO: <--(3217) tx image_type : unknown
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.76 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: redirectingNumber=
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.76 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: cip=CCAPI_CIP_ANALOG_VOICE
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.76 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: bChannelInterface=1.a/B1/S0/HFC-4S
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.76 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: error=0
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.76 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: cause=0
(18420) 14/02/19 09:55:14 - INFO: <--(3217) rx image_type : BFF
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.76 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: pi=0

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.76 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: bChannel=1
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.76 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: ChannelId=2
(18420) 14/02/19 09:55:14 - INFO: <--(3217) total_pages : 0
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.76 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: CallControll=1
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.76 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: callingName=
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.76 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: calledName=
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.76 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: ulaw=0
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.76 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: userToUser=
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.76 OMG201806 mux_isdn:0 (1) ISDN[1](1826) ==> ISDNMSG: charge=
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.76 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: facility=
(18420) 14/02/19 09:55:14 - INFO: <--(3217) tx_pages : 0
(18420) 14/02/19 09:55:14 - INFO: <--(3217) rx_pages : 2
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.76 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) own_csid : +43 7563 8041
(18420) 14/02/19 09:55:14 - INFO: <--(3217) to_whom_rx :
(18420) 14/02/19 09:55:14 - INFO: <--(3217) from_whom_rx :
(18420) 14/02/19 09:55:14 - INFO: <--(3217) to_whom_tx :
(18420) 14/02/19 09:55:14 - INFO: <--(3217) from_whom_tx :
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.76 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) own_sernum : 0
(18420) 14/02/19 09:55:14 - INFO: <--(3217) remote_csid :
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.76 OMG201806 102: callp: scWrite(833): socket=8 ret=36 len=36
(18420) 14/02/19 09:55:14 - INFO: <--(3217) remote_sernum : 0
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.76 OMG201806 102: callp: scWrite(833): socket=8 ret=24 len=24
(18420) 14/02/19 09:55:14 - INFO: <--(3217) error : 1
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.76 OMG201806 mux_isdn:0 (1) ISDN[1](1826): APP : 09:55:14,766 Begin ReadAppPipe 1
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.77 OMG201806 mux_isdn:0 (1) ISDN[1](1826): APP : calling_name ="
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.77 OMG201806 mux_isdn:0 (1) ISDN[1](1826): APP : called_name ="
(18420) 14/02/19 09:55:14 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:55.14" --error="none" --type="recv" --bps="9600" --ecm=1 -- res="100" --t4="MH" --txp=0 --rxp=2 --ferrari=0 --sernum=0 --csid=" " --to=" " --from=" "
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.77 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) ecm_used : 1
(18420) 14/02/19 09:55:14 - INFO: DChannel::OnMsgLine(): job 89759: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:55.14" --error="none" -- type="recv" --bps="9600" --ecm=1 --res="100" --t4="MH" --txp=0 --rxp=2 --ferrari=0 --sernum=0 --csid=" " --to=" " --from=" "
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.77 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) dpi_used : 100 dpi
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.77 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) t4mode_used : MH
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.77 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) tx_image_type : unknown
(18420) 14/02/19 09:55:14 - INFO: <--(3217) FC : <-- B1 09:55:14.696 state=FC_RX_W4_EOF_CONVERT
(18420) 14/02/19 09:55:14 - INFO: <--(3217) T4 : send CTRL_EOM up
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.78 OMG201806 102: callp: scWrite(833): socket=8 ret=24 len=24
(18420) 14/02/19 09:55:14 - INFO: <--(3217) FC : --> B1 09:55:14.697 state=FC_RX_W4_EOF_CONVERT, event=T30_RX_DATA
(18420) 14/02/19 09:55:14 - INFO: <--(3217) FC : B1 T30_RX_DATA size=4
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.78 OMG201806 102: callp: scWrite(833): socket=8 ret=30 len=30
(18420) 14/02/19 09:55:14 - INFO: <--(3217) BFF : Write EOD
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.78 OMG201806 102: callp: scWrite(833): socket=8 ret=25 len=25
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.78 OMG201806 102: callp: scWrite(833): socket=8 ret=30 len=30
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.78 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:55:14,779 cpn=260 instance=1 callref=1 --> state=DSS1_U10, event=L4L3_DISCONNECT_REQ
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.79 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:55:14,780 cause=0
(18420) 14/02/19 09:55:14 - INFO: <--(3217) T30 : B1 09:55:14,706 Kill Function called
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.79 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:55:14,780 cpn=260 instance=1 callref=1 <-- state=DSS1_U11
(18420) 14/02/19 09:55:14 - INFO: <--(3217) T30 : B1 Send T4 Kill
(18420) 14/02/19 09:55:14 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:55.14" --error="none" --type="recv" --bps="9600" --ecm=1 -- res="100" --t4="MH" --txp=0 --rxp=2 --ferrari=0 --sernum=0 --csid=" " --to=" " --from=" "
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.79 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L1M : 09:55:14,781 ML1_DEACTIVATE_B_CHANNEL
(18420) 14/02/19 09:55:14 - INFO: DChannel::OnMsgLine(): job 89759: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:55.14" --error="none" -- type="recv" --bps="9600" --ecm=1 --res="100" --t4="MH" --txp=0 --rxp=2 --ferrari=0 --sernum=0 --csid=" " --to=" " --from=" "
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.79 OMG201806 102: callp: scWrite(833): socket=8 ret=26 len=26
(18420) 14/02/19 09:55:14 - INFO: <--(3217) FC : in FCExit
(18420) 14/02/19 09:55:14 - INFO: <--(3217) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:55.14" --error="end_of_fax" --type="recv" --bps="9600" -- ecm=1 --res="100" --t4="MH" --txp=0 --rxp=2 --ferrari=0 --sernum=0 --csid=" " --to=" " --from=" "
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.79 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) rx_image_type : BFF
(18420) 14/02/19 09:55:14 - INFO: DChannel::OnMsgLine(): job 89759: :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:55.14" --error="end_of_fax" -- type="recv" --bps="9600" --ecm=1 --res="100" --t4="MH" --txp=0 --rxp=2 --ferrari=0 --sernum=0 --csid=" " --to=" " --from=" "
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.80 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) total_pages : 0
(18420) 14/02/19 09:55:14 - INFO: <--(3217) :bchannel --message="finished" --client_id="89759" --bchannel="1.a/B1/S0/HFC-4S"
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.80 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) tx_pages : 0
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.80 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) rx_pages : 2
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.80 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) to_whom_rx :
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.80 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) from_whom_rx :
(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.80 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) to_whom_tx :

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.80 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) from_whom_tx :

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.81 OMG201806 102: callp: scWrite(833): socket=8 ret=24 len=24

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.81 OMG201806 last message repeated 2 times

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.81 OMG201806 102: callp: scWrite(833): socket=8 ret=23 len=23

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.81 OMG201806 last message repeated 3 times

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.81 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L1M : setting LIU on lineinterface 1.a/B1/S0/HFC-4S to 0

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.81 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DICConn : 09:55:14,784 --> state=LINK_CONNECTION_ESTABLISHED, event=DL_DATA_REQ

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.81 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DICConn : 09:55:14,784 <-- state=LINK_CONNECTION_ESTABLISHED

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.81 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:55:14,785 (8) P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=DL_DATA_REQ

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.81 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:55:14,785 (8) P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.81 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:55:14,786 (8) P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=L_FRAME_QUEUED_UP

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.81 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) remote_csuid :

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.81 OMG201806 102: callp: scWrite(833): socket=8 ret=43 len=43

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.81 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) remote_sernum : 0

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.82 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) error : 1

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.82 OMG201806 102: callp: scWrite(833): socket=8 ret=24 len=24

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.82 OMG201806 102: callp: scWrite(833): socket=8 ret=24 len=24

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.82 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:55:14,789 (8) P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.82 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19 09:55:14,795 T:00 01 08 02 08 01 81 45 08 02 80 90

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.82 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4 t|10.1.1.50|37606) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:55:14" --error="none" --type="recf" --bps="9600" --ecm=1 --res="100" --t4="MH" --txp=0 --rxp=2 --ferrari=0 --sernum=0 --csid="" " --to="" --from=""

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.82 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FC : <-- B1 09:55:14,696 state=FC_RX_W4_EOF_CONVERT, event=T30_RX_DATA

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.83 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T4 : send CTRL_EOM up

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.83 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FC : -- B1 09:55:14,697 state=FC_RX_W4_EOF_CONVERT, event=T30_RX_DATA

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.83 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FC : B1 T30_RX_DATA size=4

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.83 OMG201806 102: callp: scWrite(833): socket=8 ret=224 len=224

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.83 OMG201806 102: callp: scWrite(833): socket=8 ret=54 len=54

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.83 OMG201806 102: callp: scWrite(833): socket=8 ret=23 len=23

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.83 OMG201806 102: callp: scWrite(833): socket=8 ret=73 len=73

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.83 OMG201806 102: callp: scWrite(833): socket=8 ret=29 len=29

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.83 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19 09:55:14,834 R:00 01 01 0a

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.84 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:55:14,835 (8) P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=RR

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.84 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:55:14,835 (8) P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.84 OMG201806 102: callp: scWrite(833): socket=8 ret=17 len=17

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.84 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) BFF : Write EOD

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.84 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 09:55:14,706 Kill Function called

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.84 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) T30 : B1 Send T4 Kill

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.84 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4 t|10.1.1.50|37606) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:55:14" --error="none" --type="recf" --bps="9600" --ecm=1 --res="100" --t4="MH" --txp=0 --rxp=2 --ferrari=0 --sernum=0 --csid="" " --to="" --from=""

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.84 OMG201806 102: callp: scWrite(833): socket=8 ret=43 len=43

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.84 OMG201806 102: callp: scWrite(833): socket=8 ret=22 len=22

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.84 OMG201806 102: callp: scWrite(833): socket=8 ret=224 len=224

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.84 OMG201806 102: callp: scWrite(833): socket=8 ret=16 len=16

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.85 OMG201806 mux_jobcontrol:4(1) JOBMSG send: (netData:4 t|10.1.1.50|37606) FC : in FCExit

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.85 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4 t|10.1.1.50|37606) :fax --bchannel="1.a/B1/S0/HFC-4S" --date="2014-02-19-09:55:14" --error="end_of_fax" --type="recf" --bps="9600" --ecm=1 --res="100" --t4="MH" --txp=0 --rxp=2 --ferrari=0 --sernum=0 --csid="" " --to="" --from=""

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.85 OMG201806 102: callp: scWrite(833): socket=8 ret=230 len=230

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.86 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4 t|10.1.1.50|37606) :bchannel --message="finished" --client_id="89759" --bchannel="1.a/B1/S0/HFC-4S"

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:14.86 OMG201806 102: callp: scWrite(833): socket=8 ret=81 len=81

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.01 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19 09:55:15,005 R:02 01 02 0a 08 01 01 4d

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.01 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:55:15,006 (8) P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=L_COMMAND

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.02 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:55:15,006 (8) P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.03 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: message type is 0x4d

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.03 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:55:15,007 cpn=260 instance=1 callref=1 --> state=DSS1_U11, event=DSS1_RELEASE

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.03 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:55:15,007 cause=0

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.03 OMG201806 last message repeated 2 times

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.03 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:55:15,008 cause=0

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.03 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:55:15,008 cpn=260 instance=1 callref=1 <-- state=DSS1_U0

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.03 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:55:15,009 (8) P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=ACKNOWLEDGE_PENDING

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.03 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:55:15,009 (8) P-P data link <- state=MULTIPLE_FRAME_ESTABLISHED

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.04 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DICConn : 09:55:15,011 --> state=LINK_CONNECTION_ESTABLISHED, event=DL_DATA_REQ

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.04 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DICConn : 09:55:15,011 <- state=LINK_CONNECTION_ESTABLISHED

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.04 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19 09:55:15,012 T:02 01 01 04

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.04 OMG201806 mux_isdn:0 (1) ISDN[1](1826): APP : 0 calling_name ="->"

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.04 OMG201806 mux_isdn:0 (1) ISDN[1](1826): APP : 0 called_name ="->"

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.04 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNCMD:CCA_RELEASE_CONF;499122875821;;260;;CCAPI_CIP_ANALOG_VOICE;1.a/B1/S0/HFC-4S;0;0;0;1;2;1;;0;;

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.04 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: event=CCA_RELEASE_CONF

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.04 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG:callingPartyNumber=499122875821

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.04 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG:callingPartyNumber=260

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.04 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG:calledPartyNumber=260

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.04 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG:redirectingNumber=

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.04 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: cip=CCAPI_CIP_ANALOG_VOICE

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.04 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: bChannelInterface=1.a/B1/S0/HFC-4S

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.04 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: error=0

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.05 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: cause=0

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.05 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: pi=0

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.05 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: bChannel=1

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.05 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: ChannelId=2

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.05 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: CallControllId=1

(18420) 14/02/19 09:55:14 - INFO: <-(3217) :channel_state --channel_name="1.a/B1/S0/HFC-4S" --status="499122875821 --> 260" --called_party_number="260" --calling_party_number="499122875821" --calling_party_number2="" --redirected_party_number="" --destination="fms" --ready

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.05 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: callingName=

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.05 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: calledName=

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.05 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: ulaw=0

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.05 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: userToUser=

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.05 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: charge=

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.05 OMG201806 mux_isdn:0 (1) ISDN[1](1826) <== ISDNMSG: facility=

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.05 OMG201806 CCA_RELEASE_CONF

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.05 OMG201806 mux_isdn:0 (1) ISDN[1] send to 'jobcontrol_isdn:2'

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.06 OMG201806 mux_isdn:0 (1) ISDN[1](1826): APP : 09:55:15,016 96 bytes written 'CCA_RELEASE_CONF;499122875821;;260;;CCAPI_CIP_ANALOG_VOICE;1.a/B1/S0/HFC-4S;0;0;0;1;2;1;;0;;

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.06 OMG201806 mux_isdn:0 (1) ISDN[1](1826): '

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.06 OMG201806 mux_isdn:0 (1) ISDN[1](1826): APP : 09:55:15,016 (1) 96 bytes written 'CCA_RELEASE_CONF;499122875821;;260;;CCAPI_CIP_ANALOG_VOICE;1.a/B1/S0/HFC-4S;0;0;0;1;2;1;;0;;

(18420) 14/02/19 09:55:14 - INFO: <-(3217) :dchannel --message="onhook" --channel_id=2 --client_id="89759" --dchannel="jobcontrol_isdn:2" --charges=0 --cause=10

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.06 OMG201806 mux_isdn:0 (1) ISDN[1](1826): '

(18420) 14/02/19 09:55:14 - INFO: Submitting message of type 'Rec' to '260' with status 0 and error code 0.

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.07 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:55:15,018 (8) P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=DL_DATA_REQ

(18420) 14/02/19 09:55:14 - INFO: fms_write_job(): LogInfo ind= 0.

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.07 OMG201806 mux_jobcontrol:0 (1) 1==1?

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.07 OMG201806 mux_jobcontrol:1(1) JOBCMD send: (netData:4 t|10.1.1.50|37606) :channel_state --channel_name="1.a/B1/S0/HFC-4S" --status="499122875821 --> 260" --called_party_number="260" --calling_party_number="499122875821" --calling_party_number2="" --redirected_party_number="" --destination="fms" --ready

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.07 OMG201806 mux_jobcontrol:0 (1) NIL==1?

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.07 OMG201806 jobcontrol_isdn:2 (1) Job is done, Bye!

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.07 OMG201806 102: callp: scWrite(833): socket=8 ret=232 len=232

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.07 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:55:15,018 (8) P-P data link <- state=MULTIPLE_FRAME_ESTABLISHED

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.07 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:55:15,022 (8) P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=I_FRAME_QUEUED_UP

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.07 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:55:15,024 (8) P-P data link <- state=MULTIPLE_FRAME_ESTABLISHED

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.07 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19 09:55:15,028 T:00 01 0a 04 08 01 81 5a

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.08 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19 09:55:15,069 R:00 01 01 0c

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.08 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:55:15,070 (8) P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=RR

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.08 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:55:15,070 (8) P-P data link <- state=MULTIPLE_FRAME_ESTABLISHED

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.09 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4 t|10.1.1.50|37606) :dchannel --message="onhook" --channel_id=2 --client_id="89759" --dchannel="jobcontrol_isdn:2" --charges=0 --cause=10

(548) 14/02/19 09:55:14 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:15.09 OMG201806 102: callp: scWrite(833): socket=8 ret=118 len=118

(18420) 14/02/19 09:55:17 - INFO: <-(3217) :alive

(548) 14/02/19 09:55:17 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:55:17.81 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4 t|10.1.1.50|37606) :alive

(548) 14/02/19 09:56:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:56:25.66 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:56:25,656 (8)
P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=RR
(548) 14/02/19 09:56:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:56:25.66 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:56:25,657 (8)
P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED
(548) 14/02/19 09:56:25 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:56:25.66 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19
09:56:25,658 T:02 01 01 05
(548) 14/02/19 09:56:30 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:56:30.20 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4
t|10.1.1.50|37606) :alive
(18420) 14/02/19 09:56:30 - INFO: <--(3217) :alive
(548) 14/02/19 09:56:30 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:56:30.20 OMG201806 177: callp: scWrite(833): socket=8 ret=7 len=7
(548) 14/02/19 09:56:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:56:35.78 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19
09:56:35,781 R:02 01 01 0d
(548) 14/02/19 09:56:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:56:35.78 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:56:35,781 (8)
P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=RR
(548) 14/02/19 09:56:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:56:35.78 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:56:35,782 (8)
P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED
(548) 14/02/19 09:56:35 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:56:35.79 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19
09:56:35,783 T:02 01 01 05
(18420) 14/02/19 09:56:36 - INFO: <--(3217) :alive
(548) 14/02/19 09:56:36 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:56:36.23 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4
t|10.1.1.50|37606) :alive
(548) 14/02/19 09:56:36 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:56:36.23 OMG201806 183: callp: scWrite(833): socket=8 ret=7 len=7
(18420) 14/02/19 09:56:42 - INFO: <--(3217) :alive
(548) 14/02/19 09:56:42 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:56:42.26 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4
t|10.1.1.50|37606) :alive
(548) 14/02/19 09:56:42 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:56:42.26 OMG201806 190: callp: scWrite(833): socket=8 ret=7 len=7
(548) 14/02/19 09:56:45 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:56:45.81 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19
09:56:45,814 R:02 01 01 0d
(548) 14/02/19 09:56:45 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:56:45.82 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:56:45,814 (8)
P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=RR
(548) 14/02/19 09:56:45 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:56:45.82 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:56:45,815 (8)
P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED
(548) 14/02/19 09:56:45 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:56:45.82 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19
09:56:45,816 T:02 01 01 05
(548) 14/02/19 09:56:48 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:56:48.29 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4
t|10.1.1.50|37606) :alive
(548) 14/02/19 09:56:48 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:56:48.30 OMG201806 196: callp: scWrite(833): socket=8 ret=7 len=7
(18420) 14/02/19 09:56:48 - INFO: <--(3217) :alive
(548) 14/02/19 09:56:54 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:56:54.33 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4
t|10.1.1.50|37606) :alive
(18420) 14/02/19 09:56:54 - INFO: <--(3217) :alive
(548) 14/02/19 09:56:54 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:56:54.33 OMG201806 202: callp: scWrite(833): socket=8 ret=7 len=7
(548) 14/02/19 09:56:55 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:56:55.95 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19
09:56:55,951 R:02 01 01 0d
(548) 14/02/19 09:56:55 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:56:55.95 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:56:55,951 (8)
P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=RR
(548) 14/02/19 09:56:55 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:56:55.95 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:56:55,952 (8)
P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED
(548) 14/02/19 09:56:55 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:56:55.95 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19
09:56:55,953 T:02 01 01 05
(18420) 14/02/19 09:57:00 - INFO: <--(3217) :alive
(548) 14/02/19 09:57:00 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:57:00.36 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4
t|10.1.1.50|37606) :alive
(548) 14/02/19 09:57:00 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:57:00.36 OMG201806 208: callp: scWrite(833): socket=8 ret=7 len=7
(548) 14/02/19 09:57:05 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:57:06.02 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19
09:57:06,016 R:02 01 01 0d
(548) 14/02/19 09:57:05 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:57:06.02 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:57:06,016 (8)
P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=RR
(548) 14/02/19 09:57:05 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:57:06.02 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:57:06,017 (8)
P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED
(548) 14/02/19 09:57:05 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:57:06.02 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19
09:57:06,018 T:02 01 01 05
(548) 14/02/19 09:57:06 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:57:06.39 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4
t|10.1.1.50|37606) :alive
(548) 14/02/19 09:57:06 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:57:06.39 OMG201806 214: callp: scWrite(833): socket=8 ret=7 len=7
(18420) 14/02/19 09:57:06 - INFO: <--(3217) :alive
(18420) 14/02/19 09:57:12 - INFO: <--(3217) :alive
(548) 14/02/19 09:57:12 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:57:12.43 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4
t|10.1.1.50|37606) :alive
(548) 14/02/19 09:57:12 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:57:12.43 OMG201806 220: callp: scWrite(833): socket=8 ret=7 len=7
(548) 14/02/19 09:57:16 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:57:16.14 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19
09:57:16,138 R:02 01 01 0d
(548) 14/02/19 09:57:16 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:57:16.14 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:57:16,138 (8)
P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=RR
(548) 14/02/19 09:57:16 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:57:16.14 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:57:16,138 (8)
P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED
(548) 14/02/19 09:57:16 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:57:16.14 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19
09:57:16,139 T:02 01 01 05
(548) 14/02/19 09:57:17 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:57:17.30 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19
09:57:17,298 R:02 ff 03 08 01 01 05 04 03 80 90 a3 18 01 89 29 05 0e 02 13 09 39 6c 0d 21 81 37 35 36 33 38 30 30 32 31 39 30 70 04 81 31 39 30 7d 02 91 81
(548) 14/02/19 09:57:17 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:57:17.31 OMG201806 mux_isdn:0 (1) ISDN[1](1826):
app.c:ProcessInstanceInd:1541 CM: L4 channeldup used=0 configured=2
(548) 14/02/19 09:57:17 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:57:17.31 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:57:17,306
A instance=1 callref=1
(548) 14/02/19 09:57:17 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:57:17.32 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:57:17,306
B instance=1 callref=1
(548) 14/02/19 09:57:17 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:57:17.33 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: message type
is 0x 5
(548) 14/02/19 09:57:17 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:57:17.34 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:57:17,307
cpn=190 instance=1 callref=1 --> state=DSS1_U0, event=DSS1_SETUP
(548) 14/02/19 09:57:17 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:57:17.34 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1M: B channel
reused early for PCE 12
(548) 14/02/19 09:57:17 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:57:17.34 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:57:17,307
mode=ALAW

(548) 14/02/19 09:58:00 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:00.69 OMG201806 268: callp: scWrite(833); socket=8 ret=7 len=7
(18420) 14/02/19 09:58:06 - INFO: <--(3217) :alive
(548) 14/02/19 09:58:06 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:06.72 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4
t|10.1.1.50|37606) :alive
(548) 14/02/19 09:58:06 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:06.73 OMG201806 274: callp: scWrite(833); socket=8 ret=7 len=7
(548) 14/02/19 09:58:07 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:07.82 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19
09:58:07,822 R:02 01 01 0f
(548) 14/02/19 09:58:07 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:07.82 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:58:07,823 (8)
P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=RR
(548) 14/02/19 09:58:07 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:07.82 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:58:07,823 (8)
P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED
(548) 14/02/19 09:58:07 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:07.83 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19
09:58:07,824 T:02 01 01 05
(18420) 14/02/19 09:58:12 - INFO: <--(3217) :alive
(548) 14/02/19 09:58:12 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:12.75 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4
t|10.1.1.50|37606) :alive
(548) 14/02/19 09:58:12 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:12.75 OMG201806 280: callp: scWrite(833); socket=8 ret=7 len=7
(548) 14/02/19 09:58:17 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:17.95 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19
09:58:17,947 R:02 01 01 0f
(548) 14/02/19 09:58:17 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:17.95 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:58:17,948 (8)
P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=RR
(548) 14/02/19 09:58:17 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:17.95 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:58:17,948 (8)
P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED
(548) 14/02/19 09:58:17 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:17.95 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19
09:58:17,949 T:02 01 01 05
(548) 14/02/19 09:58:18 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:18.78 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4
t|10.1.1.50|37606) :alive
(548) 14/02/19 09:58:18 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:18.78 OMG201806 286: callp: scWrite(833); socket=8 ret=7 len=7
(18420) 14/02/19 09:58:18 - INFO: <--(3217) :alive
(18420) 14/02/19 09:58:24 - INFO: <--(3217) :alive
(548) 14/02/19 09:58:24 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:24.82 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4
t|10.1.1.50|37606) :alive
(548) 14/02/19 09:58:24 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:24.82 OMG201806 292: callp: scWrite(833); socket=8 ret=7 len=7
(548) 14/02/19 09:58:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:28.11 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19
09:58:28,108 R:02 01 01 0f
(548) 14/02/19 09:58:27 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:28.11 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:58:28,109 (8)
P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=RR
(548) 14/02/19 09:58:28 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:28.11 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:58:28,109 (8)
P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED
(548) 14/02/19 09:58:28 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:28.11 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19
09:58:28,110 T:02 01 01 05
(548) 14/02/19 09:58:30 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:30.85 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4
t|10.1.1.50|37606) :alive
(18420) 14/02/19 09:58:30 - INFO: <--(3217) :alive
(548) 14/02/19 09:58:30 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:30.86 OMG201806 298: callp: scWrite(833); socket=8 ret=7 len=7
(548) 14/02/19 09:58:36 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:36.88 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4
t|10.1.1.50|37606) :alive
(548) 14/02/19 09:58:36 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:36.88 OMG201806 304: callp: scWrite(833); socket=8 ret=7 len=7
(18420) 14/02/19 09:58:36 - INFO: <--(3217) :alive
(548) 14/02/19 09:58:38 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:38.22 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19
09:58:38,221 R:02 01 01 0f
(548) 14/02/19 09:58:38 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:38.22 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:58:38,222 (8)
P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=RR
(548) 14/02/19 09:58:38 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:38.22 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:58:38,222 (8)
P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED
(548) 14/02/19 09:58:38 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:38.22 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19
09:58:38,223 T:02 01 01 05
(548) 14/02/19 09:58:38 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:39.04 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19
09:58:39,037 R:02 ff 03 08 01 01 05 04 03 80 90 a3 18 01 89 29 05 0e 02 13 09 3a 6c 0d 21 81 37 35 36 33 38 30 30 32 31 39 30 70 04 81 31 39 30 7d 02 91 81
(548) 14/02/19 09:58:38 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:39.05 OMG201806 mux_isdn:0 (1) ISDN[1](1826):
app.c:ProcessInstanceInd:1541 CM: L4 channeldump used=0 configured=2
(548) 14/02/19 09:58:38 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:39.05 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:58:39,046
A instance=1 callref=-1
(548) 14/02/19 09:58:38 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:39.07 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:58:39,046
B instance=1 callref=-1
(548) 14/02/19 09:58:38 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:39.07 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: message type
is 0x 5
(548) 14/02/19 09:58:38 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:39.08 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:58:39,047
cpn=190 instance=1 callref=1 --> state=DSS1_U0, event=DSS1_SETUP
(548) 14/02/19 09:58:38 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:39.08 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1M: B channel
reused early for PCE 12
(548) 14/02/19 09:58:38 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:39.08 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:58:39,047
mode=ALAW
(548) 14/02/19 09:58:38 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:39.09 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:58:39,048
cause=0
(548) 14/02/19 09:58:38 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:39.09 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:58:39,048
cpn=190 instance=1 callref=1 <-- state=DSS1_U6
(548) 14/02/19 09:58:38 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:39.09 OMG201806 mux_isdn:0 (1) ISDN[1](1826): CC : (cc_id=1)
ISDN_BASENUM is longer than called party number
(548) 14/02/19 09:58:38 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:39.09 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:58:39,069
cpn=190 instance=1 callref=1 --> state=DSS1_U6, event=L4L3_REJECT_REQ
(548) 14/02/19 09:58:38 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:39.09 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:58:39,071
cause=0
(548) 14/02/19 09:58:38 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:39.09 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DSS1: 09:58:39,071
cpn=190 instance=1 callref=1 <-- state=DSS1_U0
(548) 14/02/19 09:58:38 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:39.09 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DIConn :
09:58:39,072 --> state=LINK_CONNECTION_ESTABLISHED, event=DL_DATA_REQ
(548) 14/02/19 09:58:38 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:39.09 OMG201806 mux_isdn:0 (1) ISDN[1](1826): DIConn :
09:58:39,072 <-- state=LINK_CONNECTION_ESTABLISHED
(548) 14/02/19 09:58:38 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:39.09 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:58:39,075 (8)
P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=DL_DATA_REQ
(548) 14/02/19 09:58:38 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:39.09 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:58:39,075 (8)
P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED
(548) 14/02/19 09:58:38 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:58:39.09 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:58:39,077 (8)
P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=I_FRAME_QUEUED_UP

(548) 14/02/19 09:59:39 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:59:39.69 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:59:39,692 (8)
P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED
(548) 14/02/19 09:59:39 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:59:39.69 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19
09:59:39,693 T:02 01 01 05
(548) 14/02/19 09:59:43 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:59:43.24 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4
t|10.1.1.50|37606) :alive
(18420) 14/02/19 09:59:43 - INFO: <--(3217) :alive
(548) 14/02/19 09:59:43 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:59:43.25 OMG201806 370: callp: scWrite(833): socket=8 ret=7 len=7
(18420) 14/02/19 09:59:49 - INFO: <--(3217) :alive
(548) 14/02/19 09:59:49 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:59:49.28 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4
t|10.1.1.50|37606) :alive
(548) 14/02/19 09:59:49 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:59:49.28 OMG201806 377: callp: scWrite(833): socket=8 ret=7 len=7
(548) 14/02/19 09:59:49 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:59:49.82 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19
09:59:49,821 R:02 01 01 11
(548) 14/02/19 09:59:49 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:59:49.82 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:59:49,821 (8)
P-P data link --> state=MULTIPLE_FRAME_ESTABLISHED, event=RR
(548) 14/02/19 09:59:49 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:59:49.82 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2 : 09:59:49,822 (8)
P-P data link <-- state=MULTIPLE_FRAME_ESTABLISHED
(548) 14/02/19 09:59:49 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:59:49.82 OMG201806 mux_isdn:0 (1) ISDN[1](1826): L2X : 2014-02-19
09:59:49,823 T:02 01 01 05
(18420) 14/02/19 09:59:55 - INFO: <--(3217) :alive
(548) 14/02/19 09:59:55 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:59:55.31 OMG201806 mux_jobcontrol:4(1) JOBCMD send: (netData:4
t|10.1.1.50|37606) :alive
(548) 14/02/19 09:59:55 - INFO: SYSLOG (10.1.1.51/local 5/notice): <173>2014-02-19 09:59:55.31 OMG201806 383: callp: scWrite(833): socket=8 ret=7 len=7